

Product specification: Oxaliplatin 250ml & 500ml infusion bags		
Name of product	Oxaliplatin infusion. Aseptically prepared from licensed sterile starting materials.	
Concentration	Concentration range 0.2mg/ml to 0.7mg/ml in infusion bags in accordance with the national dose banding tables. The Oxaliplatin concentrate should be added to the bag without withdrawal of equivalent volume of Glucose 5% w/v Infusion unless withdrawal of some infusion fluid is required to accommodate the total dose.	
Diluent	Glucose 5% w/v	
Volume	55mg to 200mg in 250ml (261ml to 290ml including addition volume) 225mg to 395mg in 500ml (545ml to 579ml including addition volume)	
Final container	Non-PVC e.g. polyolefin infusion bag with additive port cover. <i>Ideally infusion bag design will incorporate self sealing giving port to minimise H&amp;S risks associated with accidental spillage during administration.</i>	
Starting materials	Licensed Oxaliplatin powder for solution for Infusion. Licensed Oxaliplatin concentrate solution for Infusion 5mg/ml Licensed Glucose 5% w/v Infusion bags	
Labelling	Labelling must be compliant with the principles of labelling for safety and the BP General specification on unlicensed medicines. Tall Man lettering must be used for the drug name.	
Label sample	An example label is provided below stating the minimum requirements only (the label format is not restrictive and suppliers can use their preferred layout):- <div style="border: 1px solid black; padding: 10px; text-align: center; margin: 10px auto; width: fit-content;"> <p>OXALIplatin xxxmg in xxxml Glucose 5% w/v For Intravenous Infusion Infuse the entire contents of the bag</p> <p>Store in a Refrigerator at 2-8°C      Protect From Light Expiry: dd/mm/yyyy                      BN: XXXXXXXX Keep out of the reach and sight of children Manufacturer's details                      MS XXXXXX <i>Caution Cytotoxic: Handle with care</i></p> </div>	
Batch Number	All products will have a unique batch identification number	
Latex status of - components - manufacturing process	All materials and manufacturing processes will be latex free or clearly labelled if not.	
Stability	Stability studies should conform to the Standard Protocol for deriving and assessment of stability of Aseptic preparations (small molecules) published by the NHS Pharmaceutical QA Committee (4th Edition, April 2017).	