









RightCare Pathway: COPD

RightCare Pathways provide a national case for change and a set of resources to support Local Health Economies to concentrate their improvement efforts where there is greatest opportunity to address variation and improve population health.

Commissioners responsible for **COPD** for their population should:

- ✓ focus on the key components for COPD care across a system:
 - Ensuring early detection with accurate diagnosis
 - Optimising long-term management to reduce exacerbations, hospital admissions and premature mortality
- ✓ work across the system to ensure that all **priorities to optimisation** are in place including the cross cutting themes:
 - Multidisciplinary supportive care approach
 - Signposting and care navigation
 - Psychological support, including for frightening breathlessness
 - Community activation to overcome social isolation and stay physically active, including peer support
 - Self-management plan supported by good information and patient training

RightCare Pathways: COPD



		СОРД		RightCare
National Challenge	Early detection Accurate diagnosis	Optimal long term condition management including frailty, comorbidity and exacerbations	<u>Hospital readmissions</u>	<u>Unexpected Mortality</u>
RightCare Opportunity (*2015/16 QOF data)	210,000 more patients could be detected if CCGs achieved the rate of their best 5 peers*	25,500 more COPD patients would have a 12 month holistic review if CCGs had the same rate as their best 5 peers*	£49m could be saved if CCGs achieved the emergency admission rate of their best 5 peers*	1,400 more lives would be saved if CCGs had the same premature mortality rate as their lowest 5 peers*
Enablers for integrated population health	 Commission the whole pathway not the setting or a service Risk stratification for appropriate health resource utilisation Primary and community care team access to appropriate diagnostic tools Strategies for developing and sharing respiratory expertise across all health and care providers Clear clinical and corporate governance structures between all health and care providers 			
			ng Cessation	
		<u>Smokir</u>		
Priorities for optimisation	Community-based case finding and with subsequent quality-assured diagnostic spirometry Breathlessness symptom pathway to accurate diagnosis Quality assured workforce trained to make accurate diagnosis of respiratory symptoms	<u>Smokir</u>	ng Cessation	Evidence-based care for severe COPD (e.g. Oxygen therapy, Lung volume reduction, NIV, transplantation etc.) Access to specialised services Advance care planning GSF Community based breathlessness service Local palliative care teams

Psychological support, including for frightening breathlessness

Community activation to overcome social isolation and stay physically active, including peer support Self-management plans supported by good information and patient training

Early detection and accurate diagnosis

Overarching NICE Guidelines: <u>NICE Clinical Guideline (CG101): Chronic obstructive pulmonary disease in over 16s:</u> <u>diagnosis and management or full document</u>

Priorities for Optimisation	Guidance	Implementation & Practical Examples
Community-based case finding with quality assured spirometry	NICE Quality Statement 1 – Diagnosis with spirometry NICE CG101 - COPD Diagnosis Algorithm (see section 5.2 (pg 54), algorithm 1)	The Royal Wolverhampton Trust (2017): Integrated Respiratory Action Network Group for patients with Chronic Obstructive Pulmonary Disease (COPD) NHS Waltham Forest (2011): To challenge the theoretical construct in COPD management through a practice-based approach
Breathlessness symptom pathway to accurate diagnosis	NICE Clinical Knowledge Summaries – <u>acute</u> <u>and subacute breathlessness</u> East of England SCN - <u>Non-acute</u> <u>breathlessness</u> The Health Foundation – <u>Acute</u> <u>Breathlessness Assessment</u>	Leicester, Leicestershire, Rutland (University Hospitals of Leicester NHS Trust) (2016) Breathlessness Pathway
Quality assured workforce trained to make accurate diagnosis of respiratory symptoms Back to top	Primary Care Commission, Quality Assured <u>Diagnostic Spirometry</u>	Primary Care Commissioning (2013) - <u>A Guide to Performing Quality Assured Diagnostic</u> <u>Spirometry</u> Continue

Optimal long term condition management including frailty, comorbidity and exacerbations

Overarching NICE Guidelines: <u>NICE Clinical Guideline (CG101): Chronic obstructive pulmonary disease in over 16s: diagnosis</u> and management

and management Priorities for Optimisation	Guidance	Implementation & Practical Examples
Flu and pneumonia	NICE CG101 - Vaccination and anti-viral recommendation	Public Health England – National flu
vaccinations	<u>1.2.9.1</u>	immunisation programme plan for 2017-
Timely access to	NICE Quality Statement 4 – Pulmonary rehabilitation for	18 British Lung Foundation - Keeping
pulmonary rehabilitation	stable COPD and exercise limitation	active with a lung condition
pullionary renabilitation	NICE Quality Statement 5 - Pulmonary rehabilitation after an	active with a fully condition
	acute exacerbation	
	British Thoracic Society - Quality Standards for Pulmonary	
	Rehabilitation in Adults	
	British Thoracic Society – Guideline on Pulmonary	
	Rehabilitation in Adults	
Personalised holistic	1. NICE CG101 - Follow up of patients with COPD	Hull and East Yorkshire Hospitals NHS
review, including	recommendation 1.2.14.2	Trust (2015): Promoting domiciliary
1. comorbidities	Primary Care Respiratory Society UK:	self-management of acute COPD
2. frailty	The building blocks of a good asthma or COPD review	exacerbations: improving quality of life
3. inhaler review	in adults Treatment guidelines for COPD – Going for GOLD	and reducing hospital admissions
4. medicines optimisation	British Geriatrics Society – Fit for Frailty	through better symptom control
5. plan for exacerbations	NICE Quality Standard 2 - Inhaler technique	B ** 1 1
6. end of life care	International Primary Care Respiratory Group -	British Lung Foundation – COPD
	Appropriate use and withdrawal of inhaled	Patient Passport
	corticosteroids in patients with COPD	Current Leoralanda Acadama
	BNSSG Formulary - Respiratory System Guidelines	Surrey Heartlands Academy - Medicines optimisation for COPD in
	4. NICE CG101 - Management of exacerbations of COPD 1.3	
	5. NICE:	primary care
	End of Life Care for people with Life Limiting	
	Conditions	
	Quality Standard 144 – <u>Care of dying adults in the last</u>	
Back to top	days of life	

Optimal long term condition management including frailty, comorbidity and exacerbations – Key Messages for Commissioners - Do Not Dos

Overarching NICE Guidelines: <u>NICE Clinical Guideline (CG101): Chronic obstructive pulmonary disease in over 16s:</u> diagnosis and management

Priorities for Optimisation	Key messages	Source
Personalised holistic review	Oral corticosteroid reversibility tests do not predict response to inhaled corticosteroid therapy and should not be used to identify which patients should be prescribed inhaled corticosteroids Do not routinely use mucolytic drugs to prevent exacerbations in people with stable chronic obstructive pulmonary disease (COPD). A course of corticosteroid treatment longer than 14 days is not recommended as there is no advantage in prolonged therapy.	NICE Guidance (CG101)

Hospital readmissions

Overarching NICE Guidelines: <u>NICE Clinical Guideline (CG101): Chronic obstructive pulmonary disease in over 16s: diagnosis and management</u>

Priorities for Optimisation	Guidance	Implementation & Practical Examples
Optimise community support to prevent readmission		Chartered Society of Physiotherapists (2017) - Glasgow Community Respiratory Team
Inpatient care according to national standard 1. admission pathway 2. post-exacerbation pathway, including discharge bundle	 NICE CG101 - Management of exacerbations of COPD 1.3 NICE Quality Statement 8: Hospital discharge care bundle British Thoracic Society - COPD Discharge Care Bundle Royal College of Physicians - National COPD Audit Programme 	Leicester Partnership NHS Trust (2013) - Audit against NICE Guidance CG101 for patients with COPD West Middlesex University Hospital (2012) - Assessing the impact of implementing a hospital discharge COPD care bundle on the respiratory ward at West Middlesex University Hospital James Paget University Hospital Foundation Trust (2013) - Care bundles reduce readmissions for COPD
		A systematic review of the effectiveness of discharge care bundles for patients with COPD

Unexpected mortality

Overarching NICE Guidelines: <u>NICE Clinical Guideline (CG101): Chronic obstructive pulmonary disease in over 16s:</u> <u>diagnosis and management</u>

Priorities for Optimisation	Guidance	Implementation & Practical Examples
Evidence based care for severe COPD	NICE Quality Statement 3 Assessment for long-term oxygen therapy NICE quality Statement 6 Emergency oxygen during an exacerbation NICE Quality Statement 7 Noninvasive ventilation Royal College of Physicians - Non-invasive ventilation in chronic obstructive pulmonary disease British Thoracic Society/ Intensive Care Society (2016) - Guidelines for the Ventilatory Management of Acute Hypercapnic Respiratory Failure in Adults	National Confidential Enquiry into Patient Outcome and Death (NCEPOD) - Acute Non-Invasive Ventilation: Inspiring Change (2017)
Access to specialised services	NICE CG101 - Recommendation 1.2.10.2 lung surgery	
Advance care planning 1. GSF 2. Community based breathlessness service 3. Local palliative care teams	The Gold Standard Framework - Advanced Care Planning NICE CG101 - Palliative care recommendation 1.2.12.10	Evaluation of the NHS Breathlessness Pilots, Report of the Evaluation Findings An Evaluation of Community MDT meeting for patients with end stage respiratory disease. British Lung Foundation – End of Life Care

Back to top

Enablers for integrated population health

Overarching NICE Guidelines: <u>NICE Clinical Guideline (CG101): Chronic obstructive pulmonary disease in over 16s:</u> <u>diagnosis and management</u>

Priorities for Optimisation	Implementation & Practical Examples
Commission the whole pathway not the setting or a service	Adapted work from Primary Care Respiratory Service - Tiers of Care
Risk stratification for appropriate health resource utilisation	North Norfolk CCG – Improving the Management of Patients Assigned COPD Treatment (IMPACT) Turning Risk Assessment into Practice
Community care team access to appropriate diagnostic tools	Primary Care Commissioning (2013) - <u>A Guide to Performing Quality Assured Diagnostic Spirometry</u>
Strategies for developing and sharing respiratory expertise across all health and care providers	The Royal Wolverhampton NHS Trust – <u>Integrated respiratory</u> action network group for patients with COPD
Clear clinical and corporate governance structures between all health and care providers	Surrey Prescribing Advisory Database ('PAD') - COPD Guidelines
Community activation to overcome social isolation and stay physically active including peer support	BLF Breath Easy network Keeping active with a lung condition

Smoking Cessation

Overarching NICE Guidelines: <u>NICE Clinical Guideline (CG101): Chronic obstructive pulmonary disease in over 16s:</u> <u>diagnosis and management</u>

NICE guidance - Quality standard 43 Smoking: mental health services NICE PH48 - Smoking: acute, maternity and mental health services NICE PH10 - Stop smoking services Implementation & P Effectiveness of a hospital-in programme: 2-year health and 2-year heal	d healthcare outcomes - Adding value to every
standard 43 Smoking: mental health services programme: 2-year health and supporting people to stop	d healthcare outcomes - Adding value to every
supporting people to stop	- Adding value to every
THIS ETHIC CLOP CHICKING COLLEGE	acco dependence
1. Identifying people who clinical contact by treating tol	Dacco dependence
smoke British Thoracic Society - Recommendations	<u> </u>
2. Referral to smoking for smoking cessation services in secondary Long-term effectiveness and	cost-effectiveness of
cessation services care smoking cessation intervention	
3. Behavioural support	m pationto with oor b
with pharmacotherapy Public Health England - Stop smoking Blackpool Teaching Hospitals	(2012) Implementing an
	· · · · · · · · · · · · · · · · · · ·
4. Pharmacotherapy services: models of delivery Inpatient Stop Smoking Trea	tment Service in the
5. Outcome measurement secondary care setting	
The National Centre for Smoking Cessation	
and Training - <u>Very Brief Advice training</u>	
module Bolton Council & Bolton NHS	Foundation Trust (2014) -
Hospital based smoking cess	sation practice
NHS RightCare - Smoking cessation decision	
aid	

Back to top

Cross Cutting Priorities for Optimisation

Overarching NICE Guidelines: <u>NICE Clinical Guideline (CG101): Chronic obstructive pulmonary disease in over 16s: diagnosis and management</u>

Priorities for Optimisation	Guidance	Implementation & Practical Examples
Multidisciplinary supportive care approach	NICE CG101 - Ensure multidisciplinary working recommendation 1.2.12	NHS City and Hackney CCG (2016) - Impact of a pharmacist-led Asthma and COPD respiratory clinic in General Practice. Breathing Matters 33 161221
Signposting and care navigation		NHS North West (2013) - North West Patient Leaders Programme and NW COPD Patient Passport. British Lung Foundation - COPD Patient Passport British Lung Foundation - local services
Psychological support, including for frightening breathlessness	CG101 1.2.12.5 identifying and managing anxiety and depression	
Self-management plans supported by good information and patient training	CG101 Recommendation 1.1.12.21 self-management	Hull and East Yorkshire Hospitals NHS Trust - Promoting domiciliary self-management of acute COPD exacerbations: improving quality of life and reducing hospital admissions through better symptom control BLF self management plans BLF support for your patients

Back to top

COPD Tiers of care



Developed by Primary Care Respiratory Society UK Oct 2017

Adapted from original work by Kings Health partners integrated respiratory team

Smoking cessation, supported self care to include maintaining heathy activity levels and healthy weight. Air quality

Primary prevention

Health promotion and education

Education about smoking (cigarettes, ecigs, cannabis) in general public and targeted at schools

Physical activity promotion

Air quality legislation

Early
Accurate &
complete
diagnosis of
respiratory
symptoms
Joint working with
GP practices

Supporting and upskilling GP practice staff in identifying and managing COPD

Education on spirometry ensuring accurate performance and interpretation

Education on management of COPD

Promotion of available respiratory services

Work with GP practices to ensure efficient referral pathways in place

Encourage smoking cessation training by GP practice staff Treatment and management of 1) chronic respiratory diseases in acute & stable phases, 2) acute respiratory

Pulmonary rehab and ongoing exercise support/advice

disease

Inhaler technique

Written selfmanagement plans

Appropriate respiratory prescribing, optimise pharmacotherapy

Vaccination

Anticipatory prescribing with appropriate education

Disease education

Signposting to BLF

Chest clearance, energy conservation techniques

Smoking cessation

Strategies to reduce breathlessness including pulmonary rehabilitation, respiratory physio and OT/ psychological support

Integrated social care and therapies aimed at enabling independent living and carer support

Supportive and palliative care

Complex / severe disease

Integrated working with secondary care with shared care

Oxygen assessment

Non-invasive ventilation

Consultant and MDT specialist clinics – community or hospital based

Consider carer support

Psychological interventions and support

Optimal management of comorbidities, liaise with other disease specialities

High Cost / High need patients

Admission avoidance and supported discharge using specialist respiratory teams or intermediate care

Post admission review in specialist consultant clinic and respiratory specialist practitioner clinics

Joint working with social care

End of life discussions

End of life care

Referral to specialist teams and joint working with local hospice/palliative care teams

Gold standards framework

Breathlessness management

Education and clinical support for generalist health care professionals

Patient engagement, peer support and self management. Quality Improvement

System wide shared patient information