

NHS Diagnostic Waiting Times and Activity Data

NHS England and NHS Improvement



NHS Diagnostic Waiting Times and Activity Data

November 2021 Monthly Report

Version number: 1.0

First published: 13 January 2022

Prepared by: Performance Analysis Team (Central)
NHS England and NHS Improvement

Contents

Contents	3
1 Executive summary	4
1.1 National Statistics	5
2 November 2021 Key Findings	6
3 National Trends	7
3.1 6+ Week Waits	7
3.2 Total Waiting List	8
3.3 Median Waiting Time	9
3.4 Total Activity	9
4 November 2021 Data	11
4.1 6+ Week Waits	11
4.2 Total Waiting List	13
4.3 Median Waiting Times	14
4.4 Total Activity	15
5 Annex	17
5.1 Methodology	17
5.2 Data Revisions	17
5.3 Data Availability	17
5.4 Glossary	17
5.5 Feedback Welcomed	18
5.6 Consultation	18
5.7 Additional Information	18

1 Executive summary

This report presents a monthly summary of diagnostic waiting times and activity across the NHS in England. This monthly report is part of a routine series of publications produced by NHS England and NHS Improvement.

The data presented in this report measures the current waiting times of patients still waiting for any of 15 key diagnostic tests or procedures at the month end. This data is split by number of weeks waiting and by test. The waiting times reported are for those patients who have been referred for a test, but whose test had not taken place by the end of the reporting period. Referrals may be from a variety of sources including GPs.

One of the main measurements covered in this report is the number and proportion of patients waiting six weeks or more for a diagnostic test, from time of referral.

This six-week diagnostic wait was initially introduced as a 'milestone' from March 2008 towards achieving the standard Referral to Treatment wait of 18 weeks by December 2008, but diagnostic waiting times now form part of the NHS Constitution. This gives patients the legal right to treatment within 18 weeks of referral (18 week RTT) and as part of this, pledges that patients should not be required to wait six weeks or more for a diagnostic test.

NHS England and NHS Improvement's planning guidance states that there is a threshold of 1% for this pledge. The financial penalty for non-delivery of the standard is set out in the NHS Standard Contract 2020/21.

The 15 key diagnostic tests included in this report are:

Imaging

- Magnetic Resonance Imaging (MRI)
- Computerised Tomography (CT)
- Non-obstetric Ultrasound
- Barium Enema
- Dual-Energy X-Ray Absorptiometry (DEXA) Scan

Physiological Measurements

- Audiology Assessments
- Echocardiography
- Electrophysiology
- Neurophysiology – Peripheral Neurophysiology
- Respiratory Physiology – Sleep Studies
- Urodynamics – Pressures & Flows

Endoscopy

- Gastroscopy
- Colonoscopy
- Flexible Sigmoidoscopy
- Cystoscopy

For detailed descriptions of each diagnostic test please see the [collection guidance documentation](#).

Some of the key terms used throughout this report are outlined below:

- **6+ Waits**
A count of the number of patients waiting six weeks or more for a diagnostic test at month end from referral.
- **Activity**
A count of the number of diagnostic tests undertaken during the month.
- **Diagnostic Test**
A test or procedure of which the primary function is to identify a patient's disease or condition to allow a medical diagnosis to be made.
- **Waiting List**
A count of the number of patients that are waiting for a diagnostic test at the end of the month.

A more comprehensive glossary is available in the Annex.

All England figures quoted are commissioner based. Commissioner based returns reflect data for patients for whom English commissioners are responsible.

1.1 National Statistics

The UK Statistics Authority has designated these statistics as National Statistics, in accordance with the Statistics and Registration Service Act 2007 and signifying compliance with the Code of Practice for Official Statistics.

Designation can be broadly interpreted to mean that the statistics:

- meet identified user needs;
- are well explained and readily accessible;
- are produced according to sound methods; and
- are managed impartially and objectively in the public interest.

Once statistics have been designated as National Statistics it is a statutory requirement that the Code of Practice shall continue to be observed.

2 November 2021 Key Findings

- Diagnostic test activity and waiting times have been impacted by the COVID-19 pandemic and data for the current reporting period may therefore not be comparable to previous periods.
- The total number of patients waiting six weeks or more from referral for one of the 15 key diagnostic tests at the end of November 2021 was 364,100. This was 25.0% of the total number of patients waiting at the end of the month and along with last month, the joint best performance in the last 4 months.
- Nationally, the operational standard of less than 1% of patients waiting six weeks or more was not met this month.
- Compared with November 2020 the total number of patients waiting six weeks or more increased by 33,900 while the proportion of patients waiting six weeks or more decreased by 2.5 percentage points.
- In the last 12 months, the proportion of patients waiting six weeks or more at the end of a month has varied between 22.3% (May 2021) and 33.3% (January 2021).
- At the end of November 2021, the test with the smallest proportion of patients waiting six weeks or more was Barium Enema with 7.2%. The test with the highest proportion was Urodynamics, with 46.6% of patients waiting six weeks or more.
- An alternative measure of diagnostic waiting times is the average (median) waiting time. The estimated average time that a patient had been waiting for a diagnostic test was 3.0 weeks at the end of November 2021.
- There were 1,455,000 patients waiting for a key diagnostic test at the end of November 2021. This is an increase of 255,100 from November 2020. A drop in the number of patients waiting for a diagnostic test in March 2020 as a result of COVID-19 was followed by growth in the waiting list, with some subsequent reductions.
- A total of 2,012,600 diagnostic tests were undertaken in November 2021. This is an increase of 237,400 from November 2020. Monthly activity was increasing slightly until it fell sharply from March 2020 before services started to resume from November 2020 onwards.


3 National Trends

This section analyses trends in monthly diagnostic waiting times and activity data that has been collected since January 2006.

3.1 6+ Week Waits


- 3.1.1. The total number of patients waiting six weeks or more dropped sharply between January 2007 and March 2008 (Chart 1), as Trusts worked towards the NHS Improvement Plan (June 2004) milestone that no one should wait six weeks or more for a diagnostic test by March 2008.
- 3.1.2. Since March 2008 there were fluctuations in the total number of patients waiting six weeks or more, with a significant rise between December 2013 and May 2014. The number of patients waiting six weeks or more rose sharply in April 2020 due to the impact of COVID-19. In November 2021 there was an increase of 7,300 in the number of patients waiting six weeks or more from the previous month.

Chart 1: Total number of patients waiting 6+ weeks at month end for all tests
January 2006 to November 2021



- 3.1.3. The proportion of patients waiting six weeks or more shows a similar drop between January 2007 and the 6-week milestone in March 2008 before stabilising (Chart 2) prior to the COVID-19 period. In the last 12 months, the proportion of patients waiting six weeks or more at the end of a month has varied between 22.3% (May 2021) and 33.3% (January 2021). The 1% operational standard was last met in November 2013.


**Chart 2: Percentage of patients waiting 6+ weeks at month end for all tests
January 2006 to November 2021**



3.2 Total Waiting List

3.2.1. As with the number and proportion of patients waiting six weeks or more, the total number of patients waiting at the month end dropped dramatically between January 2007 and the 6-week milestone in March 2008 (Chart 3). Following a period with a stable total waiting list between March 2008 and January 2009, the underlying trend showed a steady increase before dropping sharply in March 2020 and subsequently rising due to the impact of COVID-19.


**Chart 3: Total number of patients waiting at month end for all tests
January 2006 to November 2021**



3.3 Median Waiting Time

3.3.1. The average (median) waiting time displays a similar trend to the total waiting list and 6 weeks or more waits. After a rapid decrease in the two years leading to the 6-week milestone, the median waiting time remained stable until the COVID-19 period (Chart 4). The data shows significant increases during December every year as a result of the higher number of bank holidays and resulting lower activity. In the last 12 months, the median waiting time had a high of 3.6 weeks (December 2020) and a low of 2.7 weeks (April 2021). The median waiting time in November 2021 was 3.0 weeks.


Chart 4: Median waiting time for all tests – January 2006 to November 2021



3.4 Total Activity

- 3.4.1. The monthly activity figure can fluctuate significantly month to month, with particularly notable decreases in December due to the bank holidays. However, the underlying trend has shown an increase since January 2006 until the COVID-19 period. If the data is adjusted to show activity per working day, the monthly variation becomes less pronounced (Chart 5).
- 3.4.2. Monthly activity decreased markedly following the start of the COVID-19 pandemic. Total activity in April 2020 fell by 68% compared to April 2019 but subsequently started to recover with some further set-backs.

**Chart 5: Total activity and working day adjusted activity per month for all tests
January 2006 to November 2021**



Note: Activity data was not collected in May 2006 and all activity time series graphs will show missing values for that month

3.4.3. In the previous 12 months, individual tests have shown differing changes in activity. The test with the smallest change in activity was Flexi Sigmoidoscopy where November 2021 activity was 0.3% higher per month than November 2020 (Table 1).

Table 1: Total activity, by test – November 2020 and November 2021

	Nov-20	Nov-21	Average monthly growth
MRI	277,908	313,834	1.0%
CT	522,820	591,673	1.0%
Non-obstetric Ultrasound	567,488	642,433	1.0%
Barium Enema	2,708	3,140	1.2%
Dexa Scan	32,586	40,807	1.9%
Audiology Assessments	72,628	88,588	1.7%
Echocardiography	126,100	136,742	0.7%
Electrophysiology	791	1,570	5.9%
Peripheral Neurophysiology	16,748	19,932	1.5%
Sleep Studies	8,641	10,539	1.7%
Urodynamics	5,210	6,171	1.4%
Colonoscopy	46,409	52,337	1.0%
Flexi Sigmoidoscopy	17,494	18,198	0.3%
Cystoscopy	23,966	27,909	1.3%
Gastroscopy	53,724	58,740	0.7%
All Tests	1,775,221	2,012,613	1.1%

4 November 2021 Data

This section analyses the November 2021 diagnostic waiting times and activity data and includes comparisons between tests, regions, providers and commissioners.

6+ week waits performance became significantly worse from March to May 2020 due to the impact of the COVID-19 crisis but started to improve from June 2020.

4.1 6+ Week Waits

- 4.1.1. At the end of November 2021, there were a total of 364,100 patients waiting six weeks or more from referral for one of the 15 key diagnostic tests. This was 25.0% of the total number of patients waiting at the end of the month.
- 4.1.2. Compared with November 2020, the number of patients waiting six weeks or more increased by 33,900, while the proportion of patients waiting six weeks or more decreased by 2.5 percentage points.
- 4.1.3. Compared with November 2020, the test with the largest increase in the proportion of patients waiting six weeks or more was MRI, which increased by 4 percentage points. The test with the largest decrease was Gastroscopy, which decreased by 17.8 percentage points (Table 2).

Table 2: Proportion of patients waiting 6+ weeks, by test – November 2020 and November 2021

	Nov-20	Nov-21	Difference (%age points)
MRI	18.8%	22.8%	4.0
CT	17.7%	19.4%	1.7
Non-obstetric Ultrasound	17.8%	18.9%	1.0
Barium Enema	6.6%	7.2%	0.6
Dexa Scan	37.1%	29.9%	-7.2
Audiology Assessments	35.8%	22.1%	-13.7
Echocardiography	39.0%	41.9%	3.0
Electrophysiology	7.0%	8.9%	2.0
Peripheral Neurophysiology	33.2%	25.1%	-8.1
Sleep Studies	29.7%	27.0%	-2.8
Urodynamics	49.7%	46.6%	-3.1
Colonoscopy	50.1%	38.1%	-12.0
Flexi Sigmoidoscopy	51.9%	36.3%	-15.6
Cystoscopy	41.4%	31.5%	-9.9
Gastroscopy	53.5%	35.7%	-17.8
All Tests	27.5%	25.0%	-2.5

Note: Figures may differ due to rounding.

- 4.1.4. Compared with November 2020, the test type with the largest increase in the proportion of patients waiting six weeks or more was Imaging with a increase

of 1.6 percentage points. Physiological Measurement decreased by 3.1 percentage points, while Endoscopy decreased by 14.6 percentage points (Table 3). See section 5.4 for which tests are included under the different test types.


Table 3: Proportion of patients waiting 6+ weeks, by test type – November 2020 and November 2021

	Nov-20	Nov-21	Difference (%age points)
Imaging	19.1%	20.7%	1.6
Physiological Measurement	37.4%	34.3%	-3.1
Endoscopy	50.8%	36.2%	-14.6
Total	27.5%	25.0%	-2.5

Note: Figures may differ due to rounding.

- 4.1.5. The operational standard that less than 1% of patients should wait six weeks or more from referral for a diagnostic test was met in none of the 15 key tests this month. The test with the lowest proportion of patients waiting six weeks or more was Barium Enema (7.2%), whilst the test with the highest proportion was Urodynamics (46.6%) (Chart 6).

Chart 6: Percentage of patients waiting 6+ weeks, by test – November 2021



- 4.1.6. 131 of the 139 acute trusts that submitted data for November 2021 failed to meet the 1% operational standard.
- 4.1.7. All 107 Commissioners¹ failed to meet the 1% operational standard.
- 4.1.8. None of the seven NHS England and NHS Improvement Regional Teams met the 1% operational standard. The proportion of patients waiting six

¹ Includes NHS England and NHS Improvement

weeks or more for a diagnostic test varied by region between 14.6% (London) and 30.0% (Midlands) (Table 4).

- 4.1.9. Feedback from NHS trusts has indicated that variations can exist between different regions due to a variety of reasons, from machines breaking down to staff shortages in trusts that usually only affect one region.

Table 4: November 2021 Diagnostic Waiting Times and Activity by Regional Team*

Region	Number of patients waiting six weeks or more at month end	Percentage of patients waiting six weeks or more at month end	Total number of patients waiting at month end	Total activity undertaken in month	Median waiting time
London	29,650	14.6%	202,597	332,274	2.4
South West	40,460	29.5%	137,372	192,711	3.2
South East	34,777	17.6%	197,178	310,140	2.5
Midlands	92,862	30.0%	309,571	351,561	3.5
East of England	53,735	29.8%	180,581	220,434	3.4
North West	58,672	27.6%	212,847	274,668	3.1
North East and Yorkshire	53,212	25.1%	211,879	317,916	3.0
England	364,058	25.0%	1,455,012	2,012,613	3.0

*Includes all independent sector providers and excludes centrally commissioned.

4.2 Total Waiting List

- 4.2.1. At the end of November 2021 there were a total of 1,455,000 patients still waiting for a diagnostic test. This is an increase of 255,100 (21.3%) from November 2020.
- 4.2.2. The test with the largest waiting list was Non-obstetric Ultrasound, which accounted for 32.8% of the total waiting list, or 477,800 patients. The test with the smallest waiting list was Electrophysiology, which accounted for 0.07% of the total waiting list, or 1,000 patients (Table 5).

Table 5: Total number of patients waiting at month end, by test – November 2020 and November 2021

	Nov-20	Nov-21	Growth (%age)
MRI	219,827	295,358	34.4%
CT	142,171	186,264	31.0%
Non-obstetric Ultrasound	388,056	477,811	23.1%
Barium Enema	1,436	1,745	21.5%
Dexa Scan	43,108	55,259	28.2%
Audiology Assessments	48,437	69,268	43.0%
Echocardiography	115,062	146,166	27.0%
Electrophysiology	587	1,006	71.4%
Peripheral Neurophysiology	24,312	26,327	8.3%
Sleep Studies	9,590	13,111	36.7%
Urodynamics	7,109	7,545	6.1%
Colonoscopy	66,315	66,157	-0.2%
Flexi Sigmoidoscopy	28,993	22,129	-23.7%
Cystoscopy	22,493	20,824	-7.4%
Gastroscopy	82,379	66,042	-19.8%
All Tests	1,199,875	1,455,012	21.3%


Note: Barium Enema is a test that should be replaced by Colonoscopy or CT Colonography, so the number of tests undertaken should be reducing.

4.2.3. The largest increase in the number of patients waiting by test has been for Electrophysiology where the waiting list grew by 71.4% compared with November 2020.

4.3 Median Waiting Times

4.3.1. At the end of November 2021, the estimated median waiting time for all 15 diagnostic tests was 3.0 weeks from the time of referral, down from 3.1 weeks in the previous month. The test with the shortest median waiting time was Barium Enema at 1.9 weeks. The test with the longest median waiting time was Urodynamics at 5.4 weeks (Chart 7).

Chart 7: Median waiting time by test – November 2021



4.4 Total Activity

- 4.4.1. In total 2,012,600 of the 15 key diagnostic tests were performed during November 2021. This is an increase of 237,400 (8.2%) from November 2020 (Table 6).
- 4.4.2. The test with the highest activity was Non-obstetric Ultrasound with 642,400 tests taking place. This accounted for 31.9% of all activity in November 2021. The test with the lowest activity was Electrophysiology with 1,600 tests taking place. This accounted for 0.08% of all activity this month.
- 4.4.3. The number of tests conducted over the last 12 months has increased by 20.2% from the same period last year.

Table 6: Total activity and growth, by test – November 2020 and November 2021

	Nov-21	Nov-20	YTD 21/22	YTD 20/21	Growth Nov 21 vs Nov 20	Growth YTD 21/22 vs YTD 20/21	Adjusted Growth Nov 21 vs Nov 20	Adjusted Growth YTD 21/22 vs YTD 20/21
MRI	313,834	277,908	1,914,124	2,425,766	12.9%	-21.1%	7.8%	-21.6%
CT	591,673	522,820	3,679,269	4,112,950	13.2%	-10.5%	8.0%	-11.1%
Non-obstetric Ultrasound	642,433	567,488	3,846,115	5,134,401	13.2%	-25.1%	8.1%	-25.5%
Barium Enema	3,140	2,708	18,717	18,631	16.0%	0.5%	10.7%	-0.1%
Dexa Scan	40,807	32,586	196,669	305,606	25.2%	-35.6%	19.5%	-36.0%
Audiology Assessments	88,588	72,628	537,675	840,157	22.0%	-36.0%	16.4%	-36.4%
Echocardiography	136,742	126,100	826,204	1,075,502	8.4%	-23.2%	3.5%	-23.6%
Electrophysiology	1,570	791	6,566	20,478	98.5%	-67.9%	89.5%	-68.1%
Peripheral Neurophysiology	19,932	16,748	108,091	152,632	19.0%	-29.2%	13.6%	-29.6%
Sleep Studies	10,539	8,641	59,050	83,852	22.0%	-29.6%	16.4%	-30.0%
Urodynamics	6,171	5,210	35,487	55,342	18.4%	-35.9%	13.1%	-36.3%
Colonoscopy	52,337	46,409	257,252	362,158	12.8%	-29.0%	7.6%	-29.4%
Flexi Sigmoidoscopy	18,198	17,494	141,328	212,264	4.0%	-33.4%	-0.7%	-33.8%
Cystoscopy	27,909	23,966	157,928	207,049	16.5%	-23.7%	11.2%	-24.2%
Gastroscopy	58,740	53,724	320,862	467,437	9.3%	-31.4%	4.4%	-31.8%
All Tests	2,012,613	1,775,221	12,105,337	15,474,225	13.4%	-21.8%	8.2%	-22.2%

Note: Barium Enema is a test that should be replaced by Colonoscopy or CT Colonography, so the number of tests undertaken should be reducing.

5 Annex

5.1 Methodology

5.1.1. NHS England and NHS Improvement compiles diagnostic waiting time and activity data through a central return. Data collected includes:

- The number of patients waiting at the month end, split by test and week.
- Total activity classified as either Waiting List tests (excluding planned), Planned tests, or Unscheduled tests.

5.1.2. Providers submit data to NHS England and NHS Improvement via SDCS where it is checked and signed off by commissioners. For further details on how the data is collected and the SDCS system, please refer to the [NHSE Collection Guidance](#).

5.2 Data Revisions

5.2.1. Revisions to published figures are released on a six-monthly basis and in accordance with the NHS England's revision policy. For more information on the revision policy please refer to the [SDCS Revisions Policy Document](#). Revisions were last published in November 2021 for the months September 2019 through to December 2020.

5.3 Data Availability

5.3.1. Monthly diagnostic waiting time and activity data is published on a monthly timetable. [A full calendar of all statistical publications can be found here](#).

5.4 Glossary

Clinical Commissioning Group (CCG)

A group of GP practices, which working with other healthcare professionals and in partnership with local communities and local authorities, commission NHS services for patients within their local communities.

Endoscopy

A categorisation of diagnostic tests that include: Colonoscopy; Flexi Sigmoidoscopy; Cystoscopy and Gastroscopy.

Imaging

A categorisation of diagnostic tests that include: Magnetic Resonance Imaging (MRI); Computed Tomography (CT); Non-obstetric Ultrasound; Barium Enema and DEXA Scan.

Median Waiting Time

A measurement of the average time patients have been waiting for a diagnostic test. The median is the middle value when waiting times are put in numerical order. 50% of patients have been waiting less than the median. The median is the preferred measurement of average waiting time as it is less susceptible to extreme values than the mean.

Physiological Measurement

A categorisation of diagnostic tests that include: Audiology Assessments; Echocardiology; Electrophysiology: Peripheral Neurophysiology; Sleep Studies and Urodynamics.

Provider

An organisation that provides NHS treatment or care, for example, an NHS Acute Trust, Mental Health Trust, Community provider, or an Independent Sector organisation.

Region

One of seven geographical areas of NHS England and NHS Improvement responsible for the quality, financial and operational performance of all NHS organisations in their region.

5.5 Feedback Welcomed

We welcome feedback on the content and presentation of statistics within this report and those published on the NHS England website.

If you have any comments on this, or any other issues regarding these statistics, then please email england.nhsdata@nhs.net

Alternatively, we welcome your comments via our user feedback form [here](#).

Feedback about the user's experiences of using these statistics is available [here](#).

5.6 Consultation

Between 8 February 2018 and 5 April 2018, NHS England and NHS Improvement consulted on the future of the Quarterly Diagnostics Census and Monthly Diagnostics Waiting Times and Activity Returns. The outcome document for the consultation was published 30 March 2020 and confirmed the decision to stop collecting the Quarterly Diagnostics Census on a permanent basis and to continue the monthly diagnostics waiting times and activity return (DM01) in its current form. Find out more at: <https://www.engage.england.nhs.uk/consultation/diagnostics-census-waiting-times-activity-return>

5.7 Additional Information

[Full details of diagnostics data for individual organisations are available here.](#)

For press enquiries please contact the NHS England media team on 0113 825 0958 or 0113 825 0959. Email enquiries should be directed to nhsengland.media@nhs.net

The Government Statistical Service (GSS) statistician responsible for producing these data is:

Sheila Dixon Email: england.nhsdata@nhs.net
Performance Analysis Team (Central), NHS England and NHS Improvement
Room 5E15, Quarry House, Quarry Hill, Leeds LS2 7UE