

NHS Diagnostic Waiting Times and Activity Data

NHS England and NHS Improvement



NHS Diagnostic Waiting Times and Activity Data

February 2022 Monthly Report

Version number: 1.0

First published: 14 April 2022

Prepared by: Performance Analysis Team (Elective, Activity & Planning)
NHS England and NHS Improvement

Contents

Contents	3
1 Executive summary	4
1.1 National Statistics	5
2 February 2022 Key Findings	6
3 National Trends	7
3.1 6+ Week Waits	7
3.2 Total Waiting List	8
3.3 Median Waiting Time	9
3.4 Total Activity	9
4 February 2022 Data	11
4.1 6+ Week Waits	11
4.2 Total Waiting List	13
4.3 Median Waiting Times	14
4.4 Total Activity	15
5 Annex	17
5.1 Methodology	17
5.2 Data Revisions	17
5.3 Data Availability	17
5.4 Glossary	17
5.5 Feedback Welcomed	18
5.6 Consultation	18
5.7 Additional Information	18

1 Executive summary

This report presents a monthly summary of diagnostic waiting times and activity across the NHS in England. This monthly report is part of a routine series of publications produced by NHS England and NHS Improvement.

The data presented in this report measures the current waiting times of patients still waiting for any of 15 key diagnostic tests or procedures at the month end. This data is split by number of weeks waiting and by test. The waiting times reported are for those patients who have been referred for a test, but whose test had not taken place by the end of the reporting period. Referrals may be from a variety of sources including GPs.

One of the main measurements covered in this report is the number and proportion of patients waiting six weeks or more for a diagnostic test, from time of referral.

This six-week diagnostic wait was initially introduced as a 'milestone' from March 2008 towards achieving the standard Referral to Treatment wait of 18 weeks by December 2008, but diagnostic waiting times now form part of the NHS Constitution. This gives patients the legal right to treatment within 18 weeks of referral (18 week RTT) and as part of this, pledges that patients should not be required to wait six weeks or more for a diagnostic test.

NHS England and NHS Improvement's planning guidance states that there is a threshold of 1% for this pledge. The financial penalty for non-delivery of the standard is set out in the NHS Standard Contract 2020/21.

The 15 key diagnostic tests included in this report are:

Imaging

- Magnetic Resonance Imaging (MRI)
- Computerised Tomography (CT)
- Non-obstetric Ultrasound
- Barium Enema
- Dual-Energy X-Ray Absorptiometry (DEXA) Scan

Physiological Measurements

- Audiology Assessments
- Echocardiography
- Electrophysiology
- Neurophysiology – Peripheral Neurophysiology
- Respiratory Physiology – Sleep Studies
- Urodynamics – Pressures & Flows

Endoscopy

- Gastroscopy
- Colonoscopy
- Flexible Sigmoidoscopy
- Cystoscopy

For detailed descriptions of each diagnostic test please see the [collection guidance documentation](#).

Some of the key terms used throughout this report are outlined below:

- **6+ Waits**
A count of the number of patients waiting six weeks or more for a diagnostic test at month end from referral.
- **Activity**
A count of the number of diagnostic tests undertaken during the month.
- **Diagnostic Test**
A test or procedure of which the primary function is to identify a patient's disease or condition to allow a medical diagnosis to be made.
- **Waiting List**
A count of the number of patients that are waiting for a diagnostic test at the end of the month.

A more comprehensive glossary is available in the Annex.

All England figures quoted are commissioner based. Commissioner based returns reflect data for patients for whom English commissioners are responsible.

1.1 National Statistics

The UK Statistics Authority has designated these statistics as National Statistics, in accordance with the Statistics and Registration Service Act 2007 and signifying compliance with the Code of Practice for Official Statistics.

Designation can be broadly interpreted to mean that the statistics:

- meet identified user needs;
- are well explained and readily accessible;
- are produced according to sound methods; and
- are managed impartially and objectively in the public interest.

Once statistics have been designated as National Statistics it is a statutory requirement that the Code of Practice shall continue to be observed.

2 February 2022 Key Findings

- Diagnostic test activity and waiting times have been impacted by the COVID-19 pandemic, which continues to affect the current reporting period and comparisons with the previous year.
- The total number of patients waiting six weeks or more from referral for one of the 15 key diagnostic tests at the end of February 2022 was 362,100. This was 24.0% of the total number of patients waiting at the end of the month.
- Nationally, the operational standard of less than 1% of patients waiting six weeks or more was not met this month.
- Compared with February 2021 the total number of patients waiting six weeks or more increased by 34,400 while the proportion of patients waiting six weeks or more decreased by 4.4 percentage points.
- In the last 12 months, the proportion of patients waiting six weeks or more at the end of a month has varied between 22.3% (May 2021) and 30.0% (January 2022).
- At the end of February 2022, the test with the smallest proportion of patients waiting six weeks or more was Barium Enema with 3.9%. The test with the highest proportion was Urodynamics, with 46.8% of patients waiting six weeks or more.
- An alternative measure of diagnostic waiting times is the average (median) waiting time. The estimated average time that a patient had been waiting for a diagnostic test was 3.0 weeks at the end of February 2022.
- There were 1,507,500 patients waiting for a key diagnostic test at the end of February 2022. This is an increase of 356,200 from February 2021.
- A total of 1,861,500 diagnostic tests were undertaken in February 2022. This is an increase of 240,900 from February 2021.


3 National Trends

This section analyses trends in monthly diagnostic waiting times and activity data that has been collected since January 2006.

3.1 6+ Week Waits


- 3.1.1. The total number of patients waiting six weeks or more dropped sharply between January 2007 and March 2008 (Chart 1), as Trusts worked towards the NHS Improvement Plan (June 2004) milestone that no one should wait six weeks or more for a diagnostic test by March 2008.
- 3.1.2. Since March 2008 there were fluctuations in the total number of patients waiting six weeks or more, with a significant rise between December 2013 and May 2014. The number of patients waiting six weeks or more rose sharply in April 2020 due to the impact of COVID-19. In February 2022 there was a decrease of 72,900 in the number of patients waiting six weeks or more from the previous month.

Chart 1: Total number of patients waiting 6+ weeks at month end for all tests
January 2006 to February 2022



- 3.1.3. The proportion of patients waiting six weeks or more shows a similar drop between January 2007 and the 6-week milestone in March 2008 before stabilising (Chart 2) prior to the COVID-19 period. In the last 12 months, the proportion of patients waiting six weeks or more at the end of a month has varied between 22.3% (May 2021) and 30.0% (January 2022). The 1% operational standard was last met in November 2013.


**Chart 2: Percentage of patients waiting 6+ weeks at month end for all tests
January 2006 to February 2022**



3.2 Total Waiting List

- 3.2.1. As with the number and proportion of patients waiting six weeks or more, the total number of patients waiting at the month end dropped dramatically between January 2007 and the 6-week milestone in March 2008 (Chart 3). Following a period with a stable total waiting list between March 2008 and January 2009, the underlying trend showed a steady increase before dropping sharply in March 2020 and subsequently rising due to the impact of COVID-19.


**Chart 3: Total number of patients waiting at month end for all tests
January 2006 to February 2022**



3.3 Median Waiting Time

- 3.3.1. The average (median) waiting time displays a similar trend to the total waiting list and 6 weeks or more waits. After a rapid decrease in the two years leading to the 6-week milestone, the median waiting time remained stable until the COVID-19 period (Chart 4). The data shows significant increases during December every year as a result of the higher number of bank holidays and resulting lower activity. In the last 12 months, the median waiting time had a high of 3.8 weeks (December 2021) and a low of 2.7 weeks (April 2021). The median waiting time in February 2022 was 3.0 weeks.


Chart 4: Median waiting time for all tests – January 2006 to February 2022



3.4 Total Activity

- 3.4.1. The monthly activity figure can fluctuate significantly month to month, with particularly notable decreases in December due to the bank holidays. However, the underlying trend has shown an increase since January 2006 until the COVID-19 period. If the data is adjusted to show activity per working day, the monthly variation becomes less pronounced (Chart 5).
- 3.4.2. Monthly activity decreased markedly following the start of the COVID-19 pandemic. Total activity in April 2020 fell by 68% compared to April 2019 but subsequently started to recover with some further set-backs.

**Chart 5: Total activity and working day adjusted activity per month for all tests
January 2006 to February 2022**



Note: Activity data was not collected in May 2006 and all activity time series graphs will show missing values for that month

3.4.3. In the previous 12 months, individual tests have shown differing changes in activity. The test with the smallest change in activity was Flexi Sigmoidoscopy where February 2022 activity was 0.7% higher per month than February 2021 (Table 1).

Table 1: Total activity, by test – February 2021 and February 2022

	Feb-21	Feb-22	Average monthly growth
MRI	261,101	295,743	1.0%
CT	499,313	560,222	1.0%
Non-obstetric Ultrasound	515,918	577,753	0.9%
Barium Enema	2,286	2,746	1.5%
Dexa Scan	24,049	36,320	3.5%
Audiology Assessments	56,676	81,169	3.0%
Echocardiography	111,002	126,795	1.1%
Electrophysiology	748	822	0.8%
Peripheral Neurophysiology	13,616	17,582	2.2%
Sleep Studies	6,667	9,855	3.3%
Urodynamics	3,505	5,347	3.6%
Colonoscopy	40,928	48,618	1.4%
Flexi Sigmoidoscopy	15,445	16,831	0.7%
Cystoscopy	22,941	26,271	1.1%
Gastroscopy	46,396	55,432	1.5%
All Tests	1,620,591	1,861,506	1.2%

4 February 2022 Data

This section analyses the February 2022 diagnostic waiting times and activity data and includes comparisons between tests, regions, providers and commissioners.

6+ week waits performance became significantly worse from March to May 2020 due to the impact of the COVID-19 crisis but started to improve from June 2020.

4.1 6+ Week Waits

- 4.1.1. At the end of February 2022, there were a total of 362,100 patients waiting six weeks or more from referral for one of the 15 key diagnostic tests. This was 24.0% of the total number of patients waiting at the end of the month.
- 4.1.2. Compared with February 2021, the number of patients waiting six weeks or more increased by 34,400, while the proportion of patients waiting six weeks or more decreased by 4.4 percentage points.
- 4.1.3. Compared with February 2021, the test with the largest increase in the proportion of patients waiting six weeks or more was Electrophysiology, which increased by 15.9 percentage points. The test with the largest decrease was Peripheral Neurophysiology, which decreased by 20.9 percentage points (Table 2).

Table 2: Proportion of patients waiting 6+ weeks, by test – February 2021 and February 2022

	Feb-21	Feb-22	Difference (%age points)
MRI	20.1%	22.2%	2.1
CT	18.6%	18.8%	0.2
Non-obstetric Ultrasound	19.1%	16.7%	-2.4
Barium Enema	12.2%	3.9%	-8.2
Dexa Scan	39.8%	29.8%	-10.0
Audiology Assessments	32.0%	23.7%	-8.3
Echocardiography	41.0%	41.7%	0.7
Electrophysiology	5.8%	21.7%	15.9
Peripheral Neurophysiology	42.1%	21.2%	-20.9
Sleep Studies	29.8%	29.9%	0.1
Urodynamics	55.1%	46.8%	-8.3
Colonoscopy	48.5%	35.9%	-12.7
Flexi Sigmoidoscopy	51.0%	34.5%	-16.5
Cystoscopy	44.1%	32.0%	-12.1
Gastroscopy	51.1%	33.8%	-17.4
All Tests	28.5%	24.0%	-4.4

Note: Figures may differ due to rounding.

- 4.1.4. Compared with February 2021, the test type with the smallest change in the proportion of patients waiting six weeks or more was Imaging with a

decrease of 1.0 percentage point. Physiological Measurement decreased by 4.6 percentage points, while Endoscopy decreased by 15.0 percentage points (Table 3). See section 5.4 for which tests are included under the different test types.


Table 3: Proportion of patients waiting 6+ weeks, by test type – February 2021 and February 2022

	Feb-21	Feb-22	Difference (%age points)
Imaging	20.4%	19.3%	-1.0
Physiological Measurement	39.2%	34.6%	-4.6
Endoscopy	49.4%	34.4%	-15.0
Total	28.5%	24.0%	-4.4

Note: Figures may differ due to rounding.

- 4.1.5. The operational standard that less than 1% of patients should wait six weeks or more from referral for a diagnostic test was met in none of the 15 key tests this month. The test with the lowest proportion of patients waiting six weeks or more was Barium Enema (3.9%), whilst the test with the highest proportion was Urodynamics (46.8%) (Chart 6).

Chart 6: Percentage of patients waiting 6+ weeks, by test – February 2022



- 4.1.6. 131 of the 139 acute trusts that submitted data for February 2022 failed to meet the 1% operational standard.
- 4.1.7. All 107 Commissioners¹ failed to meet the 1% operational standard.
- 4.1.8. None of the seven NHS England and NHS Improvement Regional Teams met the 1% operational standard. The proportion of patients waiting six weeks or more for a diagnostic test varied by region between 11.7% (London) and 30.5% (Midlands) (Table 4).

¹ Includes NHS England and NHS Improvement

- 4.1.9. Feedback from NHS trusts has indicated that variations can exist between different regions due to a variety of reasons, from machines breaking down to staff shortages in trusts that usually only affect one region.

Table 4: February 2022 Diagnostic Waiting Times and Activity by Regional Team*

Region	Number of patients waiting six weeks or more at month end	Percentage of patients waiting six weeks or more at month end	Total number of patients waiting at month end	Total activity undertaken in month	Median waiting time
London	24,088	11.7%	205,180	307,017	2.3
South West	44,159	30.3%	145,913	177,082	3.5
South East	39,507	18.4%	214,162	286,123	2.7
Midlands	98,749	30.5%	323,859	330,319	3.6
East of England	54,113	28.8%	188,045	208,465	3.4
North West	51,135	24.5%	208,305	263,619	3.0
North East and Yorkshire	49,451	22.6%	218,727	277,102	2.9
England	361,202	24.0%	1,504,191	1,849,727	3.0

*Includes all independent sector providers and excludes centrally commissioned.

4.2 Total Waiting List

- 4.2.1. At the end of February 2022 there were a total of 1,507,500 patients still waiting for a diagnostic test. This is an increase of 356,200 (30.9%) from February 2021.
- 4.2.2. The test with the largest waiting list was Non-obstetric Ultrasound, which accounted for 33.3% of the total waiting list, or 502,400 patients. The test with the smallest waiting list was Electrophysiology, which accounted for 0.04% of the total waiting list, or 700 patients (Table 5).

Table 5: Total number of patients waiting at month end, by test – February 2021 and February 2022

	Feb-21	Feb-22	Growth (%age)
MRI	199,020	289,995	45.7%
CT	139,256	189,571	36.1%
Non-obstetric Ultrasound	379,656	502,406	32.3%
Barium Enema	1,373	1,729	25.9%
Dexa Scan	40,758	58,609	43.8%
Audiology Assessments	42,237	75,786	79.4%
Echocardiography	115,888	163,734	41.3%
Electrophysiology	788	677	-14.1%
Peripheral Neurophysiology	25,052	24,987	-0.3%
Sleep Studies	7,824	15,604	99.4%
Urodynamics	7,889	7,639	-3.2%
Colonoscopy	64,175	63,599	-0.9%
Flexi Sigmoidoscopy	27,518	22,810	-17.1%
Cystoscopy	23,335	22,937	-1.7%
Gastroscopy	76,466	67,400	-11.9%
All Tests	1,151,235	1,507,483	30.9%


Note: Barium Enema is a test that should be replaced by Colonoscopy or CT Colonography, so the number of tests undertaken should be reducing.

4.2.3. The largest increase in the number of patients waiting by test has been for Sleep Studies where the waiting list grew by 99.4% compared with February 2021.

4.3 Median Waiting Times

4.3.1. At the end of February 2022, the estimated median waiting time for all 15 diagnostic tests was 3.0 weeks from the time of referral, up from 2.9 weeks in the previous month. The test with the shortest median waiting time was Barium Enema at 2.0 weeks. The test with the longest median waiting time was Urodynamics at 5.5 weeks (Chart 7).

Chart 7: Median waiting time by test – February 2022



4.4 Total Activity

- 4.4.1. In total 1,861,500 of the 15 key diagnostic tests were performed during February 2022. This is an increase of 240,900 (14.9%) from February 2021 (Table 6).
- 4.4.2. The test with the highest activity was Non Obstetric Ultrasound with 577,800 tests taking place. This accounted for 31.0% of all activity in February 2022. The test with the lowest activity was Electrophysiology with 800 tests taking place. This accounted for 0.04% of all activity this month.
- 4.4.3. The number of tests conducted over the last 12 months has increased by 29.8% from the same period last year.

Table 6: Total activity and growth, by test – February 2021 and February 2022

	Feb-22	Feb-21	YTD 21/22	YTD 20/21	Growth Feb 22 vs Feb 21	Growth YTD 21/22 vs YTD 20/21	Adjusted Growth Feb 22 vs Feb 21	Adjusted Growth YTD 21/22 vs YTD 20/21
MRI	295,743	261,101	3,306,904	2,539,501	13.3%	30.2%	13.3%	30.2%
CT	560,222	499,313	6,350,577	5,252,245	12.2%	20.9%	12.2%	20.9%
Non-obstetric Ultrasound	577,753	515,918	6,498,635	4,971,856	12.0%	30.7%	12.0%	30.7%
Barium Enema	2,746	2,286	33,485	25,938	20.1%	29.1%	20.1%	29.1%
Dexa Scan	36,320	24,049	401,000	238,658	51.0%	68.0%	51.0%	68.0%
Audiology Assessments	81,169	56,676	871,649	515,551	43.2%	69.1%	43.2%	69.1%
Echocardiography	126,795	111,002	1,404,295	1,090,686	14.2%	28.8%	14.2%	28.8%
Electrophysiology	822	748	8,643	5,941	9.9%	45.5%	9.9%	45.5%
Peripheral Neurophysiology	17,582	13,616	196,066	126,342	29.1%	55.2%	29.1%	55.2%
Sleep Studies	9,855	6,667	105,197	67,834	47.8%	55.1%	47.8%	55.1%
Urodynamics	5,347	3,505	60,423	37,047	52.6%	63.1%	52.6%	63.1%
Colonoscopy	48,618	40,928	528,739	342,297	18.8%	54.5%	18.8%	54.5%
Flexi Sigmoidoscopy	16,831	15,445	185,499	134,663	9.0%	37.8%	9.0%	37.8%
Cystoscopy	26,271	22,941	293,853	213,471	14.5%	37.7%	14.5%	37.7%
Gastroscopy	55,432	46,396	612,693	394,010	19.5%	55.5%	19.5%	55.5%
All Tests	1,861,506	1,620,591	20,857,658	15,956,040	14.9%	30.7%	14.9%	30.7%

Note: Barium Enema is a test that should be replaced by Colonoscopy or CT Colonography, so the number of tests undertaken should be reducing.

5 Annex

5.1 Methodology

5.1.1. NHS England and NHS Improvement compiles diagnostic waiting time and activity data through a central return. Data collected includes:

- The number of patients waiting at the month end, split by test and week.
- Total activity classified as either Waiting List tests (excluding planned), Planned tests, or Unscheduled tests.

5.1.2. Providers submit data to NHS England and NHS Improvement via SDCS where it is checked and signed off by commissioners. For further details on how the data is collected and the SDCS system, please refer to the [NHSE Collection Guidance](#).

5.2 Data Revisions

5.2.1. Revisions to published figures are released on a six-monthly basis and in accordance with the NHS England's revision policy. For more information on the revision policy please refer to the [SDCS Revisions Policy Document](#). Revisions were last published in February 2022 for the months September 2019 through to February 2021.

5.3 Data Availability

5.3.1. Monthly diagnostic waiting time and activity data is published on a monthly timetable. [A full calendar of all statistical publications can be found here.](#)

5.4 Glossary

Clinical Commissioning Group (CCG)

A group of GP practices, which working with other healthcare professionals and in partnership with local communities and local authorities, commission NHS services for patients within their local communities.

Endoscopy

A categorisation of diagnostic tests that include: Colonoscopy; Flexi Sigmoidoscopy; Cystoscopy and Gastroscopy.

Imaging

A categorisation of diagnostic tests that include: Magnetic Resonance Imaging (MRI); Computed Tomography (CT); Non-obstetric Ultrasound; Barium Enema and DEXA Scan.

Median Waiting Time

A measurement of the average time patients have been waiting for a diagnostic test. The median is the middle value when waiting times are put in numerical order. 50% of patients have been waiting less than the median. The median is the preferred measurement of average waiting time as it is less susceptible to extreme values than the mean.

Physiological Measurement

A categorisation of diagnostic tests that include: Audiology Assessments; Echocardiology; Electrophysiology: Peripheral Neurophysiology; Sleep Studies and Urodynamics.

Provider

An organisation that provides NHS treatment or care, for example, an NHS Acute Trust, Mental Health Trust, Community provider, or an Independent Sector organisation.

Region

One of seven geographical areas of NHS England and NHS Improvement responsible for the quality, financial and operational performance of all NHS organisations in their region.

5.5 Feedback Welcomed

We welcome feedback on the content and presentation of statistics within this report and those published on the NHS England website.

If you have any comments on this, or any other issues regarding these statistics, then please email england.nhsdata@nhs.net

Alternatively, we welcome your comments via our user feedback form [here](#).

Feedback about the user's experiences of using these statistics is available [here](#).

5.6 Consultation

Between 8 February 2018 and 5 April 2018, NHS England and NHS Improvement consulted on the future of the Quarterly Diagnostics Census and Monthly Diagnostics Waiting Times and Activity Returns. The outcome document for the consultation was published 30 March 2020 and confirmed the decision to stop collecting the Quarterly Diagnostics Census on a permanent basis and to continue the monthly diagnostics waiting times and activity return (DM01) in its current form. Find out more at: <https://www.engage.england.nhs.uk/consultation/diagnostics-census-waiting-times-activity-return>

5.7 Additional Information

[Full details of diagnostics data for individual organisations are available here.](#)

For press enquiries please contact the NHS England media team on 0113 825 0958 or 0113 825 0959. Email enquiries should be directed to nhsengland.media@nhs.net

The Government Statistical Service (GSS) statistician responsible for producing these data is:

Sheila Dixon Email: england.nhsdata@nhs.net
Performance Analysis Team (Central), NHS England and NHS Improvement
Room 5E15, Quarry House, Quarry Hill, Leeds LS2 7UE