



# NHS RightCare Commissioning for Value Focus Pack

Cancer and tumours  
May 2016

- Introduction: Welcome to your focus pack
- The cancer strategy and dashboard
- NHS RightCare
- Why act?
- Commissioning for Value
- Your most similar CCGs
- Your data
  - Pathways on a page
  - Spend and activity
  - Opportunities
  - Further analysis
- Next steps and actions
- Further support and information
- Useful links
- Annexes

# Introduction: Welcome to your focus pack

3

Welcome to your focus pack on cancer and tumours. The information contained in this pack is personalised for your CCG and should be used to support local discussions and inform a more in-depth analysis around cancer. There is a page of useful links at the end and there is a video guide to the pack too.

Each of these focus packs provides detailed information on the opportunities to improve in the highest spending programmes previously covered by Commissioning for Value packs. They include a wider range of outcomes measures and information on the most common procedures and diagnoses for the condition in question.

By using this information, together with local intelligence and reports such as your Joint Strategic Needs Assessment, your CCG will be able to ensure its plans focus on those opportunities which have the potential to provide the biggest improvements in health outcomes, resource allocation and reducing inequalities.

One of the main focuses for the Commissioning for Value series has always been reducing unwarranted variation in outcomes. NHS England, Public Health England and CCGs have legal duties under the Health and Social Care Act 2012 with regard to reducing health inequalities. Commissioners should continue to use these packs and supporting tools to drive local action to reduce inequalities in access to services and in the health outcomes achieved.

# The cancer strategy and dashboard

4

A number of different tools are available to help CCGs and local health economies identify areas for improvement on cancer. A new integrated cancer dashboard, including key outcomes and performance data from CCGs and providers will help these organisations, along with Cancer Alliances, to see how they are contributing to the national ambitions set by the independent Cancer Taskforce, and identify key areas of focus for improvement.

This sits alongside tools like the Commissioning for Value packs, which take some of the same metrics and put them alongside more detailed activity and spend data to support commissioners to make informed decisions about the services they are purchasing for their communities.

Links to the dashboard, the National Cancer Strategy and the cancer implementation plan are included in the 'Useful links' page at the end of this pack.

The primary objective for NHS RightCare is to maximise value:

- the value that the patient derives from their own care and treatment
- the value the whole population derives from the investment in their healthcare

The approach has been tested and proven successful in recent years in a number of different health economies. The programme focusses on improving population value including improving outcomes, quality, and releasing capacity and resources for future investment.

To build on the success and value of the RightCare programme, NHS England and Public Health England are taking forward the RightCare approach to ensure it becomes embedded in the new commissioning and public health agendas for the NHS. It is now referenced in the Mandate to NHS England, the NHS Planning Guidance, the CCG Improvement and Assessment Framework and the Quality Premium for 2016/17.

The RightCare programme includes the Commissioning for Value packs and tools, the NHS Atlas series and a number of casebooks. NHS England has committed significant funding to rolling out the RightCare approach to all CCGs over the next two years. Wave 1 has 65 CCGs and these are now receiving early support from one of ten RightCare Delivery Partners. The remaining CCGs are in Wave 2 and will receive support from an expanded team of Delivery Partners later in 2016.

“ What Commissioning for Value does is shine an honest light on what we are doing. The RightCare approach then gives us a methodology for quality improvement, led by clinicians. It not only improves quality but also makes best use of the taxpayers' pound ensuring the NHS continues to be one of the best value health and care systems in the world.”

**Professor Sir Bruce Keogh**  
**National Medical Director, NHS England**

“ The data and evidence available through tools such as Commissioning for Value will help commissioners make the most important decisions in delivering concrete and sustainable clinical and financial benefits across the NHS. We expect that the roll-out of the RightCare programme will drive up the quality of care while contributing significantly to meeting the efficiency challenge set out in the Five Year Forward View.”

**Paul Baumann**  
**Chief Financial Officer, NHS England**

“ The independent Cancer Taskforce gave us a clear blueprint for delivering world-class cancer outcomes, and our implementation plan, published in May, has set out how we will take the strategy forward. Delivering truly world-class services needs everybody to play their part and Commissioning for Value provides invaluable tools for CCGs to understand how they can use their budget most effectively to ensure all cancer patients get the care and support they need, when they need it.”

**Professor Chris Harrison**  
**National Clinical Director for Cancer, NHS England**



Commissioning for Value is a partnership between NHS England and Public Health England. The *Where to Look* packs produced in January 2016 support the first phase of the NHS RightCare approach.

The *Where to Look* packs begin with a review of indicative data to highlight the top priorities or opportunities for transformation and improvement for your CCG.

These focus packs help CCGs to begin work on phase two *What to Change* by using indicative data along a pathway to identify improvement opportunities.

# Your most similar CCGs

8

Your CCG is compared to the 10 most demographically similar CCGs. This is used to identify realistic opportunities to improve health and healthcare for your population. The analysis in this pack is based on a comparison with your most similar CCGs which are:

- Barnsley
- St Helens
- North Tyneside
- Wigan Borough
- Hartlepool and Stockton-On-Tees
- Hardwick
- Chorley and South Ribble
- Rotherham
- Doncaster
- Erewash

To help you understand more about how your most similar 10 CCGs are calculated, the Similar 10 Explorer Tool is available on the NHS England website. This tool allows you to view similarity across all the individual demographics used to calculate your most similar 10 CCGs. You can also customise your similar 10 cluster group by weighting towards a desired demographic factor.

In addition to the similar 10, there are CCG cluster groups which have been constructed using the same variables (eg deprivation) as the similar 10. This larger cluster group is used in the opportunity tables, represented by a green triangle. Your CCG is in the following cluster group:

- Traditional communities with deprived areas and poorer health



This focus pack presents analysis of a wide range of indicators focussing on spend, activity, quality and outcomes. The indicators have been chosen with advice from key stakeholders including the National Cancer Intelligence Network.

The data in this pack are the latest available\*. The charts identify the metadata for each indicator and the full metadata set will be available on the Commissioning for Value pages of the NHS England website shortly. Data quality has been assessed and only indicators which are sufficiently robust have been included in the pack.

The data are presented as an exploration, starting with the pathways on a page, then moving to elective and non-elective spend, admissions, prescribing and procedures.

Should you have any queries about the indicators or the data, please refer to the contact details on the 'further information and support' page at the end of this pack.

\*As the spend indicators have been updated since the publication of the 2016 refreshed 'Where to look' packs, figures for spend rates and potential opportunities may differ slightly from those packs.

The three pathways on the following pages now have an additional indicator to show the number of emergency presentations for that cancer. Otherwise, the pathway indicators are unchanged from the cancer related 'pathways on a page' from the previous Commissioning for Value packs. The spend data has also been updated.


The intention of these pathways is not to provide a definitive view on priorities but to help commissioners explore potential opportunities. These help commissioners to understand how performance in one part of the pathway may affect outcomes further along the pathway. Each indicator is shown as the percentage difference from the average of your 10 most similar CCGs.

The indicators are colour coded to help you see if your CCG has 'better' (**green**) or 'worse' (**red**) values than your peers. This is not always clear-cut, so (**blue**) is used where it is not possible to make this judgement without understanding the local context. For example low prevalence may reflect that a CCG truly does have fewer patients with a certain condition, but it may reflect that other CCGs have better processes in place to identify and record prevalence in primary care. **Blue indicators could show significant opportunities for improvement.**

Even where an indicator is **green** there may still be an opportunity to improve. The programme opportunity tables, starting on page 43, identify the opportunities that exist for your CCG to improve to a level which matches the average of the best five of your similar 10 CCG group. Please note: The variation from the average of the similar 10 CCGs is statistically significant for those indicators where the confidence intervals do not cross the 0% axis.

# Breast Cancer Pathway

11



## NICE Guidance:


<http://pathways.nice.org.uk/pathways/familial-breast-cancer>

<http://pathways.nice.org.uk/pathways/early-and-locally-advanced-breast-cancer>

<http://pathways.nice.org.uk/pathways/advanced-breast-cancer>

# Lower GI Cancer Pathway

12




## NICE Guidance:

<http://pathways.nice.org.uk/pathways/gastrointestinal-cancers>

# Lung Cancer Pathway

13



## NICE Guidance:

<http://pathways.nice.org.uk/pathways/lung-cancer>

The intention of the following pages is to provide a more in-depth view of the spend and activity for the clinical areas included in this pack compared to your 10 most similar CCGs. The charts show the rate for your CCG (yellow bar), the average of the best five comparator (blue bar) and also the absolute difference (the 'how different are we?' column). They should be used to explore key lines of enquiry to identify potential opportunities for improvement.


The opportunity tables, starting on page 43, identify the best CCG in your similar 10, who you may want to contact – either directly, or through your Delivery Partner if you are in a Wave 1 CCG.

Prescribing and interventions have been chosen to reflect highest spend. Clinical experts have advised on the chemical groupings of drugs used to treat certain conditions within a pathway. Annex A gives further detail.

For some indicators, the difference between the value for your CCG and the Best 5 is marked as Not Statistically Significant (NSS). This means that we cannot say with confidence (statistically defined as >95% confidence) that any difference between your CCG and the Best 5 is not simply due to chance. Values for these cases have been included in order to provide detailed information for use in considering whether to explore an area further.

# Cancer and tumours - Spend

15




\*For 88% of Cancer and Tumours total expenditure CCGs are the responsible purchaser

95% confidence intervals  
**NSS** Not statistically significant\*  
 \*Where an opportunity is 'NSS' CCGs can investigate further whether this reflects a true opportunity e.g. by looking at more than 1 year's data or triangulating with other indicators

# Cancer and tumours - Spend on Elective Admissions

Condition Group

16




95% confidence intervals  
**NSS** Not statistically significant\*  
 \*Where an opportunity is 'NSS' CCGs can investigate further whether this reflects a true opportunity e.g. by looking at more than 1 year's data or triangulating with other indicators



# Cancer and tumours - Spend on Non-Elective Admissions

Condition Group

17




95% confidence intervals

**NSS** Not statistically significant\*

\*Where an opportunity is 'NSS' CCGs can investigate further whether this reflects a true opportunity e.g. by looking at more than 1 year's data or triangulating with other indicators

# Cancer and tumours - Admissions - Head and Neck

18




95% confidence intervals

**NSS** Not statistically significant\*

\*Where an opportunity is 'NSS' CCGs can investigate further whether this reflects a true opportunity e.g. by looking at more than 1 year's data or triangulating with other indicators

# Cancer and tumours - Admissions - Upper GI

19




95% confidence intervals

**NSS** Not statistically significant\*

\*Where an opportunity is 'NSS' CCGs can investigate further whether this reflects a true opportunity e.g. by looking at more than 1 year's data or triangulating with other indicators

# Cancer and tumours - Admissions - Lower GI

20




95% confidence intervals

**NSS** Not statistically significant\*

\*Where an opportunity is 'NSS' CCGs can investigate further whether this reflects a true opportunity e.g. by looking at more than 1 year's data or triangulating with other indicators

# Cancer and tumours - Admissions - Lung

21




95% confidence intervals

**NSS** Not statistically significant\*

\*Where an opportunity is 'NSS' CCGs can investigate further whether this reflects a true opportunity e.g. by looking at more than 1 year's data or triangulating with other indicators

# Cancer and tumours - Admissions - Skin

22




95% confidence intervals

**NSS** Not statistically significant\*

\*Where an opportunity is 'NSS' CCGs can investigate further whether this reflects a true opportunity e.g. by looking at more than 1 year's data or triangulating with other indicators

# Cancer and tumours - Admissions - Breast

23




95% confidence intervals  
**NSS** Not statistically significant\*

\*Where an opportunity is 'NSS' CCGs can investigate further whether this reflects a true opportunity e.g. by looking at more than 1 year's data or triangulating with other indicators

# Cancer and tumours - Admissions - Gynaecological

24




95% confidence intervals  
**NSS** Not statistically significant\*

\*Where an opportunity is 'NSS' CCGs can investigate further whether this reflects a true opportunity e.g. by looking at more than 1 year's data or triangulating with other indicators



# Cancer and tumours - Admissions - Urological

25




95% confidence intervals

**NSS** Not statistically significant\*

\*Where an opportunity is 'NSS' CCGs can investigate further whether this reflects a true opportunity e.g. by looking at more than 1 year's data or triangulating with other indicators

# Cancer and tumours - Admissions - Haematological

26




95% confidence intervals

**NSS** Not statistically significant\*

\*Where an opportunity is 'NSS' CCGs can investigate further whether this reflects a true opportunity e.g. by looking at more than 1 year's data or triangulating with other indicators

# Cancer and tumours - Admissions - Other

27




95% confidence intervals

**NSS** Not statistically significant\*

\*Where an opportunity is 'NSS' CCGs can investigate further whether this reflects a true opportunity e.g. by looking at more than 1 year's data or triangulating with other indicators

# Primary Care Prescribing Spend - Breast Cancer

28



Medicines Optimisation Dashboard: <https://www.england.nhs.uk/ourwork/pe/mo-dash/>

Innovation Scorecard: <https://www.england.nhs.uk/ourwork/innovation/innovation-scorecard/>

NHS RightCare CFV Cancer and tumours focus pack

95% confidence intervals


**NSS** Not statistically significant\*

\*Where an opportunity is 'NSS' CCGs can investigate further whether this reflects a true opportunity e.g. by looking at more than 1 year's data or triangulating with other indicators

NHS Mansfield and Ashfield CCG

# Primary Care Prescribing Spend - Hormone Therapy

29



Medicines Optimisation Dashboard: <https://www.england.nhs.uk/ourwork/pe/mo-dash/>

Innovation Scorecard: <https://www.england.nhs.uk/ourwork/innovation/innovation-scorecard/>


NHS RightCare CFV Cancer and tumours focus pack

95% confidence intervals  
**NSS** Not statistically significant\*  
 \*Where an opportunity is 'NSS' CCGs can investigate further whether this reflects a true opportunity e.g. by looking at more than 1 year's data or triangulating with other indicators

NHS Mansfield and Ashfield CCG

# Primary Care Prescribing Spend - Hormone Therapy continued

30



Medicines Optimisation Dashboard: <https://www.england.nhs.uk/ourwork/pe/mo-dash/>

Innovation Scorecard: <https://www.england.nhs.uk/ourwork/innovation/innovation-scorecard/>


NHS RightCare CFV Cancer and tumours focus pack

95% confidence intervals  
**NSS** Not statistically significant\*  
 \*Where an opportunity is 'NSS' CCGs can investigate further whether this reflects a true opportunity e.g. by looking at more than 1 year's data or triangulating with other indicators

NHS Mansfield and Ashfield CCG

# Primary Care Prescribing Spend - Immunosuppressants

31



Medicines Optimisation Dashboard: <https://www.england.nhs.uk/ourwork/pe/mo-dash/>

Innovation Scorecard: <https://www.england.nhs.uk/ourwork/innovation/innovation-scorecard/>

NHS RightCare CFV Cancer and tumours focus pack

95% confidence intervals


**NSS** Not statistically significant\*

\*Where an opportunity is 'NSS' CCGs can investigate further whether this reflects a true opportunity e.g. by looking at more than 1 year's data or triangulating with other indicators

NHS Mansfield and Ashfield CCG

# Primary Care Prescribing Spend - Other

32



Medicines Optimisation Dashboard: <https://www.england.nhs.uk/ourwork/pe/mo-dash/>

Innovation Scorecard: <https://www.england.nhs.uk/ourwork/innovation/innovation-scorecard/>

NHS RightCare CFV Cancer and tumours focus pack


95% confidence intervals  
NSS Not statistically significant\*  
\*Where an opportunity is 'NSS' CCGs can investigate further whether this reflects a true opportunity e.g. by looking at more than 1 year's data or triangulating with other indicators

NHS Mansfield and Ashfield CCG



# Procedures - Breast Cancer


33



95% confidence intervals  
**NSS** Not statistically significant\*  
 \*Where an opportunity is 'NSS' CCGs can investigate further whether this reflects a true opportunity e.g. by looking at more than 1 year's data or triangulating with other indicators

# Procedures - Lung Cancer

34




95% confidence intervals

**NSS** Not statistically significant\*

\*Where an opportunity is 'NSS' CCGs can investigate further whether this reflects a true opportunity e.g. by looking at more than 1 year's data or triangulating with other indicators

# Procedures - Lower GI Cancer

35




95% confidence intervals

**NSS** Not statistically significant\*

\*Where an opportunity is 'NSS' CCGs can investigate further whether this reflects a true opportunity e.g. by looking at more than 1 year's data or triangulating with other indicators

# Procedures - Other

36




95% confidence intervals

**NSS** Not statistically significant\*

\*Where an opportunity is 'NSS' CCGs can investigate further whether this reflects a true opportunity e.g. by looking at more than 1 year's data or triangulating with other indicators

# Procedures - Other continued

37




95% confidence intervals

**NSS** Not statistically significant\*

\*Where an opportunity is 'NSS' CCGs can investigate further whether this reflects a true opportunity e.g. by looking at more than 1 year's data or triangulating with other indicators

# Procedures - Other continued


38



95% confidence intervals

**NSS** Not statistically significant\*

\*Where an opportunity is 'NSS' CCGs can investigate further whether this reflects a true opportunity e.g. by looking at more than 1 year's data or triangulating with other indicators



95% confidence intervals

**NSS** Not statistically significant\*


\*Where an opportunity is 'NSS' CCGs can investigate further whether this reflects a true opportunity e.g. by looking at more than 1 year's data or triangulating with other indicators

# Scatter Plot Analysis

40

The Commissioning for Value Explorer Tool allows the comparison of two indicators, the diagram below is an example. This is an invaluable tool to enable users to assess how one indicator relates to another. The similar 10 can be highlighted too. It is important to remember that correlations do not imply causation but the relationships can help target where to look.

<http://www.england.nhs.uk/resources/resources-for-ccgs/comm-for-value/>





The opportunity tables present all focus pack indicators for five aspects of the pathway.

• **Risk**   • **Prevalence and detection**   • **Service and quality**   • **Spend**   • **Outcomes**

The width of the spine chart shows the England range. Your CCG is benchmarked against its similar 10 group. The shaded area of the spine chart within the table shows the range for the similar 10 group. Where the CCG is highest or lowest compared with its similar 10 group it is shown as outside that group range. This has been done to clearly show where the CCG is in relation to the similar 10 and the England worst/highest and best/lowest values.

Opportunities have been calculated for all indicators apart from those that relate to recorded prevalence and some risk factors. Where an indicator can be clearly interpreted as worse or better the spine charts show the position of the CCG, the best five average, and the wider cluster best CCG. The opportunity is quantified where the CCG is worse in relation to the Best 5 average.

Where an indicator needs to be locally interpreted (for example elective spend) and the CCG is higher than the average of the 5 CCGs with the lowest values, the opportunity table shows the potential opportunity. By calculating the potential opportunity it is possible to answer the question “Is it worth investigating this further?” The Best 5 average and the cluster best are not shown on the spine chart for these indicators.

# Opportunity table: Interpretation

42



‡ The wider cluster group best CCG is not always in the similar 10. It is included to indicate a 'stretch' target. Your wider CCG cluster group is identified on page 8.

\* per 1,000 age/sex weighted population  
\*\* per 100,000 age/sex weighted population  
\*\*\* per 1,000 ASTRO-PU weighted population

| Indicator                                   | CCG Value | CCG<br>England Worst or Highest | Best 5 | Best in Cluster | England Best or Lowest | Best/Lowest 5 Opportunity | Similar 10 Best | Page |
|---|-----------|---------------------------------|--------|-----------------|------------------------|---------------------------|-----------------|------|
| Overall index of multiple deprivation       | 27.0      |                                 |        |                 |                        | NA*                       |                 |      |
| Obesity prevalence, 16+                     | 13.2      |                                 |        |                 |                        | NA*                       |                 |      |
| Smoking prevalence, 18+                     | 18.2      |                                 |        |                 |                        | NA*                       |                 |      |
| Estimated prevalence of binge drinkers, 16+ | 20.5      |                                 |        |                 |                        | NA*                       |                 |      |

Please note: For smoking, obesity, physical inactivity and binge drinking opportunities are not presented due to difficulties calculating these, rather than because they need local interpretation.

\* No opportunity is calculated for risk and reported prevalence indicators

Please refer to slide 42 for full guidance on interpretation of this table of opportunities

\* per 1,000 age/sex weighted population  
\*\* per 100,000 age/sex weighted population  
\*\*\* per 1,000 ASTRO-PU weighted population

| Indicator                           | CCG Value | England Worst or Highest | CCG | Best 5 | Best in Cluster | England Best or Lowest | Best/Lowest 5 Opportunity | Similar 10 Best | Page |
|-------------------------------------|-----------|--------------------------|-----|--------|-----------------|------------------------|---------------------------|-----------------|------|
| Breast Cancer Prevalence (%)        | 1.6       |                          |     |        |                 |                        | NA*                       |                 |      |
| Colorectal Cancer Prevalence (%)    | 0.4       |                          |     |        |                 |                        | NA*                       |                 |      |
| Lung cancer prevalence (%)          | 0.1       |                          |     |        |                 |                        | NA*                       |                 |      |
| Incidence of breast cancer (**)     | 167.7     |                          |     |        |                 |                        | NA*                       |                 |      |
| Incidence of colorectal cancer (**) | 82.4      |                          |     |        |                 |                        | NA*                       |                 |      |
| Incidence of lung cancer (**)       | 98.5      |                          |     |        |                 |                        | NA*                       |                 |      |


\* No opportunity is calculated for risk and reported prevalence indicators

Please refer to slide 42 for full guidance on interpretation of this table of opportunities

# Cancer - Opportunity table - Activity and quality

NHS Mansfield and Ashfield CCG 45

\* per 1,000 age/sex weighted population  
 \*\* per 100,000 age/sex weighted population  
 \*\*\* per 1,000 ASTRO-PU weighted population




Please refer to slide 42 for full guidance on interpretation of this table of opportunities

# Cancer - Opportunity table - Activity and quality

NHS Mansfield and Ashfield CCG 46

\* per 1,000 age/sex weighted population  
 \*\* per 100,000 age/sex weighted population  
 \*\*\* per 1,000 ASTRO-PU weighted population



Please note: Opportunity for emergency presentations are not presented due to unavailability of denominators

Please refer to slide 42 for full guidance on interpretation of this table of opportunities

# Cancer - Opportunity table - Activity and quality

NHS Mansfield and Ashfield CCG 47

\* per 1,000 age/sex weighted population  
 \*\* per 100,000 age/sex weighted population  
 \*\*\* per 1,000 ASTRO-PU weighted population

| Indicator   | CCG Value | England Worst or Highest | CCG | Best 5 | Best in Cluster | England Best or Lowest | Best/Lowest 5 Opportunity | Similar 10 Best                 | Page |
|---|-----------|--------------------------|-----|--------|-----------------|------------------------|---------------------------|---------------------------------|------|
| % of women aged 50-70 screened for breast cancer in last 3 years    | 77.9      |                          |     |        |                 |                        |                           | Erewash                         | p.65 |
| Females,50-70,screened for breast cancer in 6 months of invite(%)   | 81.0      |                          |     |        |                 |                        |                           | Mansfield and Ashfield          | p.66 |
| % of breast cancers detected at an early stage (1 or 2)             | 65.7      |                          |     |        |                 |                        | 16 Pats                   | Barnsley                        | p.67 |
| Number of 2 week wait referrals for suspected breast cancer (**)    | 628.6     |                          |     |        |                 |                        | NA*                       |                                 |      |
| % 1st outpatient apt within 2 wks-breast cancer not init. suspected | 93.4      |                          |     |        |                 |                        | 6 Pats (NSS)              | Wigan Borough                   | p.68 |
| Females,25-64,attending cervical screening within target period (%) | 78.2      |                          |     |        |                 |                        |                           | Erewash                         | p.69 |
| % 60-69 who were screened for bowel cancer (previous 30 months)     | 59.1      |                          |     |        |                 |                        | 193 Ppl                   | Erewash                         | p.70 |
| % 60-69 screened for bowl cancer within 6 months of invite          | 59.6      |                          |     |        |                 |                        | 66 Ppl (NSS)              | Erewash                         | p.71 |
| % of colorectal cancers detected at an early stage (1 or 2)         | 14.2      |                          |     |        |                 |                        | 34 Pats                   | Rotherham                       | p.72 |
| Number of 2 week wait referrals for suspected lower GI cancers (**) | 491.9     |                          |     |        |                 |                        | NA*                       |                                 |      |
| % of lung cancers detected at an early stage (1 or 2)               | 24.0      |                          |     |        |                 |                        |                           | Mansfield and Ashfield          | p.73 |
| Number of 2 week wait referrals for suspected lung cancer (**)      | 142.0     |                          |     |        |                 |                        | NA*                       |                                 |      |
| Patient's rating of care 'excellent' / 'very good' (%)              | 91.0      |                          |     |        |                 |                        | 79 Pats (NSS)             | North Tyneside                  | p.74 |
| Saw GP once/twice before being told had to go to hospital (%)       | 74.1      |                          |     |        |                 |                        | 198 Pats (NSS)            | Chorley and South Ribble        | p.75 |
| Given easy to understand written information about test (%)         | 86.1      |                          |     |        |                 |                        | 158 Pats (NSS)            | Erewash                         | p.76 |
| Patient given written information about side effects (%)            | 82.7      |                          |     |        |                 |                        | 62 Pats (NSS)             | Hartlepool and Stockton-On-Tees | p.77 |
| Patient given written information about the operation (%)           | 78.6      |                          |     |        |                 |                        | 69 Pats (NSS)             | Hartlepool and Stockton-On-Tees | p.78 |
| Given clear written information about what to do post discharge (%) | 86.8      |                          |     |        |                 |                        | 112 Pats (NSS)            | St Helens                       | p.79 |
| Patient offered written assessment and care plan (%)                | 22.4      |                          |     |        |                 |                        | 214 Pats (NSS)            | Hartlepool and Stockton-On-Tees | p.80 |
| Smoking - successful quitters 16+ (**)                              | 3225.6    |                          |     |        |                 |                        | 50 Ppl (NSS)              | Wigan Borough                   | p.81 |

\* No opportunity is calculated for 2 week wait referrals

Please refer to slide 42 for full guidance on interpretation of this table of opportunities

\* per 1,000 age/sex weighted population  
\*\* per 100,000 age/sex weighted population  
\*\*\* per 1,000 ASTRO-PU weighted population

| Indicator   | CCG Value | <div>● CCG</div> <div>◆ Best 5</div> <div>▲ Best in Cluster</div> |  |                        | Best/Lowest 5 Opportunity | Similar 10 Best | Page |
|---|-----------|---|--|------------------------|---------------------------|-----------------|------|
|   |           | England Worst or Highest  |  | England Best or Lowest |                           |                 |      |
| Rate of colonoscopy procedures and flexisigmoidoscopy procedures (per 10,000 pop) | 149.3     |   |  |                        | NA*                       |                 |      |
| Rate of computed tomography (CT) colonoscopy procedures (per 10,000 [pop)         | 7.2       |   |  |                        | NA*                       |                 |      |
| GP Exception Rate - Cancer (%)  | 19.6      |   |  |                        | NA*                       |                 |      |

Please Note: Opportunity for colonoscopy procedures are not presented due to unavailability of denominators

\* No opportunity is calculated for exception rates


Please refer to slide 42 for full guidance on interpretation of this table of opportunities



# Cancer - Opportunity table - Spend

NHS Mansfield and Ashfield CCG 49

\* per 1,000 age/sex weighted population  
 \*\* per 100,000 age/sex weighted population  
 \*\*\* per 1,000 ASTRO-PU weighted population



Please refer to slide 42 for full guidance on interpretation of this table of opportunities

# Cancer - Opportunity table - Spend

NHS Mansfield and Ashfield CCG 50

\* per 1,000 age/sex weighted population  
 \*\* per 100,000 age/sex weighted population  
 \*\*\* per 1,000 ASTRO-PU weighted population

## Indicator

Cancer, Haematological- non-elective (\*)

Other Cancers & Tumours- elective (\*)

Other Cancers & Tumours- non-elective (\*)

Breast cancer - primary care prescribing spend (\*)

Prescribing spend - Goserelin Acetate (\*\*\*)

Prescribing spend - Leuprorelin Acetate (\*\*\*)

Prescribing spend - Triptorelin Acetate (\*\*\*)

Prescribing spend - Tamoxifen Citrate (\*\*\*)

Prescribing spend - Diethylstilbestrol (\*\*\*)

Prescribing spend - Anastrozole (\*\*\*)

Prescribing spend - Letrozole (\*\*\*)

Prescribing spend - Triptorelin Embonate (\*\*\*)

Prescribing spend - Bicalutamide (\*\*\*)

Prescribing spend - Degarelix (\*\*\*)

Prescribing spend - Cyproterone Acetate (\*\*\*)


Prescribing spend - Exemestane (\*\*\*)

Prescribing spend - Tacrolimus (\*\*\*)

Prescribing spend - Mycophenolate Mofetil (\*\*\*)

Prescribing spend - Ciclosporin (\*\*\*)

Prescribing spend - Azathioprine (\*\*\*)



Please refer to slide 42 for full guidance on interpretation of this table of opportunities

# Cancer - Opportunity table - Spend

NHS Mansfield and Ashfield CCG 51

\* per 1,000 age/sex weighted population  
 \*\* per 100,000 age/sex weighted population  
 \*\*\* per 1,000 ASTRO-PU weighted population



Please refer to slide 42 for full guidance on interpretation of this table of opportunities

# Cancer - Opportunity table - Spend

NHS Mansfield and Ashfield CCG 52

\* per 1,000 age/sex weighted population  
 \*\* per 100,000 age/sex weighted population  
 \*\*\* per 1,000 ASTRO-PU weighted population

| Indicator  | CCG Value | England Worst or Highest | England Best or Lowest | Best/Lowest 5 Opportunity | Similar 10 Best | Page |
|--|-----------|--------------------------|------------------------|---------------------------|-----------------|------|
| Proc.- Endoscopy snare resection of lesion of colon(*)                     | 742       |                          |                        | £75k                      |                 |      |
| Proc.- Endoscopy-upper GI tract;biopsy-lesion of upper GI tract(*)         | 471       |                          |                        | £31k                      |                 |      |
| Proc.- Endoscopic insertion of prosthesis into upper GI tract(*)           | 186       |                          |                        | £10k (NSS)                |                 |      |
| Proc.-Unspecified diagnostic fibreoptic endoscopy-upper GI tract(*)        | 182       |                          |                        |                           |                 |      |
| Proc.- Unspecified diagnostic endoscopy - bladder(*)                       | 531       |                          |                        | £92k                      |                 |      |
| Proc.- CT - Not elsewhere classified(*)                                    | 1810      |                          |                        | £8k (NSS)                 |                 |      |
| Proc.- CT - Head(*)  | 732       |                          |                        | £2k (NSS)                 |                 |      |
| Proc.- MRI - Not elsewhere classified(*)                                   | 170       |                          |                        |                           |                 |      |
| Proc.- MRI - Head(*)   | 162       |                          |                        |                           |                 |      |
| Proc.- Excision of lesion of external nose(*)                              | 248       |                          |                        | £4k (NSS)                 |                 |      |
| Proc.- Unspecified other excision of lesion of skin(*)                     | 1073      |                          |                        | £93k                      |                 |      |
| Proc.- Excision of lesion of skin of head/neck-Not elsewhere classified(*) | 749       |                          |                        | £8k (NSS)                 |                 |      |
| Proc.- Total excision of prostate and capsule of prostate(*)               | 229       |                          |                        | £8k (NSS)                 |                 |      |
| Proc.- Excision of lesion of tissue of frontal lobe of brain(*)            | 123       |                          |                        |                           |                 |      |
| Proc.- Re-excision of skin margins - Not elsewhere classified(*)           | 209       |                          |                        | £5k (NSS)                 |                 |      |
| Proc.- Total abdominal hysterectomy - Not elsewhere classified(*)          | 1645      |                          |                        | £143k                     |                 |      |
| Proc.- Continuous IV infusion of therapeutic substance(*)                  | 388       |                          |                        |                           |                 |      |
| Proc.- IV blood transfusion of packed cells(*)                             | 291       |                          |                        | £21k                      |                 |      |
| Proc.- Unspecified other blood transfusion(*)                              | 150       |                          |                        | £27k                      |                 |      |
| Proc.- Unspecified blood withdrawal(*)                                     | No Data   |                          |                        | No Data                   |                 |      |

Please refer to slide 42 for full guidance on interpretation of this table of opportunities

# Cancer - Opportunity table - Spend

\* per 1,000 age/sex weighted population  
\*\* per 100,000 age/sex weighted population  
\*\*\* per 1,000 ASTRO-PU weighted population


| Indicator   | CCG Value | England Worst or Highest | England Best or Lowest | Best/Lowest 5 Opportunity | Similar 10 Best | Page |
|---|-----------|--------------------------|------------------------|---------------------------|-----------------|------|
| Proc.- Diagnostic extraction of bone marrow - Not elsewhere classified(*) | 704       |                          |                        | £66k                      |                 |      |
| Proc.-Procurement of drugs for chemotherapy for neoplasm-Band 10(*)       | 1045      |                          |                        | £150k                     |                 |      |
| Proc.- Drainage of ascites - Not elsewhere classified(*)                  | 263       |                          |                        | £1k (NSS)                 |                 |      |
| Proc.- Oesophagogastrectomy+anastomosis of oesophagus to stomach(*)       | 312       |                          |                        | £34k (NSS)                |                 |      |
| Proc.- Cystoprostatectomy(*)  | 94        |                          |                        |                           |                 |      |
| Proc.- Insertion of tube drain into pleural cavity(*)                     | 150       |                          |                        | £5k (NSS)                 |                 |      |

Please refer to slide 42 for full guidance on interpretation of this table of opportunities

# Cancer - Opportunity table - Outcomes

NHS Mansfield and Ashfield CCG 54

\* per 1,000 age/sex weighted population  
 \*\* per 100,000 age/sex weighted population  
 \*\*\* per 1,000 ASTRO-PU weighted population



Please Note: Opportunity for one year survival indicators are not presented due to unavailability of denominators

Please refer to slide 42 for full guidance on interpretation of this table of opportunities

The following pages provide a further analysis of a range of indicators in the focus pack. The indicators selected are those where we have been able to assign a judgement on whether a lower or higher value is *better* eg a lower value is better for mortality, and a higher value better for case finding.

## **Top chart:**

The opportunity box from the spine chart is shown in the top right of the blue banner. The top chart shows the whole England distribution together with the highlighted Similar 10 group (grey bars) and your CCG (yellow bar). The England average is shown by the dashed blue line. The England value and the Best 5 average values are shown below this chart.

## **Bottom chart:**


Shows your CCG and the Similar 10 group together with their indicator values. The Best 5 CCG average is shown by a dark blue line.

The full indicator name, source and time period are shown at the bottom left.

The analysis presented in the following pages can be replicated for *all* indicators in the focus pack using the Commissioning for Value Focus Pack Tool. The tool is available on the Commissioning for Value web pages. The link is shown on page 103.

## Routes to diagnosis - emergency presentations for breast cancer (per 100,000 pop)

56



Definition: Routes to diagnosis - emergency presentations for breast cancer - DSR per 100,000 women


Source: Hospital Episode Statistics (HES), The National Cancer Intelligence Network

Year: 2006-2013



## Routes to diagnosis - emergency presentations for colorectal cancer (per 100,000 pop)


57



Definition: Routes to diagnosis - emergency presentations for colorectal cancer - DSR per 100,000  
 Source: Hospital Episode Statistics (HES), The National Cancer Intelligence Network  
 Year: 2006-2013

## Routes to diagnosis - emergency presentations for lung cancer (per 100,000 pop)

58




Definition: Routes to diagnosis - emergency presentations for lung cancer - DSR per 100,000  
 Source: Hospital Episode Statistics (HES), The National Cancer Intelligence Network  
 Year: 2006-2013

% of cases (all cancers) receiving first definitive treatment within two months of urgent referral from GP

28 Pats

59




England

83.2

Best 5

88.6



Definition: % (all cancers) receiving first definitive treatment within two months of urgent referral from GP



Source: Commissioner-based cancer waiting statistics 2014/15, NHS England

Year: 2014/15

% of cases (all cancers) who received second or subsequent treatment within one month (surgery)

1 Cases (NSS)

60





Definition: Percentage of cases (all cancers) who received second or subsequent treatment within one month where the treatment is surgery

Source: NHS England Cancer Waiting Times Database

Year: 2014-15

% of cases (all cancers) who received second or subsequent treatment within one month (chemo)

61




Definition: Percentage of cases (all cancers) who received second or subsequent treatment within one month where the treatment is an anti-cancer drug regimen  
 Source: NHS England Cancer Waiting Times Database  
 Year: 2014-15

% of cases (all cancers) who received second or subsequent treatment within one month (radiotherapy)

1 Cases (NSS)

62




Definition: Percentage of cases (all cancers) who received second or subsequent treatment within one month where the treatment is radiotherapy

Source: NHS England Cancer Waiting Times Database

Year: 2014-15

# % who received 1st treatment within 2 months following consultant's decision to upgrade

63




England

89.2

Best 5

89.5





Definition: Percentage of cases (all cancers) who received first treatment within two months (62 days) following a consultant's decision to upgrade a patient's priority to first treatment for all cancers  
 Source: NHS England Cancer Waiting Times Database  
 Year: 2014-15

# %of patients with cancer who have had a review 6 months after diagnosis

64 Pats

64



Definition: The percentage of patients with cancer, diagnosed within the preceding 15 months, who have a patient review recorded as occurring within 6 months of the date of diagnosis



Source: Quality and Outcomes Framework

Year: 2014/15



# % of women aged 50-70 screened for breast cancer in last 3 years



65



Definition: % of women aged 50 - 70 screened for breast cancer in last three years  
 Source: Cancer Commissioning Toolkit  
 Year: 2014

# Females,50-70,screened for breast cancer in 6 months of invite(%)

66





Definition: Females aged 50-70 screened for breast cancer within 6 months of invitation (uptake)  
 Source: Cancer Services, Fingertips  
 Year: 2014/15

# % of breast cancers detected at an early stage (1 or 2)

16 Pats

67



Definition: % of breast cancers detected at an early stage (1 or 2)


Source: Public Health England CAS1403 Stage by CCG data

Year: 2013

% receiving first outpatient appointment within two weeks for patients referred with breast symptoms where cancer was not initially suspected

6 Pats (NSS)

68




England

93.3

Best 5

95.6





Definition: % age receiving first outpatient appointment within two weeks for patients referred with breast symptoms where cancer was not initially suspected

Source: NHS England Cancer Waiting Times Database

Year: 2014-15

# Females,25-64,attending cervical screening within target period (%)

69



Definition: Females, 25-64, attending cervical screening within target period (3.5 or 5.5 year coverage, %)



Source: Cancer Services, Fingertips

Year: 2014/15

% 60-69 who were screened for bowel cancer (previous 30 months)

193 Ppl

70



Definition: % of people aged 60-69 who were screened for bowel cancer in the previous 30 months



Source: Commissioning Toolkit

Year: 2014

% 60-69 screened for bowel cancer within 6 months of invite

66 Ppl (NSS)

71



Definition: Persons 60-69 screened for bowel cancer within 6 months of invitation (uptake %)



Source: Cancer Services, Fingertips

Year: 2014/15

# % of colorectal cancers detected at an early stage (1 or 2)

34 Pats

72



Definition: % of colorectal cancers detected at an early stage (1 or 2)


Source: Cancer Commissioning Toolkit

Year: 2013



## % of lung cancers detected at an early stage (1 or 2)

73



Definition: % of lung cancers detected at an early stage (1 or 2)



Source: Public Health England CAS1403 Stage by CCG data

Year: 2013

Patient's rating of care 'excellent' / 'very good' (%)

79 Pats (NSS)

74




Definition: Patient's rating of care 'excellent' / 'very good'  
 Source: 2014 National Cancer Patient Experience Survey  
 Year: 2013/14

# Saw GP once/twice before being told had to go to hospital (%)

198 Pats (NSS)

75




England

74.8

Best 5

79.1



Definition: % Saw GP once/twice before being told had to go to hospital



Source: 2014 National Cancer Patient Experience Survey

Year: 2013/14

# Given easy to understand written information about test (%)

158 Pats (NSS)

76



Definition: % Patients given easy to understand written information about test



Source: 2014 National Cancer Patient Experience Survey

Year: 2013/14

# Patient given written information about side effects (%)

62 Pats (NSS)

77




Definition: % Patients given written information about side effects  
Source: 2014 National Cancer Patient Experience Survey  
Year: 2013/14

# Patient given written information about the operation (%)

69 Pats (NSS)

78




England

75.5

Best 5

80.4



Definition: % Patients given written information about the operation



Source: 2014 National Cancer Patient Experience Survey

Year: 2013/14

## Given clear written information about what to do post discharge (%)

112 Pats (NSS)

79



Definition: % Patients given clear written information about what should / should not do post discharge



Source: 2014 National Cancer Patient Experience Survey

Year: 2013/14

# Patient offered written assessment and care plan (%)

214 Pats (NSS)

80





Definition: % Patients offered written assessment and care plan  
Source: 2014 National Cancer Patient Experience Survey  
Year: 2013/14



# Successful quitters, 16+ (per 100,000 pop)

50 Ppl (NSS)

81





Definition: Smoking quit rates (successful quitters), per 100,000 population aged 16yrs+  
 Source: Mid-year population estimates from Office for National Statistics  
 Year: 2014/15

## Cancer - Total non-elective spend (£ per 1,000 pop)

**£244k**



82



Definition: Cancer - Total spend on non-elective admissions per 1,000 population  
 Source: Temporary National Repository – Hospital Admissions Databases, SUS SEM (Secondary User Services Extract Mart)  
 Year: 2014/15

# Cancer, Head and Neck- non-elective spend (£ per 1,000 pop)

83





Definition: Cancer, Head and Neck - Total non-elective spend on admissions per 1,000 population  
 Source: Temporary National Repository – Hospital Admissions Databases, SUS SEM (Secondary User Services Extract Mart)  
 Year: 2014/15

# Cancer, Upper GI- non-elective spend (£ per 1,000 pop)

£79k


84



Definition: Cancer, Upper GI - Total non-elective spend on admissions per 1,000 population  
 Source: Temporary National Repository – Hospital Admissions Databases, SUS SEM (Secondary User Services Extract Mart)  
 Year: 2014/15

## Cancer, Lower GI- non-elective spend (£ per 1,000 pop)

85




England

1151.0

Best 5

1021.0




Definition: Cancer, Lower GI - Total non-elective spend on admissions per 1,000 population  
 Source: Temporary National Repository – Hospital Admissions Databases, SUS SEM (Secondary User Services Extract Mart)  
 Year: 2014/15

# Cancer, Lung- non-elective spend (£ per 1,000 pop)

£65k

86




England

1033.0

Best 5



1290.0



Definition: Cancer, Lung - Total non-elective spend on admissions per 1,000 population  
 Source: Temporary National Repository – Hospital Admissions Databases, SUS SEM (Secondary User Services Extract Mart)  
 Year: 2014/15

## Cancer, Skin- non-elective spend (£ per 1,000 pop)

87





Definition: Cancer, Skin - Total non-elective spend on admissions per 1,000 population  
 Source: Temporary National Repository – Hospital Admissions Databases, SUS SEM (Secondary User Services Extract Mart)  
 Year: 2014/15

# Cancer, Breast- non-elective spend (£ per 1,000 pop)

£6k (NSS)

88





Definition: Cancer, Breast - Total non-elective spend on admissions per 1,000 population  
 Source: Temporary National Repository – Hospital Admissions Databases, SUS SEM (Secondary User Services Extract Mart)  
 Year: 2014/15



# Cancer, Gynaecological- non-elective spend (£ per 1,000 pop)

£16k (NSS)

89




Definition: Cancer, Gynaecological - Total non-elective spend on admissions per 1,000 population  
 Source: Temporary National Repository – Hospital Admissions Databases, SUS SEM (Secondary User Services Extract Mart)  
 Year: 2014/15

# Cancer, Urological- non-elective spend (£ per 1,000 pop)

£61k

90




England

717.0

Best 5

622.0




Definition: Cancer, Urological - Total non-elective spend per 1,000 admissions population  
 Source: Temporary National Repository – Hospital Admissions Databases, SUS SEM (Secondary User Services Extract Mart)  
 Year: 2014/15

# Cancer, Haematological- non-elective spend (£ per 1,000 pop)

£162k

91




England

1589.0

Best 5

1520.0





Definition: Cancer, Haematological - Total non-elective spend admissions per 1,000 population  
 Source: Temporary National Repository – Hospital Admissions Databases, SUS SEM (Secondary User Services Extract Mart)  
 Year: 2014/15

# Other Cancers and Tumours- non-elective spend (£ per 1,000 pop)

£16k (NSS)


92



Definition: Other Cancers and Tumours - Total non-elective spend on admissions per 1,000 population  
 Source: Temporary National Repository – Hospital Admissions Databases, SUS SEM (Secondary User Services Extract Mart)  
 Year: 2014/15

## One year survival (breast, lung, colorectal) (%)



93



Definition: One-year survival index (%) for three-cancers combined all adults (aged 15 to 99 years)  
 Source: Office for National Statistics  
 Year: 2013 (2011)

## One year survival for colorectal cancer (%)


94



Definition: One year survival for colorectal cancer  
 Source: Office for National Statistics  
 Year: 2013 (2011)

## One year survival for lung cancer (%)

95




England

35.4

Best 5



36.1



Definition: One year survival for lung cancer  
 Source: Office for National Statistics  
 Year: 2013 (2011)

## One year survival for breast cancer (%)

96




Definition: One year survival for breast cancer  
 Source: Office for National Statistics  
 Year: 2013 (2011)



<75 mortality from lung cancer (per 100,000 pop)

2 Lives (NSS)

97




England

32.4

Best 5

36.7



Definition: Mortality from lung cancer: under 75 directly age-standardised rates (DSR) per 100,000 European Standard Population


Source: Primary Care Mortality Database, HSCIC

Year: 2011-13

<75 mortality from breast cancer (per 100,000 pop)

2 Lives (NSS)

98




England

19.8

Best 5

18.7





Definition: Mortality from breast cancer: under 75 directly age-standardised rates (DSR) per 100,000 European Standard Population  
 Source: Primary Care Mortality Database, HSCIC  
 Year: 2011-13

# <75 mortality from colorectal cancer (per 100,000 pop)

5 Lives (NSS)

99



Definition: Mortality from colorectal cancer: Under 75 Directly age-standardised rates (DSR) per 100,000 European Standard  
 Source: Primary Care Mortality Database, HSCIC  
 Year: 2011-13

Commissioners can take the following actions now:

- Identify the key opportunities for improvement within the pathways included in the cancer focus pack for your population and compare with current reform activity and improvement plans
- Engage with clinicians and other local stakeholders, including public health teams in local authorities and commissioning support organisations and explore the opportunities along the pathways further using local data
- Revisit the Commissioning for Value web pages regularly as new content, including updates to tools to support the use of the Commissioning for Value packs, is regularly added
- Watch the focus pack videos, and explore other clinical resources
- Always consider risk factor reduction (e.g. smoking prevalence) as an opportunity to improve population health and reduce disease prevalence
- Discuss the opportunities highlighted in this pack as part of the STP planning process and consider STP wide action where appropriate
- For Wave One CCGs, speak to your Delivery Partner about other practical steps for your locality
- For Wave Two CCGs, start to identify and act to improve the opportunities highlighted

The Commissioning for Value benchmarking tool, explorer tool, full details of all the data used, and links to other useful tools are available on the Commissioning for Value pages of the NHS England website.

The NHS RightCare website offers resources to support CCGs in adopting the Commissioning for Value approach. These include:

- Online videos and 'how to' guides
- Case studies with learning from other CCGs

If you have any questions or require any further information or support you can email the Commissioning for Value support team direct at: [england.healthinvestmentnetwork@nhs.net](mailto:england.healthinvestmentnetwork@nhs.net)

There are further resources on key surgical pathways and data available at The Royal College of Surgeons National Surgical Commissioning Centre. All the resources listed below are freely available at the website shown on page 103.

- **Commissioning guides** have been developed through a NICE accredited process and outline the 'high value' care pathway for a particular surgical complaint. Further information on the development of the commissioning guides is available online. Guides related to cancer conditions include: Emergency surgery (for acute abdominal pain); Rectal bleeding; Asymptomatic scrotal swelling; and Lower urinary tract symptoms in men
- **Data tools linked to commissioning guides** use Hospital Episode Statistics (HES). All the tools have been developed with input from a multidisciplinary guideline development group and clinical coders and the technical definitions and guidance on navigating the tools are available to download. The data within these tools should be used as a start of a conversation between commissioners and their providers to examine possible areas for improved efficiency and quality improvement
- **The Quality Dashboards and Procedure Explorer Tool (PET):** There are 30 separate quality dashboards which show quality indicators for surgical procedures commissioned by commissioners. The PET tool shows further detailed information on individual procedures. Related data tools are:
  - Emergency laparotomy and surgical treatment of large bowel obstruction
  - Colonoscopy / Flexible sigmoidoscopy
  - Surgical treatment of testicular cancer
  - Surgical treatment of prostatism

Commissioning for Value pages of the NHS England website:

<http://www.england.nhs.uk/resources/resources-for-ccgs/comm-for-value/>

Commissioning for Value Similar 10 Explorer Tool:

<https://www.england.nhs.uk/wp-content/uploads/2016/01/cfv-16-similar-10-explr-tool.xlsm>

Supporting videos for the CFV focus packs:

<https://www.youtube.com/playlist?list=PL6lQwMACXkj1e17bcMvaHuy1gd9XrZT92>

NHS RightCare website:

<http://www.rightcare.nhs.uk/index.php/commissioning-for-value/>

Royal College of Surgeons National Surgical Commissioning Centre:

<http://www.rcseng.ac.uk/surgical-commissioning>

National Cancer Strategy:

[http://www.cancerresearchuk.org/sites/default/files/achieving\\_world-class\\_cancer\\_outcomes\\_-\\_a\\_strategy\\_for\\_england\\_2015-2020.pdf](http://www.cancerresearchuk.org/sites/default/files/achieving_world-class_cancer_outcomes_-_a_strategy_for_england_2015-2020.pdf)

National Cancer Strategy implementation plan:

<https://www.england.nhs.uk/2016/05/cancer-strategy/>

Cancer dashboard:

<https://www.cancerdata.nhs.uk/dashboard/#?tab=Overview>

National Cancer Intelligence Network:

<http://www.ncin.org.uk/home>

National Institute for Health and Care Excellence:

<https://www.nice.org.uk/>

# Annex A: Procedure and drug codes and descriptions



| Programme Category Name      | Programme Category Code |
|------------------------------|-------------------------|
| Cancer, Head and Neck        | 02A                     |
| Cancer, Upper GI             | 02B                     |
| Cancer, Lower GI             | 02C                     |
| Cancer, Lung                 | 02D                     |
| Cancer, Skin                 | 02E                     |
| Cancer, Breast               | 02F                     |
| Cancer, Gynaecological       | 02G                     |
| Cancer, Urological           | 02H                     |
| Cancer, Haematological       | 02I                     |
| Cancers and Tumours (Other)* | 02X                     |

\* This includes Tumours of the Nervous System which are included within the Cancer and Tumours programme budget category, but covered in more detail in the Neurological Focus Pack

# Breast cancer procedures

106

Highest spend procedures mapped to Programme Budget Codes: 02A, 02B, 02C, 02D, 02E, 02F, 02G, 02H, 02I, 02X . The Programme Budget Code where the majority of spend falls is indicated.

| <b>OPCS Procedure Code</b> | <b>Full procedure description</b>                           | <b>Short name in focus packs</b>       |
|----------------------------|---|--|
| B285                       | Wire guided partial excision of breast (Majority PBC = 02F) | Wire guided partial excision of breast |
| B282                       | Partial excision of breast NEC (Majority PBC = 02F)         | Partial excision of breast NEC         |
| B274                       | Total mastectomy NEC (Majority PBC = 02F)                   | Total mastectomy NEC                   |
| B276                       | Skin sparing mastectomy (Majority PBC = 02F)                | Skin sparing mastectomy                |

Highest spend procedures mapped to Programme Budget Codes: 02A, 02B, 02C, 02D, 02E, 02F, 02G, 02H, 02I, 02X . The Programme Budget Code where the majority of spend falls is indicated.

| <b>OPCS Procedure Code</b> | <b>Full procedure description</b>  | <b>Short name in focus packs</b>                    |
|----------------------------|--|---|
| E543                       | Lobectomy of lung (Majority PBC = 02D)                                   | Lobectomy of lung                                   |
| U354                       | Computed tomography of pulmonary arteries (Majority PBC = 02D&02X)       | Computed tomography of pulmonary arteries           |
| E632                       | Endobronchial ultrasound examination of mediastinum (Majority PBC = 02D) | Endobronchial ultrasound examination of mediastinum |

# Lower GI cancers procedures

108

Highest spend procedures mapped to Programme Budget Codes: 02A, 02B, 02C, 02D, 02E, 02F, 02G, 02H, 02I, 02X . The Programme Budget Code where the majority of spend falls is indicated.

| OPCS Procedure Code | Full procedure description   | Short name in focus packs  |
|---------------------|--|--|
| H333                | Anterior resection of rectum and anastomosis of colon to rectum using staples (Majority PBC = 02C)           | Anterior resection - rectum;anastomosis- colon to rectum w/ staples  |
| H072                | Right hemicolectomy and side to side anastomosis of ileum to transverse colon (Majority PBC = 02C)           | Right hemicolectomy,side to side anastomosis -ileum to trans. colon  |
| H221                | Diagnostic fibreoptic endoscopic examination of colon and biopsy of lesion of colon (Majority PBC = 02C&02X) | Diagnostic fibreoptic endoscopy - colon; biopsy - lesion of colon    |
| H229                | Unspecified diagnostic endoscopic examination of colon (Majority PBC = 02C&02X)                              | Unspecified diagnostic endoscopy - colon                             |
| H336                | Anterior resection of rectum and exteriorisation of bowel (Majority PBC = 02C)                               | Anterior resection of rectum and exteriorisation of bowel            |
| H331                | Abdominoperineal excision of rectum and end colostomy (Majority PBC = 02C)                                   | Abdominoperineal excision of rectum and end colostomy                |
| H335                | Rectosigmoidectomy and closure of rectal stump and exteriorisation of bowel (Majority PBC = 02C)             | Rectosigmoidectomy+closure of rectal stump, exteriorisation of bowel |

# Cancers and tumours: All other procedures

109

Highest spend procedures mapped to Programme Budget Codes: 02A, 02B, 02C, 02D, 02E, 02F, 02G, 02H, 02I, 02X . The Programme Budget Code where the majority of spend falls is indicated.

| <b>OPCS Procedure Code</b> | <b>Full procedure description</b>   | <b>Short name in focus packs</b>                                     |
|----------------------------|---|--|
| U212                       | Computed tomography NEC (Majority PBC = All)  | CT - Not elsewhere classified  |
| Q074                       | Total abdominal hysterectomy NEC (Majority PBC = 02G & 02X)   | Total abdominal hysterectomy - Not elsewhere classified              |
| U051                       | Computed tomography of head (Majority PBC = 02X)  | CT – Head  |
| X292                       | Continuous intravenous infusion of therapeutic substance NEC (Majority PBC = 02I)   | Continuous IV infusion of therapeutic substance                      |
| M421                       | Endoscopic resection of lesion of bladder (Majority PBC = 02H)  | Endoscopic resection of lesion of bladder                            |
| S069                       | Unspecified other excision of lesion of skin (Majority PBC = 02E&02X)   | Unspecified other excision of lesion of skin                         |
| S065                       | Excision of lesion of skin of head or neck NEC (Majority PBC = 02E)   | Excision of lesion of skin of head/neck - Not elsewhere classified   |
| H201                       | Fibreoptic endoscopic snare resection of lesion of colon (Majority PBC = 02X)   | Fibreoptic endoscopy snare resection of lesion of colon              |
| W365                       | Diagnostic extraction of bone marrow NEC (Majority PBC = 02I)   | Diagnostic extraction of bone marrow - Not elsewhere classified      |
| M611                       | Total excision of prostate and capsule of prostate (Majority PBC = 02H)   | Total excision of prostate and capsule of prostate                   |
| X715                       | Procurement of drugs for chemotherapy for neoplasm for regimens in Band 10 (Majority PBC = 02I)   | Procurement of drugs for chemotherapy for neoplasm - Band 10         |
| G451                       | Fibreoptic endoscopic examination of upper gastrointestinal tract and biopsy of lesion of upper gastrointestinal tract (Majority PBC = 02B) | Fibreoptic endoscopy-upper GI tract; biopsy-lesion of upper GI tract |
| X332                       | Intravenous blood transfusion of packed cells (Majority PBC = 02I&02X)  | IV blood transfusion of packed cells                                 |

# Cancers and tumours: All other procedures cont.

110

Highest spend procedures mapped to Programme Budget Codes: 02A, 02B, 02C, 02D, 02E, 02F, 02G, 02H, 02I, 02X .  
The Programme Budget Code where the majority of spend falls is indicated.

| OPCS Procedure Code | Full procedure description  | Short name in focus packs   |
|---------------------|---|---|
| U211                | Magnetic resonance imaging NEC (Majority PBC = 02X)   | MRI - Not elsewhere classified                                    |
| U052                | Magnetic resonance imaging of head (Majority PBC = 02X)   | MRI - Head  |
| T462                | Drainage of ascites NEC (Majority PBC = 02X)  | Drainage of ascites - Not elsewhere classified                    |
| S067                | Re-excision of skin margins NEC (Majority PBC = 02E)  | Re-excision of skin margins - Not elsewhere classified            |
| G459                | Unspecified diagnostic fibreoptic endoscopic examination of upper gastrointestinal tract (Majority PBC = All) | Unspecified diagnostic fibreoptic endoscopy - upper GI tract      |
| X339                | Unspecified other blood transfusion (Majority PBC = 02I&02X)  | Unspecified other blood transfusion                               |
| X369                | Unspecified blood withdrawal (Majority PBC = 02I)   | Unspecified blood withdrawal                                      |
| G011                | Oesophagogastrectomy and anastomosis of oesophagus to stomach (Majority PBC = 02B)                            | Oesophagogastrectomy and anastomosis of oesophagus to stomach     |
| E091                | Excision of lesion of external nose (Majority PBC = 02E)  | Excision of lesion of external nose                               |
| M341                | Cystoprostatectomy (Majority PBC = 02H)   | Cystoprostatectomy  |
| M459                | Unspecified diagnostic endoscopic examination of bladder (Majority PBC = 02X)                                 | Unspecified diagnostic endoscopy - bladder                        |
| G441                | Fibreoptic endoscopic insertion of prosthesis into upper gastrointestinal tract (Majority PBC = 02B)          | Fibreoptic endoscopic insertion of prosthesis into upper GI tract |
| T124                | Insertion of tube drain into pleural cavity (Majority PBC = 02X&02D)  | Insertion of tube drain into pleural cavity                       |
| A021                | Excision of lesion of tissue of frontal lobe of brain (Majority PBC = 02X)                                    | Excision of lesion of tissue of frontal lobe of brain             |

# Cancers and tumours prescribing

111

| Individual drugs     | BNF Category  |
|----------------------|---|
| Goserelin Acetate    | Hormone antagonists - Gonadorelin analogues and gonadotrophin-releasing hormone antagonists |
| Leuprorelin Acetate  | Hormone antagonists - Gonadorelin analogues and gonadotrophin-releasing hormone antagonists |
| Triptorelin Acetate  | Hormone antagonists - Gonadorelin analogues and gonadotrophin-releasing hormone antagonists |
| Triptorelin Embonate | Hormone antagonists - Gonadorelin analogues and gonadotrophin-releasing hormone antagonists |
| Bicalutamide         | Hormone antagonists - Gonadorelin analogues and gonadotrophin-releasing hormone antagonists |
| Degarelix            | Hormone antagonists - Gonadorelin analogues and gonadotrophin-releasing hormone antagonists |
| Cyproterone Acetate  | Hormone antagonists - Gonadorelin analogues and gonadotrophin-releasing hormone antagonists |
| Exemestane           | Hormone antagonists - Breast cancer   |
| Anastrozole          | Hormone antagonists - Breast cancer   |
| Letrozole            | Hormone antagonists - Breast cancer   |
| Tamoxifen Citrate    | Hormone antagonists - Breast cancer   |
| Diethylstilbestrol   | Oestrogens  |
| Octreotide Acetate   | Hormone antagonists - Somatostatin analogues  |
| Lanreotide           | Hormone antagonists - Somatostatin analogues  |

| Individual drugs      | BNF Category                                 |
|-----------------------|--|
| Azathioprine          | Antiproliferative immunosuppressants         |
| Mycophenolate Sodium  | Antiproliferative immunosuppressants         |
| Mycophenolate Mofetil | Antiproliferative immunosuppressants         |
| Ciclosporin           | Corticosteroids and other immunosuppressants |
| Sirolimus             | Corticosteroids and other immunosuppressants |
| Tacrolimus            | Corticosteroids and other immunosuppressants |
| Mercaptopurine        | Antimetabolites                              |



# SUS SEM code definitions

113

| Admission Method | Admission Method Description   |
|------------------|--|
| 11               | 11: Waiting list   |
| 12               | 12: Booked   |
| 13               | 13: Planned  |
| 21               | 21: Accident and emergency or dental casualty department of the health care provider   |
| 22               | 22: General practitioner: after a request for immediate admission has been made direct to a hospital provider, i.e. Not through a bed bureau, by a general practitioner or deputy  |
| 23               | 23: Bed bureau   |
| 24               | 24: Consultant clinic, of this or another health care provider   |
| 25               | 25: Admission via mental health crisis resolution team   |
| 28               | 28: Other means, examples are: admitted from the accident and emergency department of another provider where they had not been admitted; transfer of an admitted patient from another hospital provider in an emergency; baby born at home as intended |
| 2A               | 2A: Accident and emergency department of another provider where the patient had not been admitted  |
| 2B               | 2B: Transfer of an admitted patient from another hospital provider in an emergency   |
| 2C               | 2C: Baby born at home as intended  |
| 2D               | 2D: Other emergency admission  |
| 31               | 31: Admitted ante-partum   |
| 32               | 32: Admitted post-partum   |
| 81               | 81: Transfer of any admitted patient from other hospital provider other than in an emergency   |
| 82               | 82: The birth of a baby in this health care provider   |
| 83               | 83: Baby born outside the health care provider except when born at home as intended.   |

| Patient Classification | Patient Classification Description |
|------------------------|------------------------------------|
| 1                      | 1: Ordinary admission              |
| 2                      | 2: Day case admission              |

| Person Gender Code | Person Gender Description |
|--------------------|---------------------------|
| 1                  | 1: Male                   |
| 2                  | 2: Female                 |

## Annex B: High level metadata

# Admissions spend indicators

115

|                        |   |
|------------------------|---|
| Analysis               | Elective/Non-elective spend analysis  |
| Time Period            | 2014/15   |
| Age Group              | 0 – 120   |
| Admissions method      | Elective - 11, 12, 13**<br>Non-Elective - 21, 22, 23, 24, 25, 28, 2A, 2B, 2C, 2D, 31, 32, 81, 82, 83**<br>[Total spend indicators includes all elective and non elective admissions method codes] |
| Patient Classification | Elective - 1, 2** Non-Elective – 1**  |
| Sex                    | 1, 2**  |
| Coding scheme used     | Programme Budget Category (PBC)   |
| Numerator              | Total spend on elective/non-elective admissions based on PBC/condition  |
| Numerator Source       | Temporary National Repository – Hospital Admissions Databases, SUS SEM (Secondary User Services Extract Mart) <a href="http://www.hscic.gov.uk/sus">http://www.hscic.gov.uk/sus</a>               |
| Denominator            | Age/Sex Standardised Population. Rate= (Numerator/Denominator) * 1000   |

\*\*See annex for SUS SEM Code definitions

Secondary User Services Extract Mart (SUS SEM) data is used.  
Only patients with a mandatory tariff recorded have been selected.  
The fields that were pulled from SUS SEM include:

- CCG code (based on the GP practice code)
- Sex (this field is used for age/sex standardisation)
- Age\_Quinary (Age Band)
- Number of spells
- Net\_SLA\_Payment (the cost before MFF is applied)

The data does not include CCGs which were not found in the official list of CCGs across England.

Age\_Quinary field is presented in 5-year age bands (0-4, 5-9, 10-14, etc.) including the “85+” age band for people aged 85 and over. This field is used for age/sex standardisation.

Number of spells field counts all the patients admitted to hospital for a procedure and discharged in the financial year 2014/15 and groups into each age band. [Patients admitted in 2014/15 but not discharged until 2015/16 will not count towards the spend. A small number of patients admitted in 2013/14 but not discharged until 2014/15 will count towards the spend for 2014/15.]

Net\_SLA\_Payment field is the cost before Market Forces Factor (MFF) is applied. This field gives spend on elective/non-elective admissions for all patients in the age band in 2014/15.

The number of elective/non-elective admissions were suppressed where it was less than or equal to 5 at CCG level.

# Day case admissions indicators

116

|                        |   |
|------------------------|---|
| Analysis               | Day case admissions analysis  |
| Time Period            | 2014/15   |
| Age Group              | 0 – 120   |
| Admissions method      | 11, 12, 13  |
| Patient Classification | 2   |
| Sex                    | 1, 2  |
| Coding scheme used     | Programme Budget Category (PBC)   |
| Numerator              | Number of day case admissions based on PBC  |
| Numerator Source       | Temporary National Repository – Hospital Admissions Databases, SUS SEM (Secondary User Services Extract Mart) <a href="http://www.hscic.gov.uk/sus">http://www.hscic.gov.uk/sus</a> |
| Denominator            | Age/Sex Standardised Population. Rate= (Numerator/Denominator) * 100000   |

Secondary User Services Extract Mart (SUS SEM) data is used.

Only patients with a mandatory tariff recorded have been selected.

The fields that were pulled from SUS SEM include:

- CCG code (based on the GP practice code)
- Sex (this field is used for age/sex standardisation)
- Age\_Quinary (Age Band)
- Number of spells

The data does not include CCGs which were not found in the official list of CCGs across England.

Age\_Quinary field is presented in 5-year age bands (0-4, 5-9, 10-14, etc.) including the “85+” age band for people aged 85 and over. This field is used for age/sex standardisation.

Number of spells field counts all the day case admissions in 2014/15 and groups into each age band.

The number of day case admissions were suppressed where it was less than or equal to 5 at CCG level.

# Length of stay indicators

117

|                        |   |
|------------------------|---|
| Analysis               | Length of Stay analysis   |
| Time Period            | 2014/15   |
| Age Group              | 0 - 120   |
| Admissions method      | Elective - 11, 12, 13<br>Emergency - 21, 22, 23, 24, 25, 28, 2A, 2B, 2C, 2D   |
| Patient Classification | 1   |
| Sex                    | 1, 2  |
| Coding scheme used     | Programme Budget Category (PBC)   |
| Numerator              | Total number of bed days for elective/emergency admissions based on PBC/condition (not including day cases)   |
| Numerator Source       | Temporary National Repository – Hospital Admissions Databases, SUS SEM (Secondary User Services Extract Mart) <a href="http://www.hscic.gov.uk/sus">http://www.hscic.gov.uk/sus</a> |
| Denominator            | Total number of elective/emergency admissions not including day cases based on PBC/condition.   |

Secondary User Services Extract Mart (SUS SEM) data is used. Length of Stay data have been extracted at record level. Only patients with a mandatory tariff recorded have been selected. Data filtered by Length of Stay less than 180 days.

The fields that were pulled from SUS SEM include:

- APCS\_Ident
- CCG code (based on the GP practice code)
- Spell\_LoS (Length of Stay)

The data does not include CCGs which were not found in the official list of CCGs across England.

APCS\_Ident field was later used to count the number of elective/emergency admissions since the data was extracted at record level. Spell\_LoS field is the spell length of stay derived using Admission Date and Discharge Date.

Standard deviation has been calculated for each CCG in order to calculate confidence intervals using record level data. Length of Stay data was then grouped by CCG to get the total number of bed days (Sum of Spell\_LoS field) and total number of elective/emergency admissions (count of APCS\_Ident field) for each CCG.

The number of elective/emergency admissions were suppressed where it was less than or equal to 5 at CCG level.

# Procedures spend and activity indicators

118

|                        |  |
|------------------------|--|
| Analysis               | Procedures spend and activity analysis   |
| Time Period            | 2014/15  |
| Age Group              | 0 – 120  |
| Admissions method      | 11, 12, 13, 21, 22, 23, 24, 25, 28, 2A, 2B, 2C, 2D, 31, 32, 81, 82, 83   |
| Patient Classification | 1, 2   |
| Sex                    | 1, 2   |
| Coding scheme used     | Programme Budget Category (PBC), OPCS  |
| Numerator              | Total spend on discharges based on PBC and procedures  |
| Numerator Source       | Temporary National Repository – Hospital Admissions Databases, SUSSEM (Secondary User Services Extract Mart) <a href="http://www.hscic.gov.uk/sus">http://www.hscic.gov.uk/sus</a> |
| Denominator            | Age/Sex Standardised Population. Rate= (Numerator/Denominator) * 1000  |

Secondary User Services Extract Mart (SUS SEM) data is used. Only patients with a mandatory tariff recorded have been selected.

For these indicators, spend on a procedure is the total cost of all spells where the procedure listed is the primary procedure in the spell, and where the primary diagnosis for the spell falls under the programme budget category listed. The figure for “How different are we?” converts the CCG’s spending rate above the benchmark spending rate into the equivalent number of procedures.

The fields that were pulled from SUS SEM for spend on procedures include:

- CCG code (based on the GP practice code)
- Sex (this field is used for age/sex standardisation)
- Age\_Quinary (Age Band)
- Number of spells
- Net\_SLA\_Payment (the cost before MFF is applied)

The data does not include CCGs which were not found in the official list of CCGs across England.

Age\_Quinary field is presented in 5-year age bands (0-4, 5-9, 10-14, etc.) including the “85+” age band for people aged 85 and over. This field is used for age/sex standardisation.

Number of spells field counts all the patients admitted to hospital for a procedure and discharged in the financial year 2014/15 and groups into each age band. [Patients admitted in 2014/15 but not discharged until 2015/16 will not count towards the spend. A small number of patients admitted in 2013/14 but not discharged until 2014/15 will count towards the spend for 2014/15.]

Net\_SLA\_Payment field is the cost before Market Forces Factor (MFF) is applied. This field gives spend on discharges for all patients in the age band in 2014/15.

The fields that were pulled from SUS SEM for procedures activity include:

- CCG code (based on the GP practice code)
- Number of spells (count s all admissions in 2014/15 and groups by CCG).

The number of admissions/discharges were suppressed where it was less than or equal to 5 at CCG level.

|                  |  |
|------------------|--|
| Analysis         | Prescribing Spend  |
| Time period      | January 2015 - December 2015   |
| Numerator        | Net Ingredient cost (NIC) of BNF Chemical Substance<br>Net Ingredient cost (NIC) is the basic price of a drug as stated in Part II Clause 8 of the Drug Tariff |
| Numerator Source | ePACT.net – data provided by the NHS Business Services Authority   |
| Denominator      | CCG ASTRO-PU weighted population<br>Age, Sex and Temporary Resident Originated Prescribing Units   |
| Rate             | Numerator / Denominator x 1000 (spend rate per 1,000 ASTRO-PU weighted population)   |

We have presented a range of indicators grouping a selection of BNF chemical substances together and aggregating the total Net Ingredient cost. We have also presented individual BNF chemical spend indicators where the total spend is large enough and where advised by national clinical leads. The indicators have been standardised using the ASTRO-PU weightings and are shown per 1,000 ASTRO-PU population to allow fair comparison between CCGs.

**Net Ingredient cost (NIC)** is the basic price of a drug as stated in Part II Clause 8 of the Drug Tariff.

**ASTRO-PU** (Age, Sex and Temporary Resident Originated Prescribing Units) weightings have been used to weights the CCG population for age and sex to allow for better comparison of prescribing patterns. Further information regarding ASTRO-PU populations and other prescribing specific populations can be found at <http://www.hscic.gov.uk/prescribing/measures>

# Annex C: Methodology



# How have the potential opportunities been calculated?

121

The potential opportunity highlights the scale of change that would be achieved if the CCG Value moved to the Benchmark Value of the average of the 'Best 5' or 'Lowest 5' CCGs in its group of similar 10 CCGs.

Generally, where a high CCG Value is considered 'worse' then it is calculated using the formula:

$$\text{Potential Opportunity} = (\text{CCG Value} - \text{Benchmark Value}) * \text{Denominator}$$

The denominator is the most suitable population data for that indicator eg CCG registered population, CCG weighted population, CCG patients on disease register etc. The denominator is also scaled to match the Value. So if the CCG Value and Benchmark Value are given in "per 1,000 population" then the denominator is expressed in thousands, ie 12,000 becomes 12.

For procedures, the potential opportunity can be expressed in pounds, or dividing this by the unit cost then it can be expressed in the equivalent number of procedures.