




Public Health  
England

**NHS**  
*England*



# NHS RightCare Commissioning for Value Focus Pack

Neurological  
April 2016

**RightCare** 

NHS Greater Huddersfield CCG

OFFICIAL  
Gateway ref: 04939

- Introduction: Welcome to your focus pack
- NHS RightCare
- Why act?
- Commissioning for Value
- Your most similar CCGs
- Your data
  - Pathways on a page
  - Spend and activity
  - Opportunities
  - Further analysis
- Next steps and actions
- Further support and information
- Useful links
- Annexes

Welcome to your focus pack on neurology. The information contained in this pack is personalised for your CCG and should be used to help support local discussions and inform a more in-depth analysis around neurological pathways. There is a page of useful links at the end and there is a video guide to the pack too.

Each of these focus packs provides detailed information on the opportunities to improve in the highest spending programmes previously covered by Commissioning for Value packs. They include a wider range of outcome measures and information on the most common procedures and diagnoses for the condition in question.

By using this information, together with local intelligence and reports such as your Joint Strategic Needs Assessment, your CCG will be able to ensure its plans focus on those opportunities which have the potential to provide the biggest improvements in health outcomes, resource allocation and reducing inequalities.

One of the main focuses for the Commissioning for Value series has always been reducing unwarranted variation in outcomes. NHS England, Public Health England and CCGs have legal duties under the Health and Social Care Act 2012 with regard to reducing health inequalities. Commissioners should continue to use these packs and supporting tools to drive local action to reduce inequalities in access to services and in the health outcomes achieved.

The primary objective for NHS RightCare is to maximise value:

- The value that the patient derives from their own care and treatment
- The value the whole population derives from the investment in their healthcare

The approach has been tested and proven successful in recent years in a number of different health economies. The programme focusses on improving population value including improving outcomes, quality, and releasing capacity and resources for future investment.

To build on the success and value of the RightCare programme, NHS England and Public Health England are taking forward the RightCare approach to ensure it becomes embedded in the new commissioning and public health agendas for the NHS. It is now referenced in the Mandate to NHS England, the NHS Planning Guidance and the CCG Improvement and Assessment Framework.

The RightCare programme includes the Commissioning for Value packs and tools, the NHS Atlas series and a number of casebooks. NHS England has committed significant funding to rolling out the RightCare approach to all CCGs over the next two years. Wave 1 has 65 CCGs and these are now receiving early support from one of ten RightCare Delivery Partners. The remainder of CCGs are in Wave 2 and will receive support from an expanded team of Delivery Partners later in 2016.

“What Commissioning for Value does is shine an honest light on what we are doing. The RightCare approach then gives us a methodology for quality improvement, led by clinicians. It not only improves quality but also makes best use of the taxpayers’ pound ensuring the NHS continues to be one of the best value health and care systems in the world.”


**Professor Sir Bruce Keogh**  
**National Medical Director, NHS England**

“The data and evidence available through tools such as Commissioning for Value will help commissioners make the most important decisions in delivering concrete and sustainable clinical and financial benefits across the NHS. We expect that the roll-out of the RightCare programme will drive up the quality of care while contributing significantly to meeting the efficiency challenge set out in the Five Year Forward View.”

**Paul Baumann**  
**Chief Financial Officer, NHS England**

“Clear local care pathways for patients with common neurology conditions have often been neglected, resulting in fragmented, inefficient and ineffective care. Data on CCG spending for emergency care for these common conditions shows considerable opportunities to improve care at lower cost. The CFV neurological packs provide this information at a local level in a clearly accessible and informative way, which will help CCGs commission better care pathways.”

**David Bateman MD FRCP**  
**Consultant Neurologist, City Hospitals Sunderland NHS Foundation Trust**



Commissioning for Value is a partnership between NHS England and Public Health England. The *Where to Look* packs produced in January 2016 support the first phase of the NHS RightCare approach.

The *Where to Look* packs begin with a review of indicative data to highlight the top priorities or opportunities for transformation and improvement for your CCG.

These focus packs help CCGs to begin work on phase two *What to Change* by using indicative data along a pathway to identify improvement opportunities.

Your CCG is compared to the 10 most demographically similar CCGs. This is used to identify realistic opportunities to improve health and healthcare for your population. The analysis in this pack is based on a comparison with your most similar CCGs which are:

- Telford and Wrekin
- Dartford, Gravesham and Swanley
- Warwickshire North
- Medway
- Calderdale
- Hartlepool and Stockton-On-Tees
- Warrington
- Redditch and Bromsgrove
- Tameside and Glossop
- Doncaster

To help you understand more about how your most similar 10 CCGs are calculated, the Similar 10 Explorer Tool is available on the NHS England website. This tool allows you to view similarity across all the individual demographics used to calculate your most similar 10 CCGs. You can also customise your similar 10 cluster group by weighting towards a desired demographic factor.

In addition to the similar 10, there are CCG cluster groups which have been constructed using the same variables (eg deprivation) as the similar 10. This larger cluster group is used in the opportunity tables, represented by a green triangle. Your CCG is in the following cluster group:

- Traditional communities with deprived areas and poorer health

This focus pack presents analysis of a wide range of indicators focussing on spend, activity, quality and outcomes. The indicators have been chosen with advice from national clinical leads and other key stakeholders including the National Mental Health Dementia and Neurology Intelligence Network.

The data in this pack are the latest available\*. The charts identify the metadata for each indicator and the full metadata set will be available on the Commissioning for Value pages of the NHS England website shortly. Data quality has been assessed and only indicators which are sufficiently robust have been included in the pack.

The data are presented as an exploration, starting with the pathways on a page, then moving to elective and non-elective spend, admissions, prescribing and procedures.

Should you have any queries about the indicators or the data, please refer to the contact details on the 'further information and support' page at the end of this pack.


\*As the spend indicators have been updated since the publication of the 2016 refreshed 'Where to look' packs, figures for spend rates and potential opportunities may differ slightly from those packs.

The intention of this pathway is not to provide a definitive view on priorities but to help commissioners explore potential opportunities. It helps commissioners to understand how performance in one part of the pathway may affect outcomes further along the pathway. Each indicator is shown as the percentage difference from the average of your 10 most similar CCGs.

The indicators are colour coded to help you see if your CCG has 'better' (**green**) or 'worse' (**red**) values than your peers. This is not always clear-cut, so (**blue**) is used where it is not possible to make this judgement. For example low prevalence may reflect that a CCG truly does have fewer patients with a certain condition, but it may reflect that other CCGs have better processes in place to identify and record prevalence in primary care. **Blue indicators could show significant opportunities for improvement.**

Even where an indicator is **green** there may still be an opportunity to improve. The programme opportunity tables, starting on page 35, identify the opportunities that exist for your CCG to improve to a level which matches the average of the best five of your similar 10 CCG group.

Please note: The variation from the average of the similar 10 CCGs is statistically significant for those indicators where the confidence intervals do not cross the 0% axis.



**NICE Guidance:**

- <http://pathways.nice.org.uk/pathways/epilepsy>
- <https://www.nice.org.uk/guidance/qs27>
- <https://www.nice.org.uk/guidance/qs26>

The intention of the following pages is to provide a more in-depth view of the spend and activity for the clinical areas included in this pack compared to your 10 most similar CCGs. The charts show the rate for your CCG (yellow bar) and best five comparator (blue bar) and also the absolute difference (The 'how different are we?' column).


They should be used to explore key lines of enquiry to identify potential opportunities for improvement. For example a CCG with a high rate of spend on emergency admissions for epilepsy patients may want to look at the QOF indicator on those who have been seizure free in the last 12 months.

The opportunity tables, starting on page 33, identify the best CCG in your similar 10, who you may want to contact – either directly or through your Delivery Partner.

Prescribing and procedures groups and single interventions have been chosen to reflect highest spend. National Clinical Directors and other expert stakeholders have advised on the chemical groupings of drugs used to treat certain conditions within a pathway. Similarly they have advised on procedure grouping. Annex A gives details of those groupings.

For some indicators, the difference between the value for your CCG and the Best 5 is marked as Not Statistically Significant (NSS). This means that we cannot say with confidence (statistically defined as >95% confidence) that any difference between your CCG and the Best 5 is not simply due to chance. Values for these cases have been included in order to provide detailed information for use in considering whether to explore an area further.

# Neurological - Neurological (Other 7X) - Spend



\*For 85% of total Neurological and Chronic Pain expenditure the CCG is the responsible purchaser.


The Neurological programme budgeting category (PBC) comprises 'Chronic Pain' (7A) and 'Neurological Other' (7X).

'Neurological Other' (7X), does not include 'Tumours of the Nervous System' (included within the 'Cancer and Tumours' PBC) or 'Traumatic Brain and Spine injuries' (included within the 'Trauma and Injuries' PBC). The detailed breakdown for these areas are shown on Pages 14, 16, 22, 37-39, 52 and 57 but are not included in the aggregate expenditure figures for 'Neurological conditions' figures on Pages 39 and 50.

NHS RightCare CFV Neurological focus pack

95% confidence intervals  
**NSS** Not statistically significant\*  
 \*Where an opportunity is 'NSS' CCGs can investigate further whether this reflects a true opportunity e.g. by looking at more than 1 year's data or triangulating with other indicators

# Neurological - Chronic Pain (07A) - Spend




| 95% confidence intervals  
**NSS** Not statistically significant\*  
\*Where an opportunity is 'NSS' CCGs can investigate further whether this reflects a true opportunity e.g. by looking at more than 1 year's data or triangulating with other indicators

# Neurological - Spend on Elective Admissions

Condition Group

14




| 95% confidence intervals  
**NSS** Not statistically significant\*  
 \*Where an opportunity is 'NSS' CCGs can investigate further whether this reflects a true opportunity e.g. by looking at more than 1 year's data or triangulating with other indicators

# Neurological - Spend on Elective Admissions

Primary Diagnosis

15




| 95% confidence intervals  
**NSS** Not statistically significant\*  
\*Where an opportunity is 'NSS' CCGs can investigate further whether this reflects a true opportunity e.g. by looking at more than 1 year's data or triangulating with other indicators

# Neurological - Spend on Non-Elective Admissions

Condition Group

16




 95% confidence intervals  
**NSS** Not statistically significant\*  
 \*Where an opportunity is 'NSS' CCGs can investigate further whether this reflects a true opportunity e.g. by looking at more than 1 year's data or triangulating with other indicators

# Neurological - Spend on Non-Elective Admissions


Primary Diagnosis

17




| 95% confidence intervals  
**NSS** Not statistically significant\*  
 \*Where an opportunity is 'NSS' CCGs can investigate further whether this reflects a true opportunity e.g. by looking at more than 1 year's data or triangulating with other indicators

# Chronic Pain - Spend on Elective Admissions




| 95% confidence intervals  
**NSS** Not statistically significant\*  
 \*Where an opportunity is 'NSS' CCGs can investigate further whether this reflects a true opportunity e.g. by looking at more than 1 year's data or triangulating with other indicators

# Chronic Pain - Spend on Non-Elective Admissions



 95% confidence intervals  
**NSS** Not statistically significant\*  
 \*Where an opportunity is 'NSS' CCGs can investigate further whether this reflects a true opportunity e.g. by looking at more than 1 year's data or triangulating with other indicators

per 100,000 age-sex weighted population




 95% confidence intervals  
**NSS** Not statistically significant\*  
 \*Where an opportunity is 'NSS' CCGs can investigate further whether this reflects a true opportunity e.g. by looking at more than 1 year's data or triangulating with other indicators

# Neurological - Admissions - Epilepsy




| 95% confidence intervals  
**NSS** Not statistically significant\*  
 \*Where an opportunity is 'NSS' CCGs can investigate further whether this reflects a true opportunity e.g. by looking at more than 1 year's data or triangulating with other indicators



95% confidence intervals  
**NSS** Not statistically significant\*  
 \*Where an opportunity is 'NSS' CCGs can investigate further whether this reflects a true opportunity e.g. by looking at more than 1 year's data or triangulating with other indicators


# Neurological - Admissions - Multiple Sclerosis and Inflammatory Disorders



95% confidence intervals  
**NSS** Not statistically significant\*  
 \*Where an opportunity is 'NSS' CCGs can investigate further whether this reflects a true opportunity e.g. by looking at more than 1 year's data or triangulating with other indicators


# Neurological - Admissions - Parkinsonism and other Extrapyraxidal disorders

per 100,000 age-sex weighted population



| 95% confidence intervals  
**NSS** Not statistically significant\*  
 \*Where an opportunity is 'NSS' CCGs can investigate further whether this reflects a true opportunity e.g. by looking at more than 1 year's data or triangulating with other indicators


per 100,000 age-sex weighted population



| 95% confidence intervals  
**NSS** Not statistically significant\*  
 \*Where an opportunity is 'NSS' CCGs can investigate further whether this reflects a true opportunity e.g. by looking at more than 1 year's data or triangulating with other indicators

# Neurological - Primary Care Prescribing Spend

Condition drug groups



Medicines Optimisation Dashboard: <https://www.england.nhs.uk/ourwork/pe/mo-dash/>

Innovation Scorecard: <https://www.england.nhs.uk/ourwork/innovation/innovation-scorecard/>

| 95% confidence intervals  
**NSS** Not statistically significant\*  
 \*Where an opportunity is 'NSS' CCGs can investigate further whether this reflects a true opportunity e.g. by looking at more than 1 year's data or triangulating with other indicators

# Neurological - Primary Care Prescribing Spend

Individual drugs




**Sumatriptan Succinate** and **Rizatriptan** are the two highest spend drugs within 'Migraine drugs' group.

**Selegiline** is considered to be better value for money than **Rasagiline** (both Anti-Parkinsons drugs) with similar outcomes.


 95% confidence intervals  
**NSS** Not statistically significant\*  
 \*Where an opportunity is 'NSS' CCGs can investigate further whether this reflects a true opportunity e.g. by looking at more than 1 year's data or triangulating with other indicators

# Chronic Pain - Primary Care Prescribing Spend




Medicines Optimisation Dashboard: <https://www.england.nhs.uk/ourwork/pe/mo-dash/>  
 Innovation Scorecard: <https://www.england.nhs.uk/ourwork/innovation/innovation-scorecard/>


95% confidence intervals  
**NSS** Not statistically significant\*  
 \*Where an opportunity is 'NSS' CCGs can investigate further whether this reflects a true opportunity e.g. by looking at more than 1 year's data or triangulating with other indicators



 95% confidence intervals  
**NSS** Not statistically significant\*  
 \*Where an opportunity is 'NSS' CCGs can investigate further whether this reflects a true opportunity e.g. by looking at more than 1 year's data or triangulating with other indicators



| 95% confidence intervals  
**NSS** Not statistically significant\*  
 \*Where an opportunity is 'NSS' CCGs can investigate further whether this reflects a true opportunity e.g. by looking at more than 1 year's data or triangulating with other indicators




| 95% confidence intervals  
**NSS** Not statistically significant\*  
 \*Where an opportunity is 'NSS' CCGs can investigate further whether this reflects a true opportunity e.g. by looking at more than 1 year's data or triangulating with other indicators

# Scatter Plot Analysis

The Commissioning for Value Explorer Tool allows the comparison of two indicators, the diagram below is an example. This is an invaluable tool to enable users to assess how one indicator relates to another. The similar 10 can be highlighted too. It is important to remember that correlations do not imply causation but the relationships can help target where to look. The explorer tool is available here:

<http://www.england.nhs.uk/resources/resources-for-ccgs/comm-for-value/>



The opportunity tables present all focus pack indicators for five aspects of the pathway.


• **Risk** • **Prevalence and detection** • **Service and quality** • **Spend** • **Outcomes**

The width of the spine chart shows the England range. Your CCG is benchmarked against its similar 10 group. The shaded area of the spine chart within the table shows the range for the similar 10 group. Where the CCG is highest or lowest compared with its similar 10 group it is shown as outside that group range. This has been done to clearly show where the CCG is in relation to the similar 10 and the England worst/highest and best/lowest values.

Opportunities have been calculated for all indicators apart from those that relate to recorded prevalence and some risk factors. Where an indicator can be clearly interpreted as worse or better the spine charts show the position of the CCG, the best five average, and the wider cluster best CCG. The opportunity is quantified where the CCG is worse in relation to the Best 5 average.

Where an indicator needs to be locally interpreted (for example elective spend) and the CCG is higher than the average of the 5 CCGs with the lowest values, the opportunity table shows the potential opportunity. By calculating the potential opportunity it is possible to answer the question “Is it worth investigating this further?” The Best 5 average and the cluster best are not shown on the spine chart for these indicators.

# Opportunity table: Interpretation



Indicator	CCG Value	Best/Lowest 5 Opportunity	Similar 10 Best	Page
Non-elective Spend (per 1,000 pop)		Worse	Any Town CCG	p.30
Mortality (per 100,000 pop)		Not Stat Sig	Any Town CCG	p.31
Reported to expected prevalence (%)		Not Stat Sig	Any Town CCG	p.32
Mean length of stay (bed days)		Locally Interpret		
Emergency admissions (per 1,000 pop)		Better	Any Town CCG	p.33
Elective admissions (per 1,000 pop)		No Data	Any Town CCG	p.34

The shaded area is the range for your similar 10 group. Your CCG is the yellow circle and, as it is not part of the similar 10, it could appear anywhere from England worst/highest to the England best/lowest

**The darker green shading shows the worst quintile in the similar 10.**


**Red** = Statistically significantly worse than best 5 & quantified CCG opportunity  
**Amber & 'amount (NSS)'** = Not statistically significant – worse than best 5  
**Amber & 'blank'** = Not statistically significant – better than best 5  
**Blue** = Indicator is to be locally interpreted and requires contextual information. Potential opportunities are **only** shown where the CCG is **higher** than the best 5. No potential opportunities are calculated for prevalence and some risk factors.  
**Green** = Statistically significantly better than best 5  
**No Data** = No CCG data or data has been suppressed due to small numbers

‡ The wider cluster group best CCG is not always in the similar 10. It is included to indicate a 'stretch' target. Your wider CCG cluster group is identified on slide 7.

\* per 1,000 age/sex weighted population  
 \*\* per 100,000 age/sex weighted population  
 \*\*\* per 1,000 ASTRO-PU weighted population

**Indicator**

- Overall index of multiple deprivation
- Income Deprivation Affecting Older People Index
- GP registered population aged 75+ years (%)
- Injuries due to falls people 65+ (\*\*)
- Population with LLTI or disability (%)
- Prevalence of depression (%)



\* No opportunity is calculated for risk and reported prevalence indicators

Please refer to slide 34 for full guidance on interpretation of this table of opportunities

# Neurological Conditions - Opportunity table - Prevalence and detection

\* per 1,000 age/sex weighted population  
 \*\* per 100,000 age/sex weighted population  
 \*\*\* per 1,000 ASTRO-PU weighted population

**Indicator**

**CCG Value**

Prevalence of Epilepsy, 18+ (\*\*)

0.8%



\* No opportunity is calculated for risk and reported prevalence indicators

Please refer to slide 34 for full guidance on interpretation of this table of opportunities

# Neurological Conditions - Opportunity table - Activity and quality

\* per 1,000 age/sex weighted population  
 \*\* per 100,000 age/sex weighted population  
 \*\*\* per 1,000 ASTRO-PU weighted population

Indicator	CCG Value	England Worst or Highest	CCG	Best 5	Best in Cluster	England Best or Lowest	Best/Lowest 5 Opportunity	Similar 10 Best	Page
Headaches and migraine - Day case admissions (**)	10.7								
Headaches and migraines - Average length of stay - emergency (bed days)	0.9								
Proportion admitted to hospital - Epilepsy primary diagnosis (**)	47.0								
Proportion admitted to hospital with Epilepsy mention (**)	261.0								
Mention of epilepsy - number of admissions (**)	411.7								
Epilepsy - Day case admissions (**)	6.5								
Epilepsy - Average length of stay - elective (bed days)	2.1								
Epilepsy - average length of stay - emergency (bed days)	1.3						12 Bed days (NSS)		
Emergency bed-days following admissions for epilepsy(**)	212.0						15 Bed days (NSS)	Dartford, Gravesham and Swanley	p.46
Epilepsy - Average length of stay - children - emergency (bed days)	1.1						33 Bed days		
Epilepsy - Proportion admissions managed by neurologist (%)	No Data						No Data	Doncaster	p.47
Tumours of Nervous System - Day case admissions (**)	2.4								
Tumours of Nervous System -Average length of stay - elective (bed days)	4.9								
Tumours of Nervous System - Average length of stay-emergency (bed days)	8.1								
MS and Inflammatory Disorders - Day case admissions (**)	27.5								
Multiple Sclerosis - Average length of stay - emergency (bed days)	7.2						7 Bed days (NSS)		
Parkinsonism - Day case admissions (**)	3.3								
Parkinsonism - Average length of stay - emergency (bed days)	12.4						20 Bed days (NSS)		
Neuromuscular diseases - Day case admissions (**)	4.1								
Neuromuscular diseases - Average length of stay - emergency (bed days)	13.9						85 Bed days		


Please refer to slide 34 for full guidance on interpretation of this table of opportunities

\* per 1,000 age/sex weighted population  
 \*\* per 100,000 age/sex weighted population  
 \*\*\* per 1,000 ASTRO-PU weighted population

**Indicator**

**CCG Value**

Traumatic brain/spine injury - Avg. length of stay-emergency (bed days)	7.6
New outpatient neurology appointments with consultant for those aged 20+ DSR (**)	814.3
Outpatient neurology apts provided in home CCG (%)	73.9



Please refer to slide 34 for full guidance on interpretation of this table of opportunities

# Neurological Conditions - Opportunity table - Spend

\* per 1,000 age/sex weighted population  
 \*\* per 100,000 age/sex weighted population  
 \*\*\* per 1,000 ASTRO-PU weighted population

## Indicator

## CCG Value

● CCG    ◆ Best 5    ▲ Best in Cluster

England Worst or Highest    England Best or Lowest    Best/Lowest 5 Opportunity

Similar 10 Best    Page

Indicator	CCG Value	England Worst or Highest	England Best or Lowest	Best/Lowest 5 Opportunity	Similar 10 Best	Page
Neurological conditions - Total (*)	13476					
Neurological conditions - elective (*)	3724			£30k (NSS)		
Neurological conditions - non-elective (*)	9749				Medway	p.50
Epilepsy - Elective (*)	141					
Epilepsy - Non-elective (*)	1517			£60k	Telford and Wrekin	p.51
Tumours of the Nervous System - Elective (*)	289					
Tumours of Nervous System - Non-elective (*)	417				Greater Huddersfield	p.52
MND and Spinal Muscular Atrophy - Elective (*)	33			£1k (NSS)		
MND and Spinal Muscular Atrophy - Non-elective (*)	40				Tameside and Glossop	p.53
Multiple Sclerosis and Inflammatory Disorders - Elective (*)	219					
Multiple Sclerosis and Inflammatory Disorders - Non-elective (*)	164			£11k (NSS)	Calderdale	p.54
Parkinsonism and other Extrapryramidal Disorders - Elective (*)	377			£63k		
Parkinsons and other Extrapryramidal Disorders - Non-elective (*)	247				Telford and Wrekin	p.55
Neuromuscular Diseases - Elective (*)	55			£3k (NSS)		
Neuromuscular Diseases - Non-elective (*)	168			£28k	Redditch and Bromsgrove	p.56
Functional Disorders - Elective (*)	1					
Traumatic Brain and Spine injuries - Elective (*)	No Data			No Data		
Traumatic Brain and Spine injuries - Non-elective (*)	64				Dartford, Gravesham and Swanlev	p.57
Migraines and Headaches - Elective (*)	111					

Please refer to slide 34 for full guidance on interpretation of this table of opportunities


# Neurological Conditions - Opportunity table - Spend

\* per 1,000 age/sex weighted population  
 \*\* per 100,000 age/sex weighted population  
 \*\*\* per 1,000 ASTRO-PU weighted population

## Indicator

- Migraines and Headaches - Non-elective (\*)
- Syncope and collapse - Elective (\*)
- Tendency to fall - Non-elective (\*)
- Syncope and collapse - Non-elective (\*)
- Carpal Tunnel Syndrome - Elective (\*)
- Disorientation (unspecified) - Non-elective (\*)
- Chronic pain - Total (\*)
- Chronic pain - Elective (\*)
- Chronic pain - Non-elective (\*)
- Chronic pain - chest - Elective (\*)
- Chronic pain - chest - Non-elective (\*)
- Chronic pain - abdomen - Elective (\*)
- Chronic pain - abdomen - Non-elective (\*)
- Chronic pain - back - Elective (\*)
- Chronic pain - back - Non-elective (\*)
- Chronic pain - joint - Elective (\*)
- Chronic pain - joint - Non-elective (\*)
- Chronic pain - limb - Elective (\*)
- Chronic pain - limb - Non-elective (\*)

## CCG Value



Please refer to slide 34 for full guidance on interpretation of this table of opportunities

# Neurological Conditions - Opportunity table - Spend

\* per 1,000 age/sex weighted population  
 \*\* per 100,000 age/sex weighted population  
 \*\*\* per 1,000 ASTRO-PU weighted population

**Indicator**

**CCG Value**

● CCG    ◆ Best 5    ▲ Best in Cluster

England Worst or Highest    England Best or Lowest

**Best/Lowest 5 Opportunity**

**Similar 10 Best**

**Page**

Chronic pain - nervous system - Elective (*)	628				£32k		
Chronic pain - nervous system - Non-elective (*)	434				£25k	Dartford, Gravesham and Swanley	p.68
Chronic pain - neck - Elective (*)	198				£19k		
Chronic pain - neck - Non-elective (*)	41					Greater Huddersfield	p.69
Chronic pain - Not elsewhere classified - Elective (*)	184				£3k (NSS)		
Chronic pain - Not elsewhere classified - Non-elective (*)	211				£23k	Warwickshire North	p.70
Prescribing Spend - Anti-epileptic drugs (***)	2718						
Prescribing Spend - Anti-Parkinsons disease drugs (***)	1254						
Prescribing Spend - Drugs for narcolepsy (***)	557				£51k		
Prescribing Spend - Migraine drugs (***)	1517						
Prescribing Spend - Rizatriptan (***)	132				£6k		
Prescribing Spend - Sumatriptan Succinate (***)	190						
Prescribing Spend - Selegiline Hydrochloride (***)	10				£1k		
Prescribing Spend - Rasagiline Mesilate (***)	260						
Prescribing spend - Phenytoin Sodium (per 1,000 cases)	55110						
Prescribing spend - Sodium Valproate (per 1,000 cases)	48399				£12k		
Prescribing spend - Leviteracetam (per 1,000 cases)	32696				£11k		
Prescribing spend - Carbamazepine (per 1,000 cases)	35077				£6k		
Prescribing spend - Other drugs exc. Pregabalin (per 1,000 cases)	104406						
Prescribing Spend - Buprenorphine (***)	892				£31k		

Please refer to slide 34 for full guidance on interpretation of this table of opportunities

# Neurological Conditions - Opportunity table - Spend

\* per 1,000 age/sex weighted population  
 \*\* per 100,000 age/sex weighted population  
 \*\*\* per 1,000 ASTRO-PU weighted population

**Indicator**

**CCG Value**

● CCG    ◆ Best 5    ▲ Best in Cluster

England Worst or Highest      England Best or Lowest

**Best/Lowest 5 Opportunity**

**Similar 10 Best**

**Page**


Prescribing Spend - Fentanyl (***)	1084		£40k
Prescribing Spend - Gabapentin (***)	498		
Prescribing Spend - Pregabalin (***)	5676		£248k
Prescribing spend - Morphine (***)	602		£26k
Prescribing Spend - Dihydrocodeine Tartrate (***)	123		
Neurological Procedure - CT - Head (*)	2552		
Neurological Procedure - CT - Not elsewhere classified (*)	320		
Neurological Procedure - MRI - Head (*)	514		£7k (NSS)
Neurological Procedure - MRI - Not elsewhere classified (*)	499		£75k
Neurological Procedure - Transthoracic ECG (*)	106		
Neurological Procedure - Implantation - ECG loop recorder (*)	168		£4k (NSS)
Neurological Procedure - Immunomodulating drugs Band 1 (*)	118		
Neurological Procedure - Torsion dystonias - drugs Band 1 (*)	77		£3k (NSS)
Neurological Procedure - Rehab - other disorders (*)	78		
Neurological Procedure - EEG telemetry (*)	70		
Neurological Procedure - Diagnostic spinal puncture (*)	327		
Neurological Procedure - Carpal tunnel release (*)	1165		£90k
Neurological Procedure - Bladder catheterisation (*)	172		£20k (NSS)
Chronic Pain Procedure - CT - Head (*)	313		
Chronic Pain Procedure - CT - Not elsewhere classified (*)	662		£6k (NSS)

Please refer to slide 34 for full guidance on interpretation of this table of opportunities

\* per 1,000 age/sex weighted population  
 \*\* per 100,000 age/sex weighted population  
 \*\*\* per 1,000 ASTRO-PU weighted population

**Indicator**

**CCG Value**



**Best/Lowest 5 Opportunity**

**Similar 10 Best**

**Page**


Chronic Pain Procedure - MRI - Not elsewhere classified (*)	222		£15k (NSS)
Chronic Pain Procedure - Injection - spinal facet (*)	292		£2k (NSS)
Chronic Pain Procedure - Injection therapy substance-joint (*)	156		
CP Procedure - Injection therapy substance-spinal nerve (*)	316		£64k
Chronic Pain Procedure - Diagnostic spinal puncture (*)	199		£7k (NSS)
Chronic Pain Procedure - Coronary arteriography 2 catheters (*)	77		
Chronic Pain Procedure - Angiocardigraphy - left heart (*)	40		
Chronic Pain Procedure - Immunoglobulins Band 1 (*)	123		£14k

Please refer to slide 34 for full guidance on interpretation of this table of opportunities

\* per 1,000 age/sex weighted population  
 \*\* per 100,000 age/sex weighted population  
 \*\*\* per 1,000 ASTRO-PU weighted population

**Indicator**

Epilepsy seizure free 12-month period (%)	59.7
Epilepsy - Emergency admissions by children (**)	156.2
Epilepsy mortality rate (**)	1.1



Please refer to slide 34 for full guidance on interpretation of this table of opportunities

The following pages, starting on page 46, provide a further analysis of a range of indicators in the focus pack. The indicators selected are those where we have been able to assign a judgment on whether a lower or higher value is *better* e.g. lower value better for mortality, higher value better for case finding.

### **Top Chart:**

The opportunity box from the spine chart is shown in the top right of the blue banner. The top chart shows the whole England distribution together with the highlighted similar 10 group (grey bars) and your CCG (yellow bar). The England average is shown by the dashed blue line. The England value and Best 5 average values are shown below this chart.

### **Bottom Chart:**

Shows your CCG and the similar 10 group together with their indicator values. The best 5 CCG average is shown by a dark blue line.



The full indicator name, source and time period are shown at the bottom left.

**The analysis presented in the following pages can be replicated for *all* indicators in the focus pack using the Commissioning for Value Focus Pack Tool. The tool is available on the Commissioning for Value website. The link is available on page 77.**

# Use of emergency bed-days following admissions for epilepsy (per 100,000 pop.)

15 Bed days (NSS)

46



Definition: Use of emergency bed-days following admissions for epilepsy



Source: Epilepsy Profiles, Fingertips, Public Health England

Year: 2012/13

# Epilepsy - Proportion admissions managed by neurologist (%)

No Data

47



Definition: Proportion of admissions for epilepsy managed by a consultant neurologist



Source: Epilepsy Profiles, Fingertips, Public Health England

Year: 2012/13

New outpatient neurology appointments with a consultant for those aged 20+, DSR per 100,000 population

251 Pats.

48





Definition: New outpatient neurology appointments for those aged 20+ DSR per 100,000 population (consultant)

Source: Neurology Profiles, Fingertips, Public Health England

Year: 2013/14



# Outpatient neurology apts provided in home CCG (%)



Definition: All outpatient neurology appointments seen in home CCG (combined)  
 Source: Neurology Profiles, Fingertips, Public Health England  
 Year: 2013/14

# Neurological conditions - Non-elective spend (£ per 1,000 pop.)

50





Definition: Neurology - Total non-elective spend  
 Source: Temporary National Repository – Hospital Admissions Databases, SUS SEM (Secondary User Services Extract Mart)  
 Year: 2014/15

# Epilepsy - Non-elective spend (£ per 1,000 pop.)



£60k

51





Definition: Non-Elective spend Epilepsy  
 Source: Temporary National Repository – Hospital Admissions Databases, SUS SEM (Secondary User Services Extract Mart)  
 Year: 2014/15

# Tumours of Nervous System - Non-elective spend (£ per 1,000 pop.)



Definition: Non-Elective spend Tumours of the Nervous System  
 Source: Temporary National Repository – Hospital Admissions Databases, SUS SEM (Secondary User Services Extract Mart)  
 Year: 2014/15

# MND and Spinal Muscular Atrophy - Non-elective spend (£ per 1,000 pop.)





Definition: Non-Elective spend Motor Neurone Disease and Spinal Muscular Atrophy  
 Source: Temporary National Repository – Hospital Admissions Databases, SUS SEM (Secondary User Services Extract Mart)  
 Year: 2014/15

# Multiple Sclerosis and Inflammatory Disorders - Non-elective spend (£ per 1,000 pop.)


£11k (NSS)

54




Definition: Non-Elective spend Multiple Sclerosis and Inflammatory Disorders  
 Source: Temporary National Repository – Hospital Admissions Databases, SUS SEM (Secondary User Services Extract Mart)  
 Year: 2014/15

# Parkinsons and other Extrapryamidal Disorders - Non-elective spend (£ per 1,000 pop.)



England 372

Best 5 257




Definition: Non-Elective spend Parkinsonism and other Extrapryamidal Disorders  
 Source: Temporary National Repository – Hospital Admissions Databases, SUS SEM (Secondary User Services Extract Mart)  
 Year: 2014/15

# Neuromuscular Diseases - Non-elective spend (£ per 1,000 pop.)

£28k

56




England

97

Best 5

51





Definition: Non-Elective spend Neuromuscular Diseases

Source: Temporary National Repository – Hospital Admissions Databases, SUS SEM (Secondary User Services Extract Mart)

Year: 2014/15


# Traumatic Brain and Spine injuries - Non-elective spend (£ per 1,000 pop.)



Definition: Non-Elective spend Traumatic Brain and Spine injuries  
 Source: Temporary National Repository – Hospital Admissions Databases, SUS SEM (Secondary User Services Extract Mart)  
 Year: 2014/15


# Migraines and Headaches - Non-elective spend (£ per 1,000 pop.)

58



England 889

Best 5 899





Definition: Non-Elective spend Migraines and Headaches  
 Source: Temporary National Repository – Hospital Admissions Databases, SUS SEM (Secondary User Services Extract Mart)  
 Year: 2014/15

# Tendency to fall - Non-elective spend (£ per 1,000 pop.)



£200k

59



Definition: Non-Elective spend R296: Tendency to fall, not elsewhere classified  
 Source: Temporary National Repository – Hospital Admissions Databases, SUS SEM (Secondary User Services Extract Mart)  
 Year: 2014/15

# Syncope and collapse - Non-elective spend (£ per 1,000 pop.)





Definition: Non-Elective spend R55X: Syncope and collapse  
 Source: Temporary National Repository – Hospital Admissions Databases, SUS SEM (Secondary User Services Extract Mart)  
 Year: 2014/15

# Disorientation (unspecified) - Non-elective spend (£ per 1,000 pop.)



£75k

61



Definition: Non-Elective spend R410: Disorientation, unspecified  
 Source: Temporary National Repository – Hospital Admissions Databases, SUS SEM (Secondary User Services Extract Mart)  
 Year: 2014/15

# Chronic pain - Non-elective spend (£ per 1,000 pop.)





Definition: Chronic Pain - Total non-elective spend  
 Source: Temporary National Repository – Hospital Admissions Databases, SUS SEM (Secondary User Services Extract Mart)  
 Year: 2014/15

# Chronic pain - chest - Non-elective spend (£ per 1,000 pop.)

£76k



63



Definition: Non-Elective spend Chronic pain - chest  
 Source: Temporary National Repository – Hospital Admissions Databases, SUS SEM (Secondary User Services Extract Mart)  
 Year: 2014/15



# Chronic pain - abdomen - Non-elective spend (£ per 1,000 pop.)

64




Definition: Non-Elective spend Chronic pain - abdomen  
 Source: Temporary National Repository – Hospital Admissions Databases, SUS SEM (Secondary User Services Extract Mart)  
 Year: 2014/15

# Chronic pain - back - Non-elective spend (£ per 1,000 pop.)




Definition: Non-Elective spend Chronic pain - back  
 Source: Temporary National Repository – Hospital Admissions Databases, SUS SEM (Secondary User Services Extract Mart)  
 Year: 2014/15

# Chronic pain - joint - Non-elective spend (£ per 1,000 pop.)



England	584	Best 5	548
---------	-----	--------	-----





Definition: Non-Elective spend Chronic pain - joint  
 Source: Temporary National Repository – Hospital Admissions Databases, SUS SEM (Secondary User Services Extract Mart)  
 Year: 2014/15

# Chronic pain - limb - Non-elective spend (£ per 1,000 pop.)

£77k

67





Definition: Non-Elective spend Chronic pain - limb  
 Source: Temporary National Repository – Hospital Admissions Databases, SUS SEM (Secondary User Services Extract Mart)  
 Year: 2014/15

# Chronic pain - nervous system - Non-elective spend (£ per 1,000 pop.)

£25k

68





Definition: Non-Elective spend Chronic pain - nervous system

Source: Temporary National Repository – Hospital Admissions Databases, SUS SEM (Secondary User Services Extract Mart)

Year: 2014/15

# Chronic pain - neck - Non-elective spend (£ per 1,000 pop.)

69




Definition: Non-Elective spend Chronic pain - neck  
 Source: Temporary National Repository – Hospital Admissions Databases, SUS SEM (Secondary User Services Extract Mart)  
 Year: 2014/15

# Chronic pain - Not elsewhere classified - Non-elective spend (£ per 1,000 pop.)


£23k

70



England 145

Best 5 117





Definition: Non-Elective spend Chronic pain - NEC  
 Source: Temporary National Repository – Hospital Admissions Databases, SUS SEM (Secondary User Services Extract Mart)  
 Year: 2014/15

# Epilepsy seizure free 12-month period (%)

63 Pats.

71



Definition: EP002: The percentage of patients aged 18 or over on drug treatment for epilepsy who have been seizure free for the last 12 months recorded in the preceding 12 months


Source: Quality and Outcomes Framework, Health and Social Care Information Centre

Year: 2013/14


# Epilepsy - Emergency admissions by children (per 100,000 pop.)

26 Adms.

72



England	118	Best 5	111
---------	-----	--------	-----



Definition:

Epilepsy - Number of emergency admissions by children per 1,000 population



Source:

Temporary National Repository – Hospital Admissions Databases, SUS SEM (Secondary User Services Extract Mart)

Year:

2014/15

# Epilepsy mortality rate (per 100,000 pop.)



Definition: Epilepsy mortality rate  
 Source: Epilepsy Profiles, Fingertips, Public Health England  
 Year: 2009 - 13

Commissioners can take the following actions now:

- Identify the key opportunities for improvement within the pathways included in the neurology focus pack for your population and compare with current reform activity and improvement plans
- Engage with clinicians and other local stakeholders, including public health teams in local authorities and commissioning support organisations and explore the opportunities along the pathways further using local data
- Revisit the Commissioning for Value web pages regularly as new content, including updates to tools to support the use of the Commissioning for Value packs, is regularly added
- Watch the focus pack videos and explore other resources including those provided by the National Mental Health Dementia and Neurology Intelligence Network
- Discuss the opportunities highlighted in this pack as part of the STP planning process and consider STP wide action where appropriate
- For Wave One CCGs, speak to your Delivery Partner about other practical steps for your locality
- For Wave Two CCGs, start to identify and act to improve the opportunities highlighted

The Commissioning for Value benchmarking tool, explorer tool, full details of all the data used, and links to other useful tools are available on the Commissioning for Value pages of the NHS England website.

The NHS RightCare website offers resources to support CCGs in adopting the Commissioning for Value approach. These include:

- Online videos and 'how to' guides
- Case studies with learning from other CCGs

If you have any questions or require any further information or support you can email the Commissioning for Value support team direct at: [england.healthinvestmentnetwork@nhs.net](mailto:england.healthinvestmentnetwork@nhs.net)

# Further surgical resources available for review

76

There are further resources on key surgical pathways and data freely available at The Royal College of Surgeons The National Surgical Commissioning Centre.

All the resources listed below are freely available at the website, available on page 77.

- 1. Commissioning guides:** have been developed through a NICE accredited process and outline the 'high value' care pathway for a particular surgical complaint. Further information on the development of the commissioning guides is available online. Guides related to neurological conditions include: **Painful tingling fingers** (carpel and cubital tunnel) and **Low back pain**
- 2. Data tools linked to commissioning guides:** use Hospital Episode Statistics (HES). All the tools have been developed with input from a multidisciplinary guideline development group and clinical coders and the technical definitions and guidance on navigating the tools are available to download. The data within these tools should be used as a start of a conversation between commissioners and their providers, to examine possible areas for improved efficiency and quality improvement.

## The Quality Dashboards and Procedure Explorer Tool (PET)

There are 30 separate quality dashboards which show quality indicators for surgical procedures commissioned by commissioners. The PET tool shows further detailed information on individual procedures.

### Data tools for carpel tunnel and lower back pain are:

- Carpel and cubital tunnel surgery
- Facet Joint Injection/Medial Branch Block
- Lumbar Spinal Fusion (Posterior)
- Radiofrequency Denervation (lumbar facet joint)



Commissioning for Value pages of the NHS England website:

<http://www.england.nhs.uk/resources/resources-for-ccgs/comm-for-value/>

Commissioning for Value Similar 10 Explorer Tool:

<https://www.england.nhs.uk/wp-content/uploads/2016/01/cfv-16-similar-10-explr-tool.xlsm>

Supporting videos for the CFV focus packs:

<https://www.youtube.com/playlist?list=PL6IQwMACXkj1e17bcMvaHuy1gd9XrZT92>

National Mental Health Dementia and Neurology Intelligence Network:

<http://www.yhpho.org.uk/default.aspx?RID=191242>

NHS RightCare website:

<http://www.rightcare.nhs.uk/index.php/commissioning-for-value/>

Royal College of Surgeons National Surgical Commissioning Centre: <http://www.rcseng.ac.uk/surgical-commissioning>

# Annex A: Condition and drug groupings

# Neurological Conditions

79

Condition Group	Programme Budget Category (all PBC codes are preceded by 'PBC02')	ICD10 Primary Diagnosis Code
Epilepsy	07X	Any Primary Diagnosis Code that begins with G40, G41 or R568 and is mapped to 07X
Tumours of the nervous system	99% of the Primary Diagnosis codes are mapped to 02X (Cancers and tumours)	C700, C701, C709, C710, C711, C712, C713, C714, C715, C716, C717, C718, C719, C793, C720, C721, C722, C723, C724, C725, C728, C729, D320, D321, D322, D330, D331, D332, D333, D334, D337, D339
Multiple Sclerosis and Inflammatory Disorders	07X	Any Primary Diagnosis Code that begins with G35, G36 or G37 and mapped to 07X
Motor Neurone Disease and Spinal Muscular Atrophy	07X	G120, G121, G122, G128, G129
Parkinsonism and other Extrapyrmidal Disorders	07X	G240, G241, G242, G255, G256, G258, G259, R251, G10X, G243, G244, G245, G248, G249, G250, G251, G252, G253, G254, F950, F951, F952, F958, F959, G20X, G210, G211, G212, G213, G214, G218, G219, G22X, G230, G231, G232, G238, G239, G903
Neuromuscular Diseases	07X, 15X	Any Primary Diagnosis Code that begins with G70, G71, G72, G73, M60 or M62 and mapped to 07X or 15X
Functional Disorders	05X	Any Primary Diagnosis Code that begins with F44 or F45 and mapped to 05X
Traumatic Brain and Spine injuries	16X, 20C	S040, S041, S042, S043, S044, S045, S046, S047, S048, S049, S060, S061, S062, S063, S064, S065, S066, S067, S068, S069, S141, S142, S143, S144, S240, S241, S242, S341, S342, S343, S344, T060, T061, T093, T094
Headaches and Migraine	07A, 07X	G430, G431, G432, G433, G438, G439, G440, G441, G442, G443, G444, G448, R51X

Neurology Intelligence Network (Public Health England) team advised to include Tumours of the Nervous System, Functional Disorders, Headaches, Traumatic Brain & Spine injuries and the codes that begin with M60' and 'M62' within the list of Neurological conditions: <http://www.yhpho.org.uk/default.aspx?RID=207314>  
 These Neurological conditions are mapped different Programme Budget Categories. Therefore these conditions are not included in the 'Neurology - Total Spend', which only includes spend allocated to the Neurology Programme Budget Code.

<b>Primary Diagnosis</b>	<b>Programme Budget Category</b>	<b>Primary Diagnosis Code</b>
Tendency to fall, not elsewhere classified	07X	R296
Syncope and collapse	07X	R55X
Disorientation, unspecified	07X	R410
Carpal Tunnel Syndrome	07X	G560

Site	Programme Budget Category	Primary Diagnosis Code
Chest	07A	R071, R072, R073, R074
Abdomen	07A	N940, R101, R103, R104
Back	07A	M544, M5446, M545, M5450, M5455, M5456, M5457, M5458, M5459, M546, M548, M5480, M5481, M5482, M5483, M5484, M5485, M5486, M5487, M5488, M5489, M549, M5490, M5491, M5492, M5493, M5494, M5495, M5496, M5497, M5498, M5499
Joint	07A	M255, M2550, M2551, M2552, M2553, M2554, M2555, M2556, M2557, M2558, M2559, M913
Limb	07A	M774, M7916, M7917, M796, M7960, M7961, M7962, M7963, M7964, M7965, M7966, M7967, M7968, M7969
Nervous system	07A	G500, G576, G578, G579, G580, G588, G589, G600, G602, G603, G608, G609, G610, G618, G619, G620, G621, G622, G628, G629, G630, G632, G633, G634, G635, G636, G638, M541, M5410, M5411, M5412, M5413, M5414, M5415, M5416, M5417, M5418, M5419, M543, M5436, M5437, M5439, M7912, M7913, M792, M7920, M7921, M7922, M7923, M7924, M7925, M7926, M7927, M7928, M7929, R202, R208, G611
Neck	07A	H920, M353, M542, M5422, R070
NEC	07A	B330, G501, G521, G546, G564, G570, G571, G572, G573, G574, G575, G587, G601, G632*, G64X, H571, K146, M315, M5421, M5423, M5430, M5435, M5438, M5440, M5445, M5447, M5448, M5449, M5460, M5463, M5464, M5465, M7747, M791, M7910, M7911, M7914, M7915, M7918, M7919, N644, R102, R1033, R200, R201, R203, R300, R309, R520, R521, R522, R529

<b>OPCS Procedure Code</b>	<b>Full procedure description</b>	<b>Short name in focus packs</b>
U051	Computed tomography of head - per 1,000 population	CT - Head
U212	Computed tomography NEC - per 1,000 population	CT - NEC
U052	Magnetic resonance imaging of head - per 1,000 population	MRI - Head
U211	Magnetic resonance imaging NEC - per 1,000 population	MRI - NEC
U201	Transthoracic echocardiography - per 1,000 population	Transthoracic ECG
U191	Implantation of electrocardiography loop recorder - per 1,000 population	Implantation - ECG loop recorder
X893	Immunomodulating drugs Band 1 - per 1,000 population	Immunomodulating drugs Band 1
X851	Torsion dystonias and other involuntary movements drugs Band 1 - per 1,000 population	Torsion dystonias and other drugs Band 1
U548	Other specified rehabilitation for other disorders - per 1,000 population	Rehab - other disorders
U221	Electroencephalograph telemetry - per 1,000 population	EEG telemetry
A559	Unspecified diagnostic spinal puncture - per 1,000 population	Diagnostic spinal puncture (unspecified)
A651	Carpal tunnel release - per 1,000 population	Carpal tunnel release
M479	Unspecified urethral catheterisation of bladder - per 1,000 population	Bladder catheterisation

OPCS Procedure Code	Full procedure description	Short name in focus packs
U051	Computed tomography of head - Chronic pain - per 1,000 population	CT - Head
U212	Computed tomography NEC - Chronic pain - per 1,000 population	CT - NEC
U211	Magnetic resonance imaging NEC - Chronic pain - per 1,000 population	MRI - NEC
V544	Injection around spinal facet of spine - Chronic pain - per 1,000 population	Injection - spinal facet
W903	Injection of therapeutic substance into joint - Chronic pain - per 1,000 population	Injection of therapeutic substance - joint
A577	Injection of therapeutic substance around spinal nerve root - Chronic pain - per 1,000 population	Injection of therapeutic substance - spinal nerve root
A559	Unspecified diagnostic spinal puncture - Chronic pain - per 1,000 population	Diagnostic spinal puncture (unspecified)
K634	Coronary arteriography using two catheters - Chronic pain - per 1,000 population	Coronary arteriography - two catheters
K633	Angiocardiology of left side of heart NEC - Chronic pain - per 1,000 population	Angiocardiology - left heart
X961	Immunoglobulins Band 1 - Chronic pain - per 1,000 population	Immunoglobulins Band 1

Condition drug groups	Chemical level drugs included
Anti-epileptic drugs	Carbamazepine, Oxcarbazepine, Eslicarbazepine Acetate, Lacosamide, Lamotrigine, Levetiracetam, Phenobarbital, Primidone, Phenytoin, Retigabine, Rufinamide, Topiramate, Sodium valproate, Zonisamide, Clobazam, Clonazepam
Anti-Parkinsons disease drugs	Pramipexole, Ropinirole Hydrochloride, Rotigotine, Levodopa/Carbidopa/Entacapone, Rasagiline Mesilate, Co-Careldopa (Carbidopa/Levodopa), Apomorphine ydrochloride, Co-Beneldopa (Benserazide/Levodopa)
Migraine drugs	Sumatriptan Succinate, Rizatriptan, Pizotifen Malate, Zolmitriptan, Eletriptan, Naratriptan Hydrochloride, Almotriptan, Frovatriptan
Drugs for narcolepsy	Dexamfetamine Sulfate, Methylphenidate Hydrochloride, Modafinil

<b>Individual drugs</b>	<b>BNF Category</b>
Rizatriptan	Treatment of acute migraine
Sumatriptan Succinate	Treatment of acute migraine
Selegiline Hydrochloride	Dopaminergic drugs used in Parkinson's disease
Rasagiline Mesilate	Dopaminergic drugs used in Parkinson's disease

Individual drugs	BNF Category
Buprenorphine	Drugs used in substance dependence - Opioid dependence
Fentanyl	Analgesics - Opioid analgesics
Gabapentin	Antiepileptic drugs - Control of the epilepsies
Pregabalin	Antiepileptic drugs - Control of the epilepsies
Morphine	Acute diarrhoea – Anti-motility drugs
Dihydrocodeine Tartrate	Analgesics - Opioid analgesics

Admission Method	Admission Method Description
11	11: Waiting list
12	12: Booked
13	13: Planned
21	21: Accident and emergency or dental casualty department of the health care provider
22	22: General practitioner: after a request for immediate admission has been made direct to a hospital provider, i.e. Not through a bed bureau, by a general practitioner or deputy
23	23: Bed bureau
24	24: Consultant clinic, of this or another health care provider
25	25: Admission via mental health crisis resolution team
28	28: Other means, examples are: admitted from the accident and emergency department of another provider where they had not been admitted; transfer of an admitted patient from another hospital provider in an emergency; baby born at home as intended
2A	2A: Accident and emergency department of another provider where the patient had not been admitted
2B	2B: Transfer of an admitted patient from another hospital provider in an emergency
2C	2C: Baby born at home as intended
2D	2D: Other emergency admission
31	31: Admitted ante-partum
32	32: Admitted post-partum
81	81: Transfer of any admitted patient from other hospital provider other than in an emergency
82	82: The birth of a baby in this health care provider
83	83: Baby born outside the health care provider except when born at home as intended.

Patient Classification	Patient Classification Description
1	1: Ordinary admission
2	2: Day case admission

Person Gender Code	Person Gender Description
1	1: Male
2	2: Female

# Annex B: High-level metadata

Analysis	Elective/Non-elective spend analysis
Time Period	2014/15
Age Group	0 – 120
Admissions method	Elective - 11, 12, 13** Non-Elective - 21, 22, 23, 24, 25, 28, 2A, 2B, 2C, 2D, 31, 32, 81, 82, 83** [Total spend indicators includes all elective and non elective admissions method codes]
Patient Classification	Elective - 1, 2** Non-Elective – 1**
Sex	1, 2**
Coding scheme used	Programme Budget Category (PBC), ICD10 Primary Diagnosis Codes
Numerator	Total spend on elective/non-elective admissions based on PBC/condition
Numerator Source	Temporary National Repository – Hospital Admissions Databases, SUS SEM (Secondary User Services Extract Mart) <a href="http://www.hscic.gov.uk/sus">http://www.hscic.gov.uk/sus</a>
Denominator	Age/Sex Standardised Population. Rate= (Numerator/Denominator) * 1000

\*\*See annex for SUS SEM Code definitions

Secondary User Services Extract Mart (SUS SEM) data is used.  
Only patients with a mandatory tariff recorded have been selected.

The fields that were pulled from SUS SEM include:

- CCG code (based on the GP practice code)
- Sex (this field is used for age/sex standardisation)
- Age\_Quinary (Age Band)
- Number of spells
- Net\_SLA\_Payment (the cost before MFF is applied)

The data does not include CCGs which were not found in the official list of CCGs across England.

Age\_Quinary field is presented in 5-year age bands (0-4, 5-9, 10-14, etc.) including the “85+” age band for people aged 85 and over. This field is used for age/sex standardisation.

Number of spells field counts all the patients admitted to hospital for a procedure and discharged in the financial year 2014/15 and groups into each age band.

[Patients admitted in 2014/15 but not discharged until 2015/16 will not count towards the spend. A small number of patients admitted in 2013/14 but not discharged until 2014/15 will count towards the spend for 2014/15.]

Net\_SLA\_Payment field is the cost before Market Forces Factor (MFF) is applied. This field gives spend on elective/non-elective admissions for all patients in the age band in 2014/15.

The number of elective/non-elective admissions were suppressed where it was less than or equal to 5 at CCG level.

Analysis	Day case admissions analysis
Time Period	2014/15
Age Group	0 – 120
Admissions method	11, 12, 13
Patient Classification	2
Sex	1, 2
Coding scheme used	Programme Budget Category (PBC), ICD10
Numerator	Number of day case admissions based on PBC/condition
Numerator Source	Temporary National Repository – Hospital Admissions Databases, SUS SEM (Secondary User Services Extract Mart) <a href="http://www.hscic.gov.uk/sus">http://www.hscic.gov.uk/sus</a>
Denominator	Age/Sex Standardised Population. Rate= (Numerator/Denominator) * 100000

Secondary User Services Extract Mart (SUS SEM) data is used.

Only patients with a mandatory tariff recorded have been selected.

The fields that were pulled from SUS SEM include:

- CCG code (based on the GP practice code)
- Sex (this field is used for age/sex standardisation)
- Age\_Quinary (Age Band)
- Number of spells

The data does not include CCGs which were not found in the official list of CCGs across England.

Age\_Quinary field is presented in 5-year age bands (0-4, 5-9, 10-14, etc.) including the “85+” age band for people aged 85 and over. This field is used for age/sex standardisation.

Number of spells field counts all the day case admissions in 2014/15 and groups into each age band.

The number of day case admissions were suppressed where it was less than or equal to 5 at CCG level.

# Emergency admissions indicators

91

Analysis	Emergency admissions analysis
Time Period	2014/15
Age Group	Children: 0 – 18 Adults: 19 - 120
Admissions method	Emergency - 21, 22, 23, 24, 25, 28, 2A, 2B, 2C, 2D
Patient Classification	1
Sex	1, 2
Coding scheme used	Programme Budget Category (PBC), ICD10
Numerator	Number of emergency admissions based on PBC/condition
Numerator Source	Temporary National Repository – Hospital Admissions Databases, SUS SEM (Secondary User Services Extract Mart) <a href="http://www.hscic.gov.uk/sus">http://www.hscic.gov.uk/sus</a>
Denominator	Age/Sex Standardised Population. Rate= (Numerator/Denominator) * 100000

Secondary User Services Extract Mart (SUS SEM) data is used.

Only patients with a mandatory tariff recorded have been selected.

The fields that were pulled from SUS SEM include:

- CCG code (based on the GP practice code)
- Sex (this field is used for age/sex standardisation)
- Age\_Quinary (Age Band)
- Number of spells

The data does not include CCGs which were not found in the official list of CCGs across England.

Age\_Quinary field is presented in 5-year age bands (0-4, 5-9, 10-14, etc.) including the “85+” age band for people aged 85 and over. This field is used for age/sex standardisation.

Number of spells field counts all the day case admissions in 2014/15 and groups into each age band.

The number of emergency admissions were suppressed where it was less than or equal to 5 at CCG level.

Analysis	Length of Stay analysis
Time Period	2014/15
Age Group	0 - 120
Admissions method	Elective - 11, 12, 13 Emergency - 21, 22, 23, 24, 25, 28, 2A, 2B, 2C, 2D
Patient Classification	1
Sex	1, 2
Coding scheme used	Programme Budget Category (PBC), ICD10
Numerator	Total number of bed days for elective/emergency admissions based on PBC/condition (not including day cases)
Numerator Source	Temporary National Repository – Hospital Admissions Databases, SUSSEM (Secondary User Services Extract Mart) <a href="http://www.hscic.gov.uk/sus">http://www.hscic.gov.uk/sus</a>
Denominator	Total number of elective/emergency admissions not including day cases based on PBC/condition.

Secondary User Services Extract Mart (SUS SEM) data is used. Length of Stay data have been extracted at record level. Only patients with a mandatory tariff recorded have been selected. Data filtered by Length of Stay less than 180 days.

The fields that were pulled from SUS SEM include:

- APCS\_Ident
- CCG code (based on the GP practice code)
- Spell\_LoS (Length of Stay)

The data does not include CCGs which were not found in the official list of CCGs across England. APCS\_Ident field was later used to count the number of elective/emergency admissions since the data was extracted at record level. Spell\_LoS field is the spell length of stay derived using Admission Date and Discharge Date.

Standard deviation has been calculated for each CCG in order to calculate confidence intervals using record level data. Length of Stay data was then grouped by CCG to get the total number of bed days (Sum of Spell\_LoS field) and total number of elective/emergency admissions (count of APCS\_Ident field) for each CCG.

The number of elective/emergency admissions were suppressed where it was less than or equal to 5 at CCG level.

Analysis	Procedures spend and activity analysis
Time Period	2014/15
Age Group	0 – 120
Admissions method	11, 12, 13, 21, 22, 23, 24, 25, 28, 2A, 2B, 2C, 2D, 31, 32, 81, 82, 83
Patient Classification	1, 2
Sex	1, 2
Coding scheme used	Programme Budget Category (PBC), OPCS
Numerator	Total spend on discharges based on PBC and procedures
Numerator Source	Temporary National Repository – Hospital Admissions Databases, SUS SEM (Secondary User Services Extract Mart) <a href="http://www.hscic.gov.uk/sus">http://www.hscic.gov.uk/sus</a>
Denominator	Age/Sex Standardised Population. Rate= (Numerator/Denominator) * 1000

Secondary User Services Extract Mart (SUS SEM) data is used.  
Only patients with a mandatory tariff recorded have been selected.

For these indicators, spend on a procedure is the total cost of all spells where the procedure listed is the primary procedure in the spell, and where the primary diagnosis for the spell falls under the programme budget category listed. The figure for “How different are we?” converts the CCG’s spending rate above the benchmark spending rate into the equivalent number of procedures.

The fields that were pulled from SUS SEM for spend on procedures include:

- CCG code (based on the GP practice code)
- Sex (this field is used for age/sex standardisation)
- Age\_Quinary (Age Band)
- Number of spells
- Net\_SLA\_Payment (the cost before MFF is applied)

The data does not include CCGs which were not found in the official list of CCGs across England.

Age\_Quinary field is presented in 5-year age bands (0-4, 5-9, 10-14, etc.) including the “85+” age band for people aged 85 and over. This field is used for age/sex standardisation.

Number of spells field counts all the patients admitted to hospital for a procedure and discharged in the financial year 2014/15 and groups into each age band. [Patients admitted in 2014/15 but not discharged until 2015/16 will not count towards the spend. A small number of patients admitted in 2013/14 but not discharged until 2014/15 will count towards the spend for 2014/15.]

Net\_SLA\_Payment field is the cost before Market Forces Factor (MFF) is applied. This field gives spend on discharges for all patients in the age band in 2014/15.

The fields that were pulled from SUS SEM for procedures activity include:

- CCG code (based on the GP practice code)
- Number of spells (count s all admissions in 2014/15 and groups by CCG).

The number of admissions/discharges were suppressed where it was less than or equal to 5 at CCG level.

Analysis	Prescribing Spend
Time period	January 2015 - December 2015
Numerator	Net Ingredient cost (NIC) of BNF Chemical Substance Net Ingredient cost (NIC) is the basic price of a drug as stated in Part II Clause 8 of the Drug Tariff
Numerator Source	ePACT.net – data provided by the NHS Business Services Authority
Denominator	CCG ASTRO-PU weighted population Age, Sex and Temporary Resident Originated Prescribing Units
Rate	Numerator / Denominator x 1000 (spend rate per 1,000 ASTRO-PU weighted population)

We have presented a range of indicators grouping a selection of BNF chemical substances together and aggregating the total Net Ingredient cost. We have also presented individual BNF chemical spend indicators where the total spend is large enough and where advised by national clinical leads. The indicators have been standardised using the ASTRO-PU weightings and are shown per 1,000 ASTRO-PU population to allow fair comparison between CCGs.

**Net Ingredient cost (NIC)** is the basic price of a drug as stated in Part II Clause 8 of the Drug Tariff.

**ASTRO-PU** (Age, Sex and Temporary Resident Originated Prescribing Units) weightings have been used to weights the CCG population for age and sex to allow for better comparison of prescribing patterns. Further information regarding ASTRO-PU populations and other prescribing specific populations can be found at <http://www.hscic.gov.uk/prescribing/measures>

# Annex C: Methodology

# How has the potential opportunity been calculated?

96

The potential opportunity highlights the scale of change that would be achieved if the CCG Value moved to the Benchmark Value of the average of the 'Best 5' or 'Lowest 5' CCGs in its group of similar 10 CCGs.

Generally, where a high CCG Value is considered 'worse' then it is calculated using the formula:

Potential Opportunity = (CCG Value – Benchmark Value) \* Denominator

The denominator is the most suitable population data for that indicator eg CCG registered population, CCG weighted population, CCG patients on disease register etc. The denominator is also scaled to match the Value. So if the CCG Value and Benchmark Value are given in "per 1,000 population" then the denominator is expressed in thousands, ie 12,000 becomes 12.

For procedures, the potential opportunity can be expressed in pounds, or by dividing by this by the unit cost then it can be expressed in the equivalent number of procedures.