

## **National Dose Banding Table – Single Container**

Strength of raw material (after reconstitution if required)	2 mg/mL	Example drug(s)	Mitoxantrone Pentostatin
(a.co. reconstruction required)			Arsenic trioxide* (Trisenox®)

<sup>\*</sup>Note that Arsenic trioxide appears on both the 1mg/mL and 2mg/mL tables and the doses are different between the two tables. Use the table that suits the raw material that you use.

See table usage notes below regarding 'single container' and 'multiple syringe' tables.

## **Master Bands and Ranges**

This table is intended to be in a format useful for electronic prescribing systems. Use To (A) if your system will round UP for doses on the step between two bands. Use To (B) if your system will round DOWN for doses on the step between two bands.

Upper and lower limits of the dose banding table do not imply absolute maximum or minimum doses, or endorse dose capping. Refer to product data sheet for information regarding dose limits and particulars for preparation.

Band Range (mg)         Band Dose         Variance (per Below)           From ≥         To (A)          To (B) ≤         (mg)         Below           2.30         2.50         2.49         2.4         4           2.50         2.70         2.69         2.6         4           2.70         2.90         2.89         2.8         4	cent) Above -4 -4 -3
2.30         2.50         2.49         2.4         4           2.50         2.70         2.69         2.6         4           2.70         2.90         2.89         2.8         4	-4 -4
2.50         2.70         2.69         2.6         4           2.70         2.90         2.89         2.8         4	-4
2.70 2.90 2.89 2.8 4	
	-3
	_
2.90 3.10 3.09 3 4	-3
3.10 3.30 3.29 3.2 3	-3 -3
3.30 3.50 3.49 3.4 3	
3.50 3.79 3.78 3.6 3	-5
3.79 4.20 4.19 4 5	-5
4.20 4.60 4.59 4.4 5	-4
4.60 5.00 4.99 4.8 4	-4
5.00 5.40 5.39 5.2 4	-4
5.40         5.80         5.79         5.6         4	-3
5.80 6.20 6.19 6 4	-3
6.20 6.60 6.59 6.4 3	-3
6.60 7.00 6.99 6.8 3	-3
7.00 7.59 7.58 7.2 3	-5
7.59 8.39 8.38 8 5	-5
8.39 9.19 9.18 <u>8.8</u> <u>5</u>	-4
9.19 10.18 10.17 9.6 4	-6
10.18 11.38 11.37 10.8 6	-5
11.38 12.59 12.58 12 5	-5
12.59 13.98 13.97 13.2 5	-6
13.98 15.58 15.57 14.8 6	-5
15.58 17.18 17.17 16.4 5	-5
17.18   18.97   18.96   18   5	-5
18.97 20.98 20.97 20 5	-5
20.98 22.98 22.97 22 5	-4
22.98 24.98 24.97 24 4	-4
24.98 26.98 26.97 26 4	-4
26.98 28.98 28.97 28 4	-3
28.98 30.98 30.97 30 4	-3



Band Range (mg)		Band Dose	Variance (percent)		
From ≥	To (A) <	To (B) ≤	(mg)	Below	Above
30.98	33.94	33.93	32	3	-6
33.94	37.95	37.94	36	6	-5
37.95	41.95	41.94	40	5	-5
41.95	45.96	45.95	44	5	-4
45.96	50.91	50.90	48	4	-6
50.91	56.92	56.91	54	6	-5
56.92	62.93	62.92	60	5	-5
62.93	68.93	68.92	66	5	-4
68.93	75.89	75.88	72	4	-5
75.89	84.85	84.84	80	5	-6
84.85	94.87	94.86	90	6	-5
94.87	105.83	105.82	100	5	-6
105.83	118.79	118.78	112	6	-6
118.79	132.82	132.81	126	6	-5
132.82	148.73	148.72	140	5	-6
148.73	167.70	167.69	158	6	-6
167.70	188.68	188.67	178	6	-6

**Drug- and Dose-specific Tables -** These tables will no longer be produced.

Table usage notes: 'Single container' tables are for products which are able to be supplied as a single unit, such as an infusion bag, one syringe, or as an infusor device (pump). 'Multiple syringe' (e.g. 'pick-and-mix') tables are for products which are supplied in combinations of syringes to make up a single dose. Some drugs may have both a single container table, and a multiple syringe table. Doses may vary between the two tables due to rounding requirements.

Chemotherapy Dose Standardisation



2 | National Dose Banding Tables 2 mg/mL