

## Spinal Cord Injury Quality Dashboard 2017/18



Indicator Reference Number	Domain	Theme	Rationale	Name of Indicator/Description	Numerator	Denominator	Period Type	Frequency	Data Source Numerator	Data Source Denominator	Target	Interpretation Guidance	Notes	Reporting Periods			
														Q1	Q2	Q3	Q4
SCI_05	Domain 3: Helping people to recover from episodes of ill health or following injury.	Clinical Process	Mean time from injury to referral (newly injured patients).	Mean time (in days) from injury to referral (newly injured patients).	For patients in denominator, total days between date of injury and date of referral to SCIC.	Number of newly injured patients with SCI referred to SCIC.	Rolling Year	Quarterly	(External data Source) - NSCID	(External data Source) - NSCID		Lower is better		Jul 16 - Jun 17	Oct 16 - Sep 17	Jan 17 - Dec 17	Apr 17 - Mar 18
SCI_06	Domain 3: Helping people to recover from episodes of ill health or following injury.	Clinical Process	Mean time from referral to admission into SCI Centre Trust under the care of SCI Consultant (newly injured patients).	Mean time (in days) from referral to admission into SCI Centre Trust under the care of SCI Consultant (newly injured patients).	For patients in denominator, total days between date of referral and date of admission to SCIC.	Number of newly injured patients with SCI admitted to SCIC.	Rolling Year	Quarterly	(External data Source) - NSCID	(External data Source) - NSCID		Lower is better		Jul 16 - Jun 17	Oct 16 - Sep 17	Jan 17 - Dec 17	Apr 17 - Mar 18
SCI_07.1	Domain 3: Helping people to recover from episodes of ill health or following injury.	Clinical Process	Mean time from admission to commencement of rehabilitation package (ie the duration of the 'acute' phase) for the level of injury C1-C4.	Mean LOS in acute phase for level of injury C1-C4 (in days).	For patients in denominator, total days in acute phase (from date of admission at SCIC Trust to date commenced rehabilitation) as per currencies handbook.	Number of newly injured patients, for the level of injury C1-C4, who have commenced rehab this quarter.	Rolling Annual	Quarterly	(External data Source) - NSCID	(External data Source) - NSCID		Lower is better		Jul 16 - Jun 17	Oct 16 - Sep 17	Jan 17 - Dec 17	Apr 17 - Mar 18
SCI_07.2	Domain 3: Helping people to recover from episodes of ill health or following injury.	Clinical Process	Mean time from admission to commencement of rehabilitation package (ie the duration of the 'acute' phase) for the level of injury C5-C8.	Mean LOS in acute phase for level of injury C5-C8 (in days).	For patients in denominator, total days in acute phase (from date of admission at SCIC Trust to date commenced rehabilitation) as per currencies handbook.	Number of newly injured patients, for the level of injury C5-C8, who have commenced rehab this quarter.	Rolling Annual	Quarterly	(External data Source) - NSCID	(External data Source) - NSCID		Lower is better		Jul 16 - Jun 17	Oct 16 - Sep 17	Jan 17 - Dec 17	Apr 17 - Mar 18
SCI_07.3	Domain 3: Helping people to recover from episodes of ill health or following injury.	Clinical Process	Mean time from admission to commencement of rehabilitation package (ie the duration of the 'acute' phase) for the level of injury T-T12.	Mean LOS in acute phase for level of injury T1-T12 (in days).	For patients in denominator, total days in acute phase (from date of admission at SCIC Trust to date commenced rehabilitation) as per currencies handbook.	Number of newly injured patients, for the level of injury T-T12, who have commenced rehab this quarter.	Rolling Annual	Quarterly	(External data Source) - NSCID	(External data Source) - NSCID		Lower is better		Jul 16 - Jun 17	Oct 16 - Sep 17	Jan 17 - Dec 17	Apr 17 - Mar 18
SCI_07.4	Domain 3: Helping people to recover from episodes of ill health or following injury.	Clinical Process	Mean time from admission to commencement of rehabilitation package (ie the duration of the 'acute' phase) for the level of injury L1 and below.	Mean LOS in acute phase for level of injury L1 and below (in days).	For patients in denominator, total days in acute phase (from date of admission at SCIC Trust to date commenced rehabilitation) as per currencies handbook.	Number of newly injured patients, for the level of injury L1 and below, who have commenced rehab this quarter.	Rolling Annual	Quarterly	(External data Source) - NSCID	(External data Source) - NSCID		Lower is better		Jul 16 - Jun 17	Oct 16 - Sep 17	Jan 17 - Dec 17	Apr 17 - Mar 18
SCI_07.5	Domain 3: Helping people to recover from episodes of ill health or following injury.	Clinical Process	Mean time from admission to commencement of rehabilitation package (ie the duration of the 'acute' phase) for the level of injury: central cord syndromes.	Mean LOS in acute phase for level: central cord syndromes (in days).	For patients in denominator, total days in acute phase (from date of admission at SCIC Trust to date commenced rehabilitation) as per currencies handbook.	Number of newly injured patients, for the level of injury: central cord syndromes, who have commenced rehab this quarter.	Rolling Annual	Quarterly	(External data Source) - NSCID	(External data Source) - NSCID		Lower is better		Jul 16 - Jun 17	Oct 16 - Sep 17	Jan 17 - Dec 17	Apr 17 - Mar 18
SCI_08.1	Domain 3: Helping people to recover from episodes of ill health or following injury.	Clinical Process	Mean time from commencement of rehab to fit for discharge date for the level of injury C1-C4.	Mean LOS in rehab for level of injury C1-C4 (in days).	For patients in denominator, total days between commencement of rehab and date fit for discharge as per currencies handbook.	Number of newly injured patients, for the level of injury C1-C4, who have reached fit for discharge date this quarter.	Rolling Annual	Quarterly	(External data Source) - NSCID	(External data Source) - NSCID		Lower is better		Jul 16 - Jun 17	Oct 16 - Sep 17	Jan 17 - Dec 17	Apr 17 - Mar 18

## Spinal Cord Injury Quality Dashboard 2017/18

Indicator Reference Number	Domain	Theme	Rationale	Name of Indicator/Description	Numerator	Denominator	Period Type	Frequency	Data Source Numerator	Data Source Denominator	Target	Interpretation Guidance	Notes	Reporting Periods			
														Q1	Q2	Q3	Q4
SCI_08.2	Domain 3: Helping people to recover from episodes of ill health or following injury.	Clinical Process	Mean time from commencement of rehab to fit for discharge date for the level of injury C5-C8.	Mean LOS in rehab for level of injury C5-C8 (in days).	For patients in denominator, total days between commencement of rehab and date fit for discharge as per currencies handbook.	Number of newly injured patients, for the level of injury C5-C8, who have reached fit for discharge date this quarter.	Rolling Annual	Quarterly	(External data Source) - NSCID	(External data Source) - NSCID		Lower is better		Jul 16 - Jun 17	Oct 16 - Sep 17	Jan 17 - Dec 17	Apr 17 - Mar 18
SCI_08.3	Domain 3: Helping people to recover from episodes of ill health or following injury.	Clinical Process	Mean time from commencement of rehab to fit for discharge date for the level of injury T-T12.	Mean LOS in rehab for level of injury T1-T12 (in days).	For patients in denominator, total days between commencement of rehab and date fit for discharge as per currencies handbook.	Number of newly injured patients, for the level of injury T-T12, who have reached fit for discharge date this quarter.	Rolling Annual	Quarterly	(External data Source) - NSCID	(External data Source) - NSCID		Lower is better		Jul 16 - Jun 17	Oct 16 - Sep 17	Jan 17 - Dec 17	Apr 17 - Mar 18
SCI_08.4	Domain 3: Helping people to recover from episodes of ill health or following injury.	Clinical Process	Mean time from commencement of rehab to fit for discharge date for the level of injury L1 and below.	Mean LOS in rehab for level of injury L1 and below (in days).	For patients in denominator, total days between commencement of rehab and date fit for discharge as per currencies handbook.	Number of newly injured patients, for the level of injury L1 and below, who have reached fit for discharge date this quarter.	Rolling Annual	Quarterly	(External data Source) - NSCID	(External data Source) - NSCID		Lower is better		Jul 16 - Jun 17	Oct 16 - Sep 17	Jan 17 - Dec 17	Apr 17 - Mar 18
SCI_08.5	Domain 3: Helping people to recover from episodes of ill health or following injury.	Clinical Process	Mean time from commencement of rehab to fit for discharge date for the level of injury: central cord syndromes.	Mean LOS in rehab for level: central cord syndromes (in days).	For patients in denominator, total days between commencement of rehab and date fit for discharge as per currencies handbook.	Number of newly injured patients, for the level of injury: central cord syndromes, who have reached fit for discharge date this quarter.	Rolling Annual	Quarterly	(External data Source) - NSCID	(External data Source) - NSCID		Lower is better		Jul 16 - Jun 17	Oct 16 - Sep 17	Jan 17 - Dec 17	Apr 17 - Mar 18
SCI_14	Domain 4: Ensuring that people have a positive experience of care.	Clinical Process	Acute outreach needs met in a timely manner.	Percentage of newly injured patients with traumatic and non-traumatic spinal cord injury will receive a face to face outreach visit from the SCIC acute outreach team within 5 days of the referral of the patient to the SCIC, to support the patient and the treating team.	Patients in the denominator who have received a face-to-face visit from the SCIC acute outreach team within 5 days of the referral of the patient to the SCIC (Note: Each patient will be counted once only, even if more than one visit has occurred).	Number of newly injured patients referred to the SCIC in the quarter (Excluding: Patients outside the scope of Specialised Spinal Cord Injury Services as defined in the Service Specification, Patients who were admitted to any SCIC within 7 days of the referral of the patient to the SCIC, Patients for whom another SCIC has agreed in writing to take the lead on outreach, Patients who have died, Patients whose current location is outside the UK).	Quarterly	Quarterly	(External data Source) - NSCID	(External data Source) - NSCID		Higher is better		Apr 17 - Jun 17	Jul 17 - Sep 17	Oct 17 - Dec 17	Jan 18 - Mar 18
SCI_16.1	Domain 5: Treating and caring for people in a safe environment and protecting them from avoidable harm.	Clinical Outcome	Bed days occupied by newly injured ventilated patients with SCI and no clinical need to be in the SCIC	Percentage of SCI bed days occupied by non-clinical delayed discharge patients - newly injured ventilated	Newly injured ventilated patients who have reached their fit for discharge date but were not discharged on that date, total days this quarter between the first day of the quarter OR the fit for discharge date (whichever is later) AND the actual discharge date OR the last day of the quarter, (whichever is earlier)	Sum of Length of stay for all patients with SCI admitted to SCIC Trust under SCIC care in the quarter	Rolling Annual	Quarterly	(External data Source) - NSCID	(External data Source) - NSCID		Lower is better		Jul 16 - Jun 17	Oct 16 - Sep 17	Jan 17 - Dec 17	Apr 17 - Mar 18

Spinal Cord Injury Quality Dashboard 2017/18



Indicator Reference Number	Domain	Theme	Rationale	Name of Indicator/Description	Numerator	Denominator	Period Type	Frequency	Data Source Numerator	Data Source Denominator	Target	Interpretation Guidance	Notes	Reporting Periods			
														Q1	Q2	Q3	Q4
SCI_16.2	Domain 5: Treating and caring for people in a safe environment and protecting them from avoidable harm.	Clinical Outcome	Bed days occupied by newly injured non-ventilated patients with SCI and no clinical need to be in the SCIC.	Percentage of SCI bed days occupied by non-clinical delayed discharge patients - newly injured non-ventilated.	Newly injured non-ventilated patients who have reached their fit for discharge date but were not discharged on that date, total days this quarter between the first day of the quarter OR the fit for discharge date (whichever is later) AND the actual discharge date OR the last day of the quarter, (whichever is earlier).	Sum of Length of stay for all patients with SCI admitted to SCIC Trust under SCIC care in the quarter.	Rolling Annual	Quarterly	(External data Source) - NSCID	(External data Source) - NSCID		Lower is better		Jul 16 - Jun 17	Oct 16 - Sep 17	Jan 17 - Dec 17	Apr 17 - Mar 18
SCI_16.3	Domain 5: Treating and caring for people in a safe environment and protecting them from avoidable harm.	Clinical Outcome	Bed days occupied by ventilated further admission patients with SCI and no clinical need to be in the SCIC.	Percentage of SCI bed days occupied by non-clinical delayed discharge patients - further admissions ventilated.	Further admissions ventilated patients who have reached their fit for discharge date but were not discharged on that date, total days this quarter between the first day of the quarter OR the fit for discharge date (whichever is later) AND the actual discharge date OR the last day of the quarter, (whichever is earlier).	Sum of Length of stay for all patients with SCI admitted to SCIC Trust under SCIC care in the quarter.	Rolling Annual	Quarterly	(External data Source) - NSCID	(External data Source) - NSCID		Lower is better		Jul 16 - Jun 17	Oct 16 - Sep 17	Jan 17 - Dec 17	Apr 17 - Mar 18
SCI_16.4	Domain 5: Treating and caring for people in a safe environment and protecting them from avoidable harm.	Clinical Outcome	Bed days occupied by non-ventilated further admission patients with SCI and no clinical need to be in the SCIC.	Percentage of SCI bed days occupied by non-clinical delayed discharge patients - further admissions non-ventilated.	Further admissions non-ventilated patients who have reached their fit for discharge date but were not discharged on that date, total days this quarter between the first day of the quarter OR the fit for discharge date (whichever is later) AND the actual discharge date OR the last day of the quarter, (whichever is earlier).	Sum of Length of stay for all patients with SCI admitted to SCIC Trust under SCIC care in the quarter.	Rolling Annual	Quarterly	(External data Source) - NSCID	(External data Source) - NSCID		Lower is better		Jul 16 - Jun 17	Oct 16 - Sep 17	Jan 17 - Dec 17	Apr 17 - Mar 18
SCI_17	Domain 5: Treating and caring for people in a safe environment and protecting them from avoidable harm.	Clinical Outcome	Pressure ulcers (incidence in newly injured patients on arrival at SCI Centre).	Percentage of newly injured SCI patients admitted to SCIC who had Grade 3 or 4 pressure sore on admission.	For patients in the denominator, number who were admitted with a (Grade 3 or 4) pressure sore.	Number of newly injured patients with SCI admitted to SCIC Trust in time period.	Rolling Annual	Quarterly	(External data Source) - NSCID	(External data Source) - NSCID		Lower is better		Jul 16 - Jun 17	Oct 16 - Sep 17	Jan 17 - Dec 17	Apr 17 - Mar 18
SCI_18	Domain 5: Treating and caring for people in a safe environment and protecting them from avoidable harm.	Clinical Outcome	Pressure ulcers (incidence in newly injured patients during SCI admission).	Percentage of newly injured SCI patients admitted to SCIC who acquired a Grade 3 or 4 pressure sore after admission to the SCIC.	For patients in the denominator, number of new pressure sores (Grade 3 and 4) occurring after admission to the SCIC Trust.	Number of newly injured patients with SCI admitted to SCIC Trust in time period.	Rolling Annual	Quarterly	(External data Source) - NSCID	(External data Source) - NSCID		Lower is better		Jul 16 - Jun 17	Oct 16 - Sep 17	Jan 17 - Dec 17	Apr 17 - Mar 18

## Spinal Cord Injury Quality Dashboard 2017/18

Indicator Reference Number	Domain	Theme	Rationale	Name of Indicator/Description	Numerator	Denominator	Period Type	Frequency	Data Source Numerator	Data Source Denominator	Target	Interpretation Guidance	Notes	Reporting Periods			
														Q1	Q2	Q3	Q4
SCI_19	Domain 5: Treating and caring for people in a safe environment and protecting them from avoidable harm	Clinical Outcome	Pressure ulcers (incidence in further admissions on arrival at SCI Centre).	Percentage of further admission SCI patients admitted to SCIC who had Grade 3 or 4 pressure sore on admission.	For patients in the denominator, number of further admissions this quarter who were admitted with a Grade 3 or 4 pressure sore.	Number of further admissions of patients with SCIC to SCIC Trust in time period (each individual counts once).	Rolling Annual	Quarterly	(External data Source) - NSCID	(External data Source) - NSCID		Lower is better		Jul 16 - Jun 17	Oct 16 - Sep 17	Jan 17 - Dec 17	Apr 17 - Mar 18
SCI_20	Domain 5: Treating and caring for people in a safe environment and protecting them from avoidable harm.	Clinical Outcome	Pressure ulcers (incidence in further admissions during SCI admission).	Percentage of further admission SCI patients admitted to SCIC who acquired a Grade 3 or 4 pressure sore after admission to the SCIC.	For patients in the denominator, number of new pressure sores (Grade 3 and 4) occurring after admission to the SCIC Trust.	Number of further admissions of patients with SCIC to SCIC Trust in time period (each individual counts once).	Rolling Annual	Quarterly	(External data Source) - NSCID	(External data Source) - NSCID		Lower is better		Jul 16 - Jun 17	Oct 16 - Sep 17	Jan 17 - Dec 17	Apr 17 - Mar 18
SCI_25	Domain 5: Treating and caring for people in a safe environment and protecting them from avoidable harm.	Clinical Process	Outcomes - Submission to commissioners of an up-to-date ASIA and SCIM III assessment, as described in the Dashboard specification approved by the NSCISB on 25th November 2011.	Percentage of patients for whom an up-to-date ASIA and SCIM III assessment, as described in the Dashboard specification approved by the NSCISB on 25th November 2011, has been made available to commissioners by 15th day of the month following the end of the quarter.	For patients in the denominator, number for whom an up-to-date ASIA and SCIM III assessment, as described in the Dashboard specification approved by the NSCISB on 25th November 2011, has been made available to commissioners by 15th day of the month following the end of the quarter.	Total of newly injured SCI patients admitted to the SCIC who were injured or admitted since 1st April 2012 and less than 29 months ago.	Quarterly	Quarterly	(External data Source) - NSCID	(External data Source) - NSCID		Higher is better		Apr 17 - Jun 17	Jul 17 - Sep 17	Oct 17 - Dec 17	Jan 18 - Mar 18

Data collection has been approved by the Review of Central Returns - ROCR  
ROCR/OR/2230/001MAND