

## National Dose Banding Table – Topotecan

Vial Sizes of Drug	1mg/1mL 4mg/4mL	Drug	Topotecan
--------------------	--------------------	------	-----------

See table usage notes below regarding 'single container' and 'multiple syringe' tables.

### Master Bands and Ranges

*This table is intended to be in a format useful for electronic prescribing systems.*


*Use To (A) if your system will round UP for doses on the step between two bands.*

*Use To (B) if your system will round DOWN for doses on the step between two bands.*

Band Range (mg)			Band Dose (mg)	Variance (percent)	
From $\geq$	To (A) <	To (B) $\leq$		Below	Above
0.32	0.36	0.35	0.34	7	-5
0.36	0.40	0.39	0.38	6	-5
0.40	0.44	0.43	0.42	5	-5
0.44	0.49	0.48	0.46	5	-6
0.49	0.55	0.54	0.52	6	-5
0.55	0.61	0.60	0.58	6	-5
0.61	0.68	0.67	0.64	5	-6
0.68	0.76	0.75	0.72	6	-5
0.76	0.85	0.84	0.8	5	-6
0.85	0.95	0.94	0.9	6	-5
0.95	1.05	1.04	1	5	-5
1.05	1.15	1.14	1.1	5	-4
1.15	1.25	1.24	1.2	4	-4
1.25	1.35	1.34	1.3	4	-4
1.35	1.45	1.44	1.4	4	-3
1.45	1.55	1.54	1.5	4	-3
1.55	1.65	1.64	1.6	3	-3
1.65	1.75	1.74	1.7	3	-3
1.75	1.90	1.89	1.8	3	-5
1.90	2.10	2.09	2	5	-5
2.10	2.30	2.29	2.2	5	-4
2.30	2.50	2.49	2.4	4	-4
2.50	2.70	2.69	2.6	4	-4
2.70	2.90	2.89	2.8	4	-3
2.90	3.10	3.09	3	4	-3
3.10	3.30	3.29	3.2	3	-3
3.30	3.50	3.49	3.4	3	-3
3.50	3.80	3.79	3.6	3	-5
3.80	4.24	4.23	4	5	-6
4.24	4.74	4.73	4.5	6	-5
4.74	5.24	5.23	5	5	-5
5.24	5.75	5.74	5.5	5	-4
5.75	6.25	6.24	6	4	-4
6.25	6.75	6.74	6.5	4	-4
6.75	7.25	7.24	7	4	-3
7.25	7.75	7.74	7.5	4	-3
7.75	8.49	8.48	8	3	-6
8.49	9.49	9.48	9	6	-5
9.49	10.49	10.48	10	5	-5



Band Range (mg)			Band Dose (mg)	Variance (percent)	
From $\geq$	To (A) <	To (B) $\leq$		Below	Above
10.49	11.49	11.48	11	5	-4
11.49	12.49	12.48	12	4	-4
12.49	13.49	13.48	13	4	-4
13.49	14.49	14.48	14	4	-3
14.49	15.49	15.48	15	4	-3
15.49	16.97	16.96	16	3	-6
16.97	18.97	18.96	18	6	-5
18.97	20.98	20.97	20	5	-5
20.98	22.98	22.97	22	5	-4
22.98	25.46	25.45	24	4	-6
25.46	28.46	28.45	27	6	-5
28.46	31.94	31.93	30	5	-6



## Drug- and Dose-specific Tables

These tables are intended to assist with non-electronic systems where protocol-specific information is required. The range of the tables has been extended beyond 'normal' use, especially in the lower ranges, to allow for up to a 50% dose reduction to be used in patients who are  $1.3m^2$ . Doses which are normally capped are highlighted in grey.

### Topotecan

BSA	Choose nearest for dose reductions							1.0	1.1	1.2	1.3	1.4	1.5	1.6	1.7	1.8	1.9	2.0	2.1	2.2	2.3	2.4	2.5	2.6	2.7	2.8	2.9	3.0
0.75 mg/m <sup>2</sup>	0.34	0.38	0.42	0.46	0.52	0.58	0.64	0.72	0.8	0.9	1	1.1	1.1	1.2	1.3	1.4	1.4	1.5	1.6	1.7	1.7	1.8	1.8	2	2	2.2	2.2	2.2
1.5 mg/m <sup>2</sup>	0.8	0.9	1	1.1	1.2	1.3	1.4	1.5	1.7	1.8	2	2.2	2.2	2.4	2.6	2.8	2.8	3	3.2	3.4	3.4	3.6	3.6	4	4	4	4.5	4.5
4 mg/m <sup>2</sup>	2.4	2.6	2.8	3	3.2	3.4	3.6	4	4.5	5	5	5.5	6	6.5	7	7	7.5	8	8	9	9	10	10	10	11	11	12	12
10 mg/m <sup>2</sup>	5.5	6	6.5	7	7.5	8	9	10	11	12	13	14	15	16	18	18	20	20	22	22	24	24	24	27	27	27	30	30

**Table usage notes:** 'Single container' tables are for products which are able to be supplied as a single unit, such as an infusion bag, one syringe, or as an infusor device (pump). 'Multiple syringe' (e.g. 'pick-and-mix') tables are for products which are supplied in combinations of syringes to make up a single dose. Some drugs may have both a single container table, and a multiple syringe table. Doses may vary between the two tables due to rounding requirements.

