

National Dose Banding Table – Single Container

Strength of raw material (after reconstitution if required)	80 mg/mL	Example drug(s)	Ifosfamide
--	----------	-----------------	------------

See table usage notes below regarding 'single container' and 'multiple syringe' tables.

Master Bands and Ranges

This table is intended to be in a format useful for electronic prescribing systems.


Use To (A) if your system will round UP for doses on the step between two bands.

Use To (B) if your system will round DOWN for doses on the step between two bands.

The dose range is designed to cover drugs which may be added in the future.

Band Range (mg)			Band Dose (mg)	Variance (percent)	
From \geq	To (A) <	To (B) \leq		Below	Above
559.12	623.20	623.19	592	6	-5
623.20	687.28	687.27	656	5	-5
687.28	758.96	758.95	720	5	-5
758.96	839.04	839.03	800	5	-5
839.04	919.12	919.11	880	5	-4
919.12	999.20	999.19	960	4	-4
999.20	1079.28	1079.27	1040	4	-4
1079.28	1159.28	1159.27	1120	4	-3
1159.28	1239.36	1239.35	1200	4	-3
1239.36	1357.68	1357.67	1280	3	-6
1357.68	1517.92	1517.91	1440	6	-5
1517.92	1678.08	1678.07	1600	5	-5
1678.08	1838.24	1838.23	1760	5	-4
1838.24	2036.48	2036.47	1920	4	-6
2036.48	2276.80	2276.79	2160	6	-5
2276.80	2517.12	2517.11	2400	5	-5
2517.12	2757.36	2757.35	2640	5	-4
2757.36	3035.76	3035.75	2880	4	-5
3035.76	3394.08	3394.07	3200	5	-6
3394.08	3794.72	3794.71	3600	6	-5
3794.72	4233.20	4233.19	4000	5	-6
4233.20	4751.76	4751.75	4480	6	-6
4751.76	5312.64	5312.63	5040	6	-5
5312.64	5949.12	5949.11	5600	5	-6
5949.12	6708.08	6708.07	6320	6	-6
6708.08	7547.20	7547.19	7120	6	-6
7547.20	8504.08	8504.07	8000	6	-6
8504.08	9621.28	9621.27	9040	6	-6
9621.28	10898.80	10898.79	10240	6	-6
10898.80	12336.64	12336.63	11600	6	-6
12336.64	13934.72	13934.71	13120	6	-6
13934.72	15730.72	15730.71	14800	6	-6
15730.72	17767.20	17767.19	16720	6	-6
17767.20	20081.76	20081.75	18880	6	-6
20081.76	22641.52	22641.51	21360	6	-6





Drug- and Dose-specific Tables

These tables are intended to assist with non-electronic systems where protocol-specific information is required. The range of the tables has been extended beyond 'normal' use, especially in the lower ranges, to allow for up to a 50% dose reduction to be used in patients who are $1.3m^2$. Doses which are normally capped are highlighted in grey.

Ifosfamide

BSA	Choose nearest for dose reductions							1.0	1.1	1.2	1.3	1.4	1.5	1.6	1.7	1.8	1.9	2.0	2.1	2.2	2.3	2.4	2.5	2.6	2.7	2.8	2.9	3.0
1,200 mg/m²	656	720	800	880	960	1040	1120	1200	1280	1440	1600	1760	1760	1920	2160	2160	2400	2400	2640	2640	2880	2880	2880	3200	3200	3200	3600	3600
1,500 mg/m²	800	880	960	1040	1120	1200	1280	1440	1600	1760	1920	2160	2160	2400	2640	2640	2880	2880	3200	3200	3600	3600	3600	4000	4000	4000	4480	4480
1,667 mg/m²	880	960	1040	1120	1200	1280	1440	1600	1760	1920	2160	2400	2400	2640	2880	2880	3200	3200	3600	3600	4000	4000	4000	4480	4480	4480	5040	5040
1,800 mg/m²	960	1040	1120	1200	1280	1440	1600	1760	1920	2160	2400	2640	2640	2880	3200	3200	3600	3600	3600	4000	4000	4480	4480	4480	5040	5040	5040	5600
2,000 mg/m²	1040	1120	1200	1280	1440	1600	1760	1920	2160	2400	2640	2880	2880	3200	3600	3600	4000	4000	4000	4480	4480	5040	5040	5040	5600	5600	5600	6320
3,000 mg/m²	1440	1600	1760	1920	2160	2400	2640	2880	3200	3600	4000	4000	4480	5040	5040	5600	5600	6320	6320	6320	7120	7120	7120	8000	8000	8000	9040	9040
7,000 mg/m²	3200	3600	4000	4480	5040	5600	6320	7120	8000	8000	9040	10240	10240	11600	11600	13120	13120	14800	14800	14800	16720	16720	16720	18880	18880	18880	21360	21360

Table usage notes: 'Single container' tables are for products which are able to be supplied as a single unit, such as an infusion bag, one syringe, or as an infusor device (pump). 'Multiple syringe' (e.g. 'pick-and-mix') tables are for products which are supplied in combinations of syringes to make up a single dose. Some drugs may have both a single container table, and a multiple syringe table. Doses may vary between the two tables due to rounding requirements.

