

Engagement Report for Service Specifications

Unique Reference Number	URN 1707
Specification Title	Extra Corporeal Membrane Oxygenation (ECMO) for Respiratory Failure in adults.
Lead Commissioner	Nicola Symes
Clinical Reference Group	Adult Critical Care
Which stakeholders were contacted to be involved in service specification development?	<p>The multi-disciplinary teams of the 5 current service providers in England, plus the centre in Scotland</p> <p>NHS Scotland</p> <p>Public Health England</p> <p>Quality Surveillance Team, NHS England</p> <p>Patient Representative</p> <p>Registered stakeholders of the Adult Critical Care CRG</p>
Identify the relevant Royal College or Professional Society to the specification and indicate how they have been involved	<p>Faculty of Intensive Care Medicine – as a registered stakeholder of the Adult Critical Care CRG</p> <p>Intensive Care Society – as a registered stakeholder of the Adult Critical Care CRG</p>

<p>Which stakeholders have actually been involved?</p>	<p>The multi-disciplinary teams of the 5 current service providers in England, plus the centre in Scotland NHS Scotland Public Health England Quality Surveillance Team, NHS England Registered stakeholders of the Adult Critical Care CRG</p>
<p>Explain reason if there is any difference from previous question</p>	<p>Not applicable</p>
<p>Identify any particular stakeholder organisations that may be key to the specification development that you have approached that have yet to be engaged. Indicate why?</p>	<p>Not applicable</p>
<p>How have stakeholders been involved? What engagement methods have been used?</p>	<p>MDT members of the existing service providers were engaged in the service specification review through a series of email and teleconference discussions. The service specification was subject to 14 day stakeholder testing for all registered stakeholders of the adult critical care CRG.</p>
<p>What has happened or changed as a result of their input?</p>	<p>The revised service specification reflects the input and views of the stakeholders involved in its development. No further changes have been made following comments received as a result of the 14 day Stakeholder Testing period.</p>

<p>How are stakeholders being kept informed of progress with specification development as a result of their input?</p>	<p>Those stakeholders on the working group are being kept advised of progress of the service specification.</p> <p>The engagement report will be shared with the adult critical care CRG for information.</p>
--	---