

Spinal Cord Injury Services (Adults and Children) Quality Dashboard 2020/21

| Indicator Reference Number | Domain | Theme | Rationale | Name of Indicator/Description | Numerator | Denominator | Period Type | Frequency | Data Source Numerator | Data Source Denominator | Data presentation | Target | Interpretation Guidance | Construction | Notes | Reporting Periods | | | |
|----------------------------|--|------------------|---|---|---|---|----------------|-----------|-----------------------|-------------------------|-------------------|--------|-------------------------|--|---|-------------------|-----------------|-----------------|-----------------|
| | | | | | | | | | | | | | | | | Q1 | Q2 | Q3 | Q4 |
| SCI_05 | Domain 3: Helping people to recover from episodes of ill health or following injury | Clinical process | Mean time from injury to referral (newly injured patients) | Mean time (in days) from injury to referral (newly injured patients) to Spinal Cord Injury Centre (SCIC) | For those patients in denominator, the total number of days between date of injury and date of referral to SCIC | The total number of newly injured patients with Spinal Cord Injury referred to SCIC in the reporting period | Rolling Year | Quarterly | NSCID | NSCID | | | Lower is better | Median of days wait time from injury to referral at SCIC | | Jul 19 - Jun 20 | Oct 19 - Sep 20 | Jan 20 - Dec 20 | Apr 20 - Mar 21 |
| SCI_14 | Domain 4: Ensuring that people have a positive experience of care | Clinical process | Acute outreach needs met in a timely manner | Proportion of newly injured patients with traumatic and non-traumatic spinal cord injury who receive a face to face outreach visit from the Spinal Cord Injury Centre (SCIC) acute outreach team within 5 days of the referral of the patient to the SCIC, to support the patient and the treating team | Of those in the denominator, the number of patients who receive a face-to-face visit from the SCIC acute outreach team within 5 days of the referral of the patient to the SCIC | The total number of newly injured patients referred to the SCIC in the reporting period | Quarterly | Quarterly | NSCID | NSCID | | | Higher is better | Numerator / Denominator x 100 | Excluding: Patients outside the scope of Specialised Spinal Cord Injury Services as defined in the Service Specification, Patients who were admitted to any SCIC within 7 days of the referral of the patient to the SCIC, Patients for whom another SCIC has agreed in writing to take the lead on outreach, Patients who have died, Patients whose current location is outside the UK Each patient will be counted once only, even if more than one visit has occurred | Apr 20 - Jun 20 | Jul 20 - Sep 20 | Oct 20 - Dec 20 | Jan 21 - Mar 21 |
| SCI_17 | Domain 5: Treating and caring for people in a safe environment and protecting them from avoidable harm | Clinical outcome | Pressure ulcers (incidence in newly injured patients on arrival at SCI Centre | Proportion of newly injured Spinal Cord Injury patients admitted to Spinal Cord Injury Centre (SCIC) who had Grade 3 or 4 pressure sore on admission | Of those in the denominator, the number of patients who were admitted with a Grade 3 or 4 pressure sore | The total number of newly injured patients with SCI admitted to SCIC in the reporting period | Rolling Annual | Quarterly | NSCID | NSCID | | | Lower is better | A count | | Jul 19 - Jun 20 | Oct 19 - Sep 20 | Jan 20 - Dec 20 | Apr 20 - Mar 21 |
| SCI_26 | Domain 3: Helping people to recover from episodes of ill health or following injury | Clinical process | | Mean time from fit for admission to admission into a Spinal Cord Injury Centre (SCIC) under the care of a Spinal Cord Injury consultant | For those patients in the denominator, the total number of days between date of being fit for admission to date of Admission | The total number of admissions in the reporting period | Rolling Annual | Quarterly | NSCID | NSCID | | | Lower is better | | | Jul 19 - Jun 20 | Oct 19 - Sep 20 | Jan 20 - Dec 20 | Apr 20 - Mar 21 |
| SCI_27 | Domain 3: Helping people to recover from episodes of ill health or following injury | Clinical Outcome | | Mean time from injury to mobilisation for level C1 to C4 | For those patients in the denominator, the total number of days between injury and mobilisation | The total number of patients level C1 to C4 mobilising in the reporting period | Rolling Annual | Quarterly | NSCID | NSCID | | | Lower is better | | | Jul 19 - Jun 20 | Oct 19 - Sep 20 | Jan 20 - Dec 20 | Apr 20 - Mar 21 |
| SCI_28 | Domain 3: Helping people to recover from episodes of ill health or following injury | Clinical Outcome | | Mean time from injury to mobilisation for level C5 to C8 | For those patients in the denominator, the total number of days between injury and mobilisation | The total number of patients level C5 to C8 mobilising in the reporting period | Rolling Annual | Quarterly | NSCID | NSCID | | | Lower is better | | | Jul 18 - Jun | Oct 18 - Sep 19 | Jan 19 - Dec 19 | Apr 19 - Mar 20 |

Spinal Cord Injury Services (Adults and Children) Quality Dashboard 2020/21

| Indicator Reference Number | Domain | Theme | Rationale | Name of Indicator/Description | Numerator | Denominator | Period Type | Frequency | Data Source Numerator | Data Source Denominator | Data presentation | Target | Interpretation Guidance | Construction | Notes | Reporting Periods | | | |
|----------------------------|---|------------------|-----------|---|--|--|----------------|-----------|-----------------------|-------------------------|-------------------|--------|-------------------------|--------------|-------|-------------------|-----------------|-----------------|-----------------|
| | | | | | | | | | | | | | | | | Q1 | Q2 | Q3 | Q4 |
| SCI_29 | Domain 3: Helping people to recover from episodes of ill health or following injury | Clinical Outcome | | Mean time from injury to mobilisation for level T1 to T12 | For those patients in the denominator, the total number of days between injury and mobilisation | The total number of patients level T1 to T12 mobilising in the reporting period | Rolling Annual | Quarterly | NSCID | NSCID | | | Lower is better | | | Jul 19 - Jun 20 | Oct 19 - Sep 20 | Jan 20 - Dec 20 | Apr 20 - Mar 21 |
| SCI_30 | Domain 3: Helping people to recover from episodes of ill health or following injury | Clinical Outcome | | Mean time from injury to mobilisation for level L1 and below | For those patients in the denominator, the total number of days between injury and mobilisation | The total number of patients level L1 and below mobilising in the reporting period | Rolling Annual | Quarterly | NSCID | NSCID | | | Lower is better | | | Jul 19 - Jun 20 | Oct 19 - Sep 20 | Jan 20 - Dec 20 | Apr 20 - Mar 21 |
| SCI_31 | Domain 3: Helping people to recover from episodes of ill health or following injury | Clinical Outcome | | Mean time from injury to fit for discharge level C1 to C4 | For those patients in the denominator, the total number of days between date of injury and date of fit for discharge | The total number of discharges for patients with level C1 to C4 injury in the reporting period | Rolling Annual | Quarterly | NSCID | NSCID | | | Lower is better | | | Jul 18 - Jun 19 | Oct 18 - Sep 19 | Jan 20 - Dec 20 | Apr 19 - Mar 20 |
| SCI_32 | Domain 3: Helping people to recover from episodes of ill health or following injury | Clinical Outcome | | Mean time from injury to fit for discharge level C5 to C8 | For those patients in the denominator, the total number of days between date of injury and date of fit for discharge | The total number of discharges for patients with level C5 to C8 injury in the reporting period | Rolling Annual | Quarterly | NSCID | NSCID | | | Lower is better | | | Jul 19 - Jun 20 | Oct 19 - Sep 20 | Jan 20 - Dec 20 | Apr 20 - Mar 21 |
| SCI_33 | Domain 3: Helping people to recover from episodes of ill health or following injury | Clinical Outcome | | Mean time from injury to fit for discharge for level T1 to T12 | For those patients in the denominator, the total number of days between date of injury and date of fit for discharge | The total number of discharges for patients with level T1 to T12 injury in the reporting period | Rolling Annual | Quarterly | NSCID | NSCID | | | Lower is better | | | Jul 19 - Jun 20 | Oct 19 - Sep 20 | Jan 20 - Dec 20 | Apr 20 - Mar 21 |
| SCI_34 | Domain 3: Helping people to recover from episodes of ill health or following injury | Clinical Outcome | | Mean time from injury to fit for discharge for level L1 and below | For those patients in the denominator, the total number of days between date of injury and date of fit for discharge | The total number of discharges for patients with level L1 and below injury in the reporting period | Rolling Annual | Quarterly | NSCID | NSCID | | | Lower is better | | | Jul 19 - Jun 20 | Oct 19 - Sep 20 | Jan 20 - Dec 20 | Apr 20 - Mar 21 |

Spinal Cord Injury Services (Adults and Children) Quality Dashboard 2020/21



| Indicator Reference Number | Domain | Theme | Rationale | Name of Indicator/Description | Numerator | Denominator | Period Type | Frequency | Data Source Numerator | Data Source Denominator | Data presentation | Target | Interpretation Guidance | Construction | Notes | Reporting Periods | | | |
|----------------------------|---|------------------|-----------|--|--|---|----------------|-----------|-----------------------|-------------------------|-------------------|--------|-------------------------|--------------|-------|-------------------|-----------------|-----------------|-----------------|
| | | | | | | | | | | | | | | | | Q1 | Q2 | Q3 | Q4 |
| SCI_35 | Domain 3: Helping people to recover from episodes of ill health or following injury | Clinical Outcome | | Mean time from fit to discharge to discharge | For those patients in the denominator, the total number of days between date of injury and date of fit for discharge | The total number of all patient discharges in the reporting period | Rolling Annual | Quarterly | NSCID | NSCID | | | Lower is better | | | Jul 19 - Jun 20 | Oct 19 - Sep 20 | Jan 20 - Dec 20 | Apr 20 - Mar 21 |
| SCI_36 | Domain 3: Helping people to recover from episodes of ill health or following injury | Clinical process | | Proportion of patients whose first goal planning meeting takes place within 3 weeks of mobilisation | Of those in the denominator, the number of patients who had their first goal planning meeting within 3 weeks of mobilisation | The total number of all patient discharges in the reporting period | Rolling Annual | Quarterly | NSCID | NSCID | | | Higher is better | | | Jul 19 - Jun 20 | Oct 19 - Sep 20 | Jan 20 - Dec 20 | Apr 20 - Mar 21 |
| SCI_37 | Domain 3: Helping people to recover from episodes of ill health or following injury | Clinical Outcome | | Proportion of planned further admissions to Spinal Cord Injury Centre (SCIC) within 8 weeks of discharge | Of those in the denominator, the number of patients who had been discharged from an acute spell within the previous 8 weeks | The total number of patients admitted into the SCIC for a planned further admission in the reporting period | Rolling Annual | Quarterly | NSCID | NSCID | | | Higher is better | | | Jul 19 - Jun 20 | Oct 19 - Sep 20 | Jan 20 - Dec 20 | Apr 20 - Mar 21 |
| SCI_38 | Domain 3: Helping people to recover from episodes of ill health or following injury | Clinical Outcome | | Proportion of unplanned further admissions to Spinal Cord Injury Centre (SCIC) within 8 weeks of discharge | Of those in the denominator, the number of patients who had been discharged from an acute spell within the previous 8 weeks | The total number of patients admitted into the SCIC for a unplanned further admission in the reporting period | Rolling Annual | Quarterly | NSCID | NSCID | | | Lower is better | | | Jul 19 - Jun 20 | Oct 19 - Sep 20 | Jan 20 - Dec 20 | Apr 20 - Mar 21 |
| SCI_39 | Domain 4: Ensuring that people have a positive experience of care | Clinical process | | Proportion of patients with ASIA score prior on admission | Of those in the denominator, the number of patients with a recorded ASIA score prior on admission | The total number of patients admitted in the reporting period | Rolling Annual | Quarterly | NSCID | NSCID | | | Higher is better | | | Jul 19 - Jun 20 | Oct 19 - Sep 20 | Jan 20 - Dec 20 | Apr 20 - Mar 21 |
| SCI_40 | Domain 4: Ensuring that people have a positive experience of care | Clinical process | | Proportion of patients with discharge ASIA score at discharge | Of those in the denominator, the number of patients with a recorded discharge ASIA at discharge | The total number of patients discharges in the reporting period | Rolling Annual | Quarterly | NSCID | NSCID | | | Higher is better | | | Jul 19 - Jun 20 | Oct 19 - Sep 20 | Jan 20 - Dec 20 | Apr 20 - Mar 21 |

Spinal Cord Injury Services (Adults and Children) Quality Dashboard 2020/21

| Indicator Reference Number | Domain | Theme | Rationale | Name of Indicator/Description | Numerator | Denominator | Period Type | Frequency | Data Source Numerator | Data Source Denominator | Data presentation | Target | Interpretation Guidance | Construction | Notes | Reporting Periods | | | |
|----------------------------|---|------------------|-----------|---|---|--|----------------|-----------|-----------------------|-------------------------|-------------------|--------|-------------------------|--------------|-------------------------------------|-------------------|-----------------|-----------------|-----------------|
| | | | | | | | | | | | | | | | | Q1 | Q2 | Q3 | Q4 |
| SCI_41 | Domain 4: Ensuring that people have a positive experience of care | Clinical process | | Proportion of patients with 2 year ASIA score recorded | Of those in the denominator, the number of patients with a recorded 2 year ASIA at 2 year post injury | The total number of patients reaching 2 year post injury in the reporting period | Rolling Annual | Quarterly | NSCID | NSCID | | | Higher is better | | | Jul 19 - Jun 20 | Oct 19 - Sep 20 | Jan 20 - Dec 20 | Apr 20 - Mar 21 |
| SCI_42 | Domain 4: Ensuring that people have a positive experience of care | Clinical Outcome | | Mean Spinal Cord Independence Measure (SCIM) uplift mobilisation to discharge | For those patients in the denominator, total SCIM change from mobilisation to discharge | The total number of patients complete discharged with mobilisation and discharge SCIM recorded in the reporting period | Rolling Annual | Quarterly | NSCID | NSCID | | | Higher is better | | include all patients | Jul 19 - Jun 20 | Oct 19 - Sep 20 | Jan 20 - Dec 20 | Apr 20 - Mar 21 |
| SCI_43 | Domain 4: Ensuring that people have a positive experience of care | Clinical process | | Proportion of patients with 2 year CHART recorded | Of those in the denominator, the number of patients with a recorded 2 year CHART at 2 year post injury | The total number of patients reaching 2 years post injury in the reporting period | Rolling Annual | Quarterly | NSCID | NSCID | | | Higher is better | | | Jul 19 - Jun 20 | Oct 19 - Sep 20 | Jan 20 - Dec 20 | Apr 20 - Mar 21 |
| SCI_44 | Domain 3: Helping people to recover from episodes of ill health or following injury | | | Proportion of newly injured patients waiting more than 30 days from injury to admission | Of those in the denominator, the number of patients who waited more than 30 days from injury to admission | The total number of patients admitted in the reporting period | Rolling Annual | Quarterly | NSCID | NSCID | | | Lower is better | | | Jul 19 - Jun 20 | Oct 19 - Sep 20 | Jan 20 - Dec 20 | Apr 20 - Mar 21 |
| SCI_45 | Domain 3: Helping people to recover from episodes of ill health or following injury | | | Proportion of Spinal Cord Injury bed days occupied by delayed discharge patients | For those in the denominator, the total number of days between date fit for discharge and date of discharge | The total number of newly injured patients discharged in the reporting period | Rolling Annual | Quarterly | NSCID | NSCID | | | Lower is better | | | Jul 19 - Jun 20 | Oct 19 - Sep 20 | Jan 20 - Dec 20 | Apr 20 - Mar 21 |
| SCI_46 | Domain 3: Helping people to recover from episodes of ill health or following injury | | | Proportion of bed days occupied by non Spinal Cord Injury outliers | Number of days between date of admission and date of discharge for all non SCI patients discharged in the quarter | The total number of SCI bed days in the reporting period | Rolling Annual | Quarterly | Provider submitted | Provider submitted | | | Lower is better | | In development to be added to NSCID | Jul 19 - Jun 20 | Oct 19 - Sep 20 | Jan 20 - Dec 20 | Apr 20 - Mar 21 |

Spinal Cord Injury Services (Adults and Children) Quality Dashboard 2020/21



| Indicator Reference Number | Domain | Theme | Rationale | Name of Indicator/Description | Numerator | Denominator | Period Type | Frequency | Data Source Numerator | Data Source Denominator | Data presentation | Target | Interpretation Guidance | Construction | Notes | Reporting Periods | | | |
|----------------------------|--|-------|-----------|---|---|---|----------------|-----------|-----------------------|-------------------------|-------------------|--------|-------------------------|--------------|-------|-------------------|-----------------|-----------------|-----------------|
| | | | | | | | | | | | | | | | | Q1 | Q2 | Q3 | Q4 |
| SCI_47 | Domain 5: Treating and caring for people in a safe environment and protecting them from avoidable harm | | | Proportion of newly injured patients with core NSCID data completed | Of those in the denominator, the number of patients with a fully completed core dataset | The total number of patients discharged in the reporting period | Rolling Annual | Quarterly | NSCID | NSCID | | | Higher is better | | | Jul 19 - Jun 20 | Oct 19 - Sep 20 | Jan 20 - Dec 20 | Apr 20 - Mar 21 |

Data collection has been approved by the Review of Central Returns - ROCR
ROCR/OR/2230/001MAND