

Spinal Cord Injuries (All ages) Quality Dashboard 2021/22

Indicator Reference Number	Domain	Theme	Rationale	Name of Indicator/Description	Numerator	Denominator	Period Type	Frequency	Data Source Numerator	Data Source Denominator	Target	Interpretation Guidance	Notes	Reporting Periods			
														Q1	Q2	Q3	Q4
SCI_05	Domain 3: Helping people to recover from episodes of ill health or following injury	Clinical process	Mean time from Injury to referral (newly injured patients)	Mean time (in days) from Injury to referral (newly injured patients) to Spinal Cord Injury Centre (SCIC)	For those patients in denominator, the total number of days between date of injury and date of referral to SCIC	The total number of newly injured patients with Spinal Cord Injury referred to SCIC in the reporting period	Rolling Annual	Quarterly	NSCID	NSCID		Lower is better		Jul 20 - Jun 21	Oct 20 - Sep 21	Jan 21 - Dec 21	Apr 21 - Mar 22
SCI_14	Domain 4: Ensuring that people have a positive experience of care	Clinical process	Acute outreach needs met in a timely manner	Proportion of newly injured patients with traumatic and non-traumatic spinal cord injury who receive a face to face outreach visit from the Spinal Cord Injury Centre (SCIC) acute outreach team within 5 days of the referral of the patient to the SCIC, to support the patient and the treating team	Of those in the denominator, the number of patients who receive a face-to-face visit from the SCIC acute outreach team within 5 days of the referral of the patient to the SCIC	The total number of newly injured patients referred to the SCIC in the reporting period	Quarterly	Quarterly	NSCID	NSCID		Higher is better	Excluding: Patients outside the scope of Specialised Spinal Cord Injury Services as defined in the Service Specification, Patients who were admitted to any SCIC within 7 days of the referral of the patient to the SCIC, Patients for whom another SCIC has agreed in writing to take the lead on outreach, Patients who have died, Patients whose current location is outside the UK Each patient will be counted once only, even if more than one visit has occurred	Apr 21 - Jun 21	Jul 21 - Sep 21	Oct 21 - Dec 21	Jan 22 - Mar 22
SCI_17	Domain 5: Treating and caring for people in a safe environment and protecting them from avoidable harm	Clinical outcome	Pressure ulcers (incidence in newly injured patients on arrival at SCI Centre)	Proportion of newly injured Spinal Cord Injury patients admitted to Spinal Cord Injury Centre (SCIC) who had Grade 3 or 4 pressure sore on admission	Of those in the denominator, the number of patients who were admitted with a Grade 3 or 4 pressure sore	The total number of newly injured patients with SCI admitted to SCIC in the reporting period	Rolling Annual	Quarterly	NSCID	NSCID		Lower is better		Jul 20 - Jun 21	Oct 20 - Sep 21	Jan 21 - Dec 21	Apr 21 - Mar 22
SCI_26	Domain 3: Helping people to recover from episodes of ill health or following injury	Clinical process		Mean time from fit for admission to admission into a Spinal Cord Injury Centre (SCIC) under the care of a Spinal Cord Injury consultant	For those patients in the denominator, the total number of days between date of being fit for admission to date of Admission	The total number of admissions in the reporting period	Rolling Annual	Quarterly	NSCID	NSCID		Lower is better		Jul 20 - Jun 21	Oct 20 - Sep 21	Jan 21 - Dec 21	Apr 21 - Mar 22
SCI_27	Domain 3: Helping people to recover from episodes of ill health or following injury	Clinical Outcome		Mean time from injury to mobilisation for level C1 to C4	For those patients in the denominator, the total number of days between injury and mobilisation	The total number of patients level C1 to C4 mobilising in the reporting period	Rolling Annual	Quarterly	NSCID	NSCID		Lower is better		Jul 20 - Jun 21	Oct 20 - Sep 21	Jan 21 - Dec 21	Apr 21 - Mar 22
SCI_28	Domain 3: Helping people to recover from episodes of ill health or following injury	Clinical Outcome		Mean time from injury to mobilisation for level C5 to C8	For those patients in the denominator, the total number of days between injury and mobilisation	The total number of patients level C5 to C8 mobilising in the reporting period	Rolling Annual	Quarterly	NSCID	NSCID		Lower is better		Jul 19 - Jun 20	Oct 19 - Sep 20	Jan 20 - Dec 20	Apr 20 - Mar 21

Spinal Cord Injuries (All ages) Quality Dashboard 2021/22



Indicator Reference Number	Domain	Theme	Rationale	Name of Indicator/Description	Numerator	Denominator	Period Type	Frequency	Data Source Numerator	Data Source Denominator	Target	Interpretation Guidance	Notes	Reporting Periods			
														Q1	Q2	Q3	Q4
SCI_29	Domain 3: Helping people to recover from episodes of ill health or following injury	Clinical Outcome		Mean time from injury to mobilisation for level T1 to T12	For those patients in the denominator, the total number of days between injury and mobilisation	The total number of patients level T1 to T12 mobilising in the reporting period	Rolling Annual	Quarterly	NSCID	NSCID		Lower is better		Jul 20 - Jun 21	Oct 20 - Sep 21	Jan 21 - Dec 21	Apr 21 - Mar 22
SCI_30	Domain 3: Helping people to recover from episodes of ill health or following injury	Clinical Outcome		Mean time from injury to mobilisation for level L1 and below	For those patients in the denominator, the total number of days between injury and mobilisation	The total number of patients level L1 and below mobilising in the reporting period	Rolling Annual	Quarterly	NSCID	NSCID		Lower is better		Jul 20 - Jun 21	Oct 20 - Sep 21	Jan 21 - Dec 21	Apr 21 - Mar 22
SCI_31	Domain 3: Helping people to recover from episodes of ill health or following injury	Clinical Outcome		Mean time from injury to fit for discharge level C1 to C4	For those patients in the denominator, the total number of days between date of injury and date of fit for discharge	The total number of discharges for patients with level C1 to C4 injury in the reporting period	Rolling Annual	Quarterly	NSCID	NSCID		Lower is better		Jul 19 - Jun 20	Oct 19 - Sep 20	Jan 20 - Dec 20	Apr 20 - Mar 21
SCI_32	Domain 3: Helping people to recover from episodes of ill health or following injury	Clinical Outcome		Mean time from injury to fit for discharge level C5 to C8	For those patients in the denominator, the total number of days between date of injury and date of fit for discharge	The total number of discharges for patients with level C5 to C8 injury in the reporting period	Rolling Annual	Quarterly	NSCID	NSCID		Lower is better		Jul 20 - Jun 21	Oct 20 - Sep 21	Jan 21 - Dec 21	Apr 21 - Mar 22
SCI_33	Domain 3: Helping people to recover from episodes of ill health or following injury	Clinical Outcome		Mean time from injury to fit for discharge for level T1 to T12	For those patients in the denominator, the total number of days between date of injury and date of fit for discharge	The total number of discharges for patients with level T1 to T12 injury in the reporting period	Rolling Annual	Quarterly	NSCID	NSCID		Lower is better		Jul 20 - Jun 21	Oct 20 - Sep 21	Jan 21 - Dec 21	Apr 21 - Mar 22
SCI_34	Domain 3: Helping people to recover from episodes of ill health or following injury	Clinical Outcome		Mean time from injury to fit for discharge for level L1 and below	For those patients in the denominator, the total number of days between date of injury and date of fit for discharge	The total number of discharges for patients with level L1 and below injury in the reporting period	Rolling Annual	Quarterly	NSCID	NSCID		Lower is better		Jul 20 - Jun 21	Oct 20 - Sep 21	Jan 21 - Dec 21	Apr 21 - Mar 22

Spinal Cord Injuries (All ages) Quality Dashboard 2021/22

Indicator Reference Number	Domain	Theme	Rationale	Name of Indicator/Description	Numerator	Denominator	Period Type	Frequency	Data Source Numerator	Data Source Denominator	Target	Interpretation Guidance	Notes	Reporting Periods			
														Q1	Q2	Q3	Q4
SCI_35	Domain 3: Helping people to recover from episodes of ill health or following injury	Clinical Outcome		Mean time from fit to discharge to discharge	For those patients in the denominator, the total number of days between date of Injury and date of fit for discharge	The total number of all patient discharges in the reporting period	Rolling Annual	Quarterly	NSCID	NSCID		Lower is better		Jul 20 - Jun 21	Oct 20 - Sep 21	Jan 21 - Dec 21	Apr 21 - Mar 22
SCI_36	Domain 3: Helping people to recover from episodes of ill health or following injury	Clinical process		Proportion of patients whose first goal planning meeting takes place within 3 weeks of mobilisation	Of those in the denominator, the number of patients who had their first goal planning meeting within 3 weeks of mobilisation	The total number of all patient discharges in the reporting period	Rolling Annual	Quarterly	NSCID	NSCID		Higher is better		Jul 20 - Jun 21	Oct 20 - Sep 21	Jan 21 - Dec 21	Apr 21 - Mar 22
SCI_37	Domain 3: Helping people to recover from episodes of ill health or following injury	Clinical Outcome		Proportion of planned further admissions to Spinal Cord Injury Centre (SCIC) within 8 weeks of discharge	Of those in the denominator, the number of patients who had been discharged from an acute spell within the previous 8 weeks	The total number of patients admitted into the SCIC for a planned further admission in the reporting period	Rolling Annual	Quarterly	NSCID	NSCID		Higher is better		Jul 20 - Jun 21	Oct 20 - Sep 21	Jan 21 - Dec 21	Apr 21 - Mar 22
SCI_38	Domain 3: Helping people to recover from episodes of ill health or following injury	Clinical Outcome		Proportion of unplanned further admissions to Spinal Cord Injury Centre (SCIC) within 8 weeks of discharge	Of those in the denominator, the number of patients who had been discharged from an acute spell within the previous 8 weeks	The total number of patients admitted into the SCIC for a unplanned further admission in the reporting period	Rolling Annual	Quarterly	NSCID	NSCID		Lower is better		Jul 20 - Jun 21	Oct 20 - Sep 21	Jan 21 - Dec 21	Apr 21 - Mar 22
SCI_39	Domain 4: Ensuring that people have a positive experience of care	Clinical process		Proportion of patients with ASIA score prior on admission	Of those in the denominator, the number of patients with a recorded ASIA score prior on admission	The total number of patients admitted into the reporting period	Rolling Annual	Quarterly	NSCID	NSCID		Higher is better		Jul 20 - Jun 21	Oct 20 - Sep 21	Jan 21 - Dec 21	Apr 21 - Mar 22
SCI_40	Domain 4: Ensuring that people have a positive experience of care	Clinical process		Proportion of patients with discharge ASIA score at discharge	Of those in the denominator, the number of patients with a recorded discharge ASIA at discharge	The total number of patients discharges in the reporting period	Rolling Annual	Quarterly	NSCID	NSCID		Higher is better		Jul 20 - Jun 21	Oct 20 - Sep 21	Jan 21 - Dec 21	Apr 21 - Mar 22

Spinal Cord Injuries (All ages) Quality Dashboard 2021/22



Indicator Reference Number	Domain	Theme	Rationale	Name of Indicator/Description	Numerator	Denominator	Period Type	Frequency	Data Source Numerator	Data Source Denominator	Target	Interpretation Guidance	Notes	Reporting Periods			
														Q1	Q2	Q3	Q4
SCI_41	Domain 4: Ensuring that people have a positive experience of care	Clinical process		Proportion of patients with 2 year ASIA score recorded	Of those in the denominator, the number of patients with a recorded 2 year ASIA at 2 year post Injury	The total number of patients reaching 2 year post injury in the reporting period	Rolling Annual	Quarterly	NSCID	NSCID		Higher is better		Jul 20 - Jun 21	Oct 20 - Sep 21	Jan 21 - Dec 21	Apr 21 - Mar 22
SCI_42	Domain 4: Ensuring that people have a positive experience of care	Clinical Outcome		Mean Spinal Cord Independence Measure (SCIM) uplift mobilisation to discharge	For those patients in the denominator, total SCIM change from mobilisation to discharge	The total number of patients complete discharged with mobilisation and discharge SCIM recorded in the reporting period	Rolling Annual	Quarterly	NSCID	NSCID		Higher is better	include all patients	Jul 20 - Jun 21	Oct 20 - Sep 21	Jan 21 - Dec 21	Apr 21 - Mar 22
SCI_43	Domain 4: Ensuring that people have a positive experience of care	Clinical process		Proportion of patients with 2 year CHART recorded	Of those in the denominator, the number of patients with a recorded 2 year CHART at 2 year post Injury	The total number of patients reaching 2 years post injury in the reporting period	Rolling Annual	Quarterly	NSCID	NSCID		Higher is better		Jul 20 - Jun 21	Oct 20 - Sep 21	Jan 21 - Dec 21	Apr 21 - Mar 22
SCI_44	Domain 3: Helping people to recover from episodes of ill health or following injury			Proportion of newly injured patients waiting more than 30 days from injury to admission	Of those in the denominator, the number of patients who waited more than 30 days from injury to admission	The total number of patients admitted in the reporting period	Rolling Annual	Quarterly	NSCID	NSCID		Lower is better		Jul 20 - Jun 21	Oct 20 - Sep 21	Jan 21 - Dec 21	Apr 21 - Mar 22
SCI_45	Domain 3: Helping people to recover from episodes of ill health or following injury			Proportion of Spinal Cord Injury bed days occupied by delayed discharge patients	For those in the denominator, the total number of days between date fit for discharge and date of discharge	The total number of newly injured patients discharged in the reporting period	Rolling Annual	Quarterly	NSCID	NSCID		Lower is better		Jul 20 - Jun 21	Oct 20 - Sep 21	Jan 21 - Dec 21	Apr 21 - Mar 22
SCI_46	Domain 3: Helping people to recover from episodes of ill health or following injury			Proportion of bed days occupied by non Spinal Cord Injury outliers	Number of days between date of admission and date of discharge for all non SCI patients discharged in the quarter	The total number of SCI bed days in the reporting period	Rolling Annual	Quarterly	Provider submitted	Provider submitted		Lower is better	In development to be added to NSCID	Jul 20 - Jun 21	Oct 20 - Sep 21	Jan 21 - Dec 21	Apr 21 - Mar 22

Spinal Cord Injuries (All ages) Quality Dashboard 2021/22



Indicator Reference Number	Domain	Theme	Rationale	Name of Indicator/Description	Numerator	Denominator	Period Type	Frequency	Data Source Numerator	Data Source Denominator	Target	Interpretation Guidance	Notes	Reporting Periods			
														Q1	Q2	Q3	Q4
SCI_47	Domain 5: Treating and caring for people in a safe environment and protecting them from avoidable harm			Proportion of newly injured patients with core NSCID data completed	Of those in the denominator, the number of patients with a fully completed core dataset	The total number of patients discharged in the reporting period	Rolling Annual	Quarterly	NSCID	NSCID		Higher is better		Jul 20 - Jun 21	Oct 20 - Sep 21	Jan 21 - Dec 21	Apr 21 - Mar 22

Data collection has been approved by the Review of Central Returns - ROCR
ROCR/OR/2230/001MAND