

Internal Medicine
 Specialised Respiratory
 Lymphangioleiomyomatosis service (adults)

A14/S(HSS)/c

| Code | Metric | Numerator | Denominator | Period Type | Frequency | Data Source Numerator | Data Source Denominator | Target | Notes | Q1 | Q2 | Q3 | Q4 |
|---------------------|---|--|---|-------------|-----------|-----------------------|-------------------------|--------|-------|-----|-----|-----|-----------------|
| A14/S(HSS)/c-19-101 | Proportion of patients having a pneumothorax | Of those in the denominator, the number of patients having a pneumothorax | Active caseload in the reporting period | Annual | Annual | Provider | Provider | | | N/A | N/A | N/A | Apr-22 - Mar-23 |
| A14/S(HSS)/c-19-102 | Proportion of patients having a renal angioliopoma bleed | Of those in the denominator, the number of patients having a renal angioliopoma bleed | Active caseload in the reporting period | Annual | Annual | Provider | Provider | | | N/A | N/A | N/A | Apr-22 - Mar-23 |
| A14/S(HSS)/c-19-103 | Proportion of patients having an FEV1 decline of more than 150 ml per annum | Of those in the denominator, the number of patients having an FEV1 decline of more than 150 ml per annum | Active caseload in the reporting period | Annual | Annual | Provider | Provider | | | N/A | N/A | N/A | Apr-22 - Mar-23 |