


Screening and vaccinations trust framework for NHS employees: flowcharts


The following flowcharts are available in this document:

- [hepatitis b screening and immunisation requirements](#)
- [measles, mumps and rubella \(MMR\) screening and immunisation requirements](#)
- [pertussis screening and immunisation requirements](#)
- [tuberculosis pre-placement assessment](#)
- [varicella zoster virus requirement](#)
- [diphtheria, polio and tetanus screening and immunisation requirements](#)


Hepatitis b screening and immunisation requirements flowchart




Measles, mumps and rubella (MMR) screening and immunisation requirements flowchart




Pertussis screening and immunisation requirements flowchart




Tuberculosis pre-placement assessment flowchart



Varicella zoster virus requirement flowchart



Diphtheria, polio and tetanus screening and immunisation requirements flowchart



***Primary course**
0, 1, 2 months*

Booster

4th dose – 5 yrs after dose 3
5th dose – 10 yrs after dose 4
*If the primary course is interrupted, it should be resumed and not repeated, allowing an interval of one month between the remaining doses.

If potential exposure to Diphtheria in reference / special labs

Test 3 months after primary course
Immunity confirmation– 0.01 IU/ml for routine diagnostic laboratories.
For those staff handling or regularly exposed to toxin strains- 0.1 IU/ml should be achieved