



Public Health
England

NHS
RightCare

Commissioning for Value Where to Look pack

NHS Central Manchester CCG
January 2017



OFFICIAL
Gateway ref: 06345

Contents

- Foreword
- Introduction to your Where to Look pack
- The NHS RightCare programme
- Supporting the STP process
- NHS RightCare and Commissioning for Value
- What is Commissioning for Value?
- Why act?
- Your most similar CCGs
- Your data
- Next steps and actions
- Further support and information
- Useful links
- Annex

Foreword

“ The Commissioning for Value packs and the NHS RightCare programme place the NHS at the forefront of addressing unwarranted variation in care. I know that professionals - doctors, nurses, allied health professionals - and the managers who support their endeavours, all want to deliver the best possible care in the most effective way. We all assume we do so.

What Commissioning for Value does is shine an honest light on what we are doing. The RightCare approach then gives us a methodology for quality improvement, led by clinicians. It not only improves quality but also makes best use of the taxpayers' pound ensuring the NHS continues to be one of the best value health and care systems in the world.”

Professor Sir Bruce Keogh
National Medical Director, NHS England

Introduction to your Where to Look pack

What's in this pack?

This pack is a refresh of the Commissioning for Value Where to Look packs, published in January 2016.

Updates here include:

- Expenditure data is from 2015/16. Outcome data is the latest available at the time of publication
- An additional three pathways on a page for gastro-intestinal
- Complex patients analysis has been updated using 2015/16 data

Why your CCG should review it

This pack is specific to your CCG. The information in the pack and the accompanying online tools should be used to help support local discussion about prioritisation to improve both the utilisation of resources and value for the population.

By using this information each CCG will be able to ensure its plans focus on those opportunities which have the potential to provide the biggest improvements in health outcomes, resource allocation and reducing inequalities.

Your legal duties

NHS England, Public Health England and CCGs have legal duties under the Health and Social Care Act 2012 with regard to reducing health inequalities; and for promoting equality under the Equality Act 2010.

One of the main focuses for the Commissioning for Value series has always been reducing variation in outcomes. Commissioners should continue to use these packs and the supporting tools to drive local action to reduce inequalities in access to services and in the health outcomes achieved.

The NHS RightCare programme



The NHS RightCare programme is about improving population-based healthcare, through focusing on value and reducing unwarranted variation. It includes the Commissioning for Value packs and tools, the NHS Atlas series, and the work of the Delivery Partners.

The approach has been tested and proven successful in recent years in a number of different health economies. As a programme it focuses relentlessly on value, increasing quality and releasing funds for reallocation to address future demand.

NHS England has committed significant funding to rolling out the RightCare approach. By January 2017 all CCGs will be working with an NHS RightCare Delivery Partner.

For more information visit: <https://www.england.nhs.uk/rightcare>

Supporting the STP process

This pack has been refreshed to align with the new Sustainability and Transformation Planning (STP) process. Local service leaders in every part of England are working together for the first time on shared plans to transform health and care in the diverse communities they serve.

Commissioning for Value (CfV) supports CCGs and STP footprint areas by providing the most up to date data available. Expenditure data is from 2015/16. Outcomes data is the latest available at time of publication. The time period for each pathway on a page indicator is included on the chart. In addition the key indicators from the seven focus packs (originally published in April/May 2016) will be refreshed in the CfV online tools in early 2017.

NHS RightCare and Commissioning for Value

Commissioning for Value is a partnership between NHS RightCare and Public Health England. It provides the first phase of the NHS RightCare approach – Where to Look.

The approach begins with a review of indicative data to highlight the top priorities or opportunities for transformation and improvement. Value opportunities exist where a health economy is an outlier and will most likely yield the greatest improvement to clinical pathways and policies.

Phases two and three then move on to explore *What to Change* and *How to Change*.



What is Commissioning for Value?

The Commissioning for Value (CfV) work programme originated during 2013/14 in response to requests from clinical commissioning groups (CCGs) that they would like support to help them identify the opportunities for change with most impact for their populations.

Commissioning for Value is designed to identify priority programmes which offer the best opportunities to improve healthcare; improving the value that patients receive from their healthcare and improving the value that populations receive from investment in their local health system.

By providing the commissioning system with data, evidence, tools and practical support around spend, outcomes and quality, the CfV programme can help clinicians and commissioners transform the way care is delivered for their patients and populations and reduce variation in health inequalities.

Commissioning for Value is not intended to be a prescriptive approach for commissioners, rather a source of insight which supports local discussions about prioritisation and utilisation of resources. It is a starting point for CCGs and partners, providing suggestions on where to look to help them deliver improvement and the best value to their populations.

Previous CfV packs and supporting information can be found on the CfV pages on the NHS RightCare website.

Why act?

We've worked with a number of health economies in recent years that have adopted the NHS RightCare approach, and since January 2016 our Delivery Partners have been working with 65 CCGs across England. Examples of the population healthcare and system impact of adopting the NHS RightCare approach include:

- 1000s more people at risk of or already with Type 2 diabetes detected and being supported with their primary and secondary prevention (Bradford City and Bradford Districts CCGs)
- 30% reduction in referrals to secondary care MSK services via a locally-run triage system, with annual savings of £1m (Ashford CCG)
- Significant reductions in unplanned activity amongst a large cohort of people with complex care needs via proactive primary care (Slough CCG)
- 30% reduction in COPD emergency activity from a full pathway redesign (Hardwick CCG)
- 89% reduction in 999 calls from groups of frequent callers via enhanced integrated care and pathway navigation (Blackpool CCG)

For more information please see the NHS RightCare casebooks at:

<https://www.england.nhs.uk/rightcare/intel/cfv/casebooks/>

Your most similar CCGs

Your CCG is compared to the 10 most demographically similar CCGs. This is used to identify realistic opportunities to improve health and healthcare for your population. The analysis in this pack is based on a comparison with your most similar CCGs which are:

- NHS Nottingham City CCG
- NHS Leicester City CCG
- NHS Birmingham South and Central CCG
- NHS North Manchester CCG
- *NHS Southampton CCG
- NHS South Manchester CCG
- NHS Sandwell and West Birmingham CCG
- NHS Camden CCG
- NHS Waltham Forest CCG
- NHS Greenwich CCG

To help you understand more about how your most similar 10 CCGs are calculated, the Similar 10 Explorer Tool is available on the NHS England website. This tool allows you to view similarity across all the individual demographics used to calculate your most similar 10 CCGs. You can also customise your similar 10 cluster group by weighting towards a desired demographic factor.

There has been a change to a small number of CCG similar 10 groups since the January 2016 pack to reflect a reduction in the number of CCGs nationally and a refresh of the demographic variable data used to calculate the similar 10. The group in this pack is the same as that in the focus packs.

***Since publication of the October Where to Look packs we have identified data quality issues in the spend data of four CCGs. To ensure robustness of the comparisons made your similar 10 peer group has been altered to remove NHS South Reading CCG and had it replaced by your next most similar CCG, NHS Southampton CCG.**

Where to Look: Step 1

The Commissioning for Value approach begins with a review of indicative data across the 10 highest spending programmes of care to highlight the top priorities (opportunities) for transformation and improvement.


This pack begins the process for you by offering a triangulation of nationally-held data that indicates where CCGs may gain the highest value healthcare improvement.

The following slides help identify the 'where to look' opportunities to improve value. They contain a range of improvement opportunities across a number of key programme areas to help CCGs identify the priority programmes to focus on for improvement. They do not seek to provide phases 2 ('what to change') and 3 ('how to change') of the overall approach.

The opportunities that follow in the next few slides outline the potential improvements (in terms of both reduced expenditure and lives saved) if the CCG were to perform at the average of the similar 10 and best five of the similar 10 as outlined in the previous slide.

Please note that CCGs should not seek to add up all the spend opportunities in the pack (eg in prescribing or non-elective care) to find total potential savings. Each programme of care is shown as a pathway and the pathway needs to be looked at as a whole. For example, in order to reduce spending for non-elective activity within CVD, it may be necessary to increase resources in primary care prevention or prescribing. This should result in better value and a net reduction in costs, but will not be equivalent to the total sum of all savings opportunities.

Headline opportunity areas for your health economy



Your CCG similar 10 group contains 1 CCG affected by poor data completeness for SUS PbR expenditure. Inclusion of these CCGs/this CCG in your benchmark may affect the opportunities presented.

If you would like to understand the impact of this in greater detail please contact your Delivery Partner or england.healthinvestmentnetwork@nhs.net.


You can also request the methodology used to calculate your headline opportunities from this e-mail address : england.healthinvestmentnetwork@nhs.net.

What are the potential lives saved per year?

A value is only shown where the opportunity is statistically significant at the 95% confidence level

If this CCG performed at the average of:


■ Similar 10 CCGs ■ Best 5 of similar 10 CCGs



The mortality data presented above uses Primary Care Mortality Database (PCMD) and is from 2012 to 2014. The potential lives saved opportunities are calculated on a yearly basis and are only shown where statistically significant. Lives saved only includes programmes where mortality outcomes have been considered appropriate.

How different are we on bed days?

A value is only shown where the opportunity is statistically significant at the 95% confidence level




The bed days data presented above uses Secondary User Services Extract Mart (SUS SEM) and is from financial year 2015/16.

The calculations in this slide are based on admissions for any primary diagnoses that fall under the listed conditions (based on Programme Budgeting classifications which are in turn based on the World Health Organisation's International Classification of Diseases). This only includes admissions covered by the mandatory payment by results tariff and includes NHS England Direct Commissioning activity. These figures are a combination of elective and non-elective admissions.

Length of stay is derived from admission and discharge date. Spells that have the same admission and discharge date (including planned day cases) have a length of stay in SUS as zero. These have been recoded as a length of stay of 1 day in order to capture the impact of these admissions on total bed days for a CCGs.

How different are we on spend on elective admissions?

A value is only shown where the opportunity is statistically significant at the 95% confidence level



The spend data presented above uses Secondary User Services Extract Mart (SUS SEM) and is from financial year 2015/16.

The calculations in this slide are based on expenditure on admissions for any primary diagnoses that fall under the listed conditions (based on Programme Budgeting classifications which are in turn based on the World Health Organisation's International Classification of Diseases). This only includes expenditure on admissions covered by the mandatory payment by results tariff and includes NHS England Direct Commissioning expenditure.


CCGs can explore this expenditure in more detail using the Commissioning for Value Focus Packs. For example, Neurological expenditure contains Chronic Pain, and the focus pack breaks this down by different types of Pain. CCGs should consider whether these admissions should be considered alongside other programmes e.g. CVD, Gastrointestinal, Musculoskeletal problems.

How different are we on spend on non-elective admissions?

A value is only shown where the opportunity is statistically significant at the 95% confidence level

If this CCG performed at the average of:

■ Similar 10 CCGs ■ Best 5 of similar 10 CCGs



The spend data presented above uses Secondary User Services Extract Mart (SUS SEM) and is from financial year 2015/16.


The calculations in this slide are based on expenditure on admissions for any primary diagnoses that fall under the listed conditions (based on Programme Budgeting classifications which are in turn based on the World Health Organisation's International Classification of Diseases). This only includes expenditure on admissions covered by the mandatory payment by results tariff and includes NHS England Direct Commissioning expenditure.

CCGs can explore this expenditure in more detail using the Commissioning for Value Focus Packs. For example, Neurological expenditure contains Chronic Pain, and the focus pack breaks this down by different types of Pain. CCGs should consider whether these admissions should be considered alongside other programmes e.g. CVD, Gastrointestinal, Musculoskeletal problems.

How different are we on spend on primary care prescribing?

A value is only shown where the opportunity is statistically significant at the 95% confidence level

If this CCG performed at the average of:



The prescribing data presented above uses Net Ingredient Cost (NIC) from ePact.com provided by the NHS Business Services Authority and is from financial year 2015/16. Each individual BNF chemical is mapped to a Programme Budget Category and aggregated to form a programme total. The indicators have been standardised using the ASTRO-PU weightings. Opportunities have been shown to the CCGs similar 10 and the lowest 5 CCGs. Prescribing opportunities are for local interpretation and should be viewed in conjunction with the individual disease pathways.

More detailed analyses of prescribing data, outlier practices, and time trends can be produced rapidly using the following resource: <http://www.OpenPrescribing.net>

Improvement opportunities

This table presents opportunities for quality improvement and spend differences for a range of programme areas. These are based on comparing NHS Central Manchester CCG to the best / lowest 5 CCGs. A quantified unit is only shown when the opportunity is statistically significant at the 95% confidence level.

Disease Area	Spend	£000	Quality	Quantified Opportunity
Cancer & Tumours	<ul style="list-style-type: none"> • Spend on elective and day-case admissions • Spend on non-elective admissions • Spend on primary care prescribing 	744 608 214	<ul style="list-style-type: none"> • Cancer and Tumours - Rate of bed days • Mortality from all cancers under 75 years • Breast cancer screening • Bowel cancer screening • Successful quitters, 16+ • Mortality from lung cancer under 75 years • Mortality from all cancers all ages 	4,210 41 1,748 1,131 324 27 55
Circulation Problems (CVD)	<ul style="list-style-type: none"> • Spend on elective and day-case admissions • Spend on non-elective admissions • Spend on primary care prescribing 	205 1,918 166	<ul style="list-style-type: none"> • Circulation - Rate of bed days • Mortality from all circulatory diseases under 75 years • Reported to estimated prevalence of CHD • Reported to estimated prevalence of hypertension • Patients with CHD whose BP < 150/90 • Patients with CHD whose cholesterol < 5 mmol/l • Patients with hypertension whose BP < 150/90 • Mortality from CHD under 75 years • Mortality from acute MI under 75 years • Patients with stroke/TIA whose BP < 150/90 • Stroke patients spending 90% of their time on stroke unit • % patients returning home after treatment • Mortality from stroke under 75 years • Reported to estimated prevalence of AF 	9,220 55 505 4,609 48 170 474 31 15 51 15 15 11 235

Improvement opportunities

This table presents opportunities for quality improvement and spend differences for a range of programme areas. These are based on comparing NHS Central Manchester CCG to the best / lowest 5 CCGs. A quantified unit is only shown when the opportunity is statistically significant at the 95% confidence level.

Disease Area	Spend	£000	Quality	Quantified Opportunity
Endocrine, Nutritional and Metabolic Problems	<ul style="list-style-type: none"> • Spend on elective and day-case admissions • Spend on non-elective admissions • Spend on primary care prescribing 	442 260 1,591	<ul style="list-style-type: none"> • Endocrine - Rate of bed days • % diabetes patients whose HbA1c is <59 mmol/mol • % diabetes patients whose blood pressure is <140/80 • % of diabetes patients receiving all three treatment targets • % patients receiving foot examination • Retinal screening • % diabetes patients referred to structured education 	2,011 529 252 145 625 463 62
Gastrointestinal	<ul style="list-style-type: none"> • Spend on elective and day-case admissions • Spend on non-elective admissions • Spend on primary care prescribing 	740 816 339	<ul style="list-style-type: none"> • Gastro - Rate of bed days • Mortality from gastrointestinal disease under 75 years • Mortality for liver disease under 75 years • % 6+ week waits for a gastroscopy (4 month snapshots) • Alcohol specific hospital admissions • % 6+ week waits for a colonoscopy (4 month snapshots) • Rate of emergency colonoscopies • Emergency admissions for diverticular disease • Emergency admissions for gastroenteritis (0-4) • Emergency admissions for gastroenteritis (5+) 	5,219 22 21 328 192 255 6 16 121 66

Improvement opportunities

This table presents opportunities for quality improvement and spend differences for a range of programme areas. These are based on comparing NHS Central Manchester CCG to the best / lowest 5 CCGs. A quantified unit is only shown when the opportunity is statistically significant at the 95% confidence level.

Disease Area	Spend	£000	Quality	Quantified Opportunity
Genitourinary	<ul style="list-style-type: none"> • Spend on elective and day-case admissions • Spend on non-elective admissions • Spend on primary care prescribing 	106 958 146	<ul style="list-style-type: none"> • Genitourinary - Rate of bed days • Patients on CKD register with a BP of 140/85 or less • % of patients on RRT who have a transplant 	5,566 183 22
Maternity & Reproductive Health			<ul style="list-style-type: none"> • Breastfeeding initiation (first 48 hrs) • Infant mortality rate • Emergency gastroenteritis admissions rate for <1s • Emergency LRTI admissions rate for <1s • % receiving 3 doses of 5-in-1 vaccine by age 2 • A&E attendance rate for <5s • Emergency admissions rate for <5s • Unintentional & deliberate injury admissions for <5s • % of children aged 4-5 who are overweight or obese • Hospital admissions for dental caries (1-4 years) • % receiving 1 dose of MMR vaccine by age 2 	166 5 55 78 27 3,721 1,601 208 44 79 70

Improvement opportunities

This table presents opportunities for quality improvement and spend differences for a range of programme areas. These are based on comparing NHS Central Manchester CCG to the best / lowest 5 CCGs. A quantified unit is only shown when the opportunity is statistically significant at the 95% confidence level.

Disease Area	Spend	£000	Quality	Quantified Opportunity
Mental Health Problems	<ul style="list-style-type: none"> Spend on primary care prescribing 	802	<ul style="list-style-type: none"> Physical health checks for patients with SMI Mental health hospital admissions People subject to mental health act (quarter) New cases of depression which have been reviewed Assessment of severity of depression at outset Completion of IAPT treatment (quarter) IAPT: % referrals with outcome measured (6 months) IAPT: % 'moving to recovery' rate (quarter) IAPT: % achieving 'reliable improvement' (quarter) Emergency hospital admissions for self harm Mortality with dementia, 65+ % new dementia diagnosis with blood test % of EIP referrals waiting >2 wks to start treatment (Incomplete) (5m) IAPT: % waiting <6 weeks for first treatment (6 month snapshots) Rate of emergency admissions aged 65+ with dementia 	<ul style="list-style-type: none"> 107 156 105 126 40 422 19 41 42 82 28 25 10 502 168

Improvement opportunities

This table presents opportunities for quality improvement and spend differences for a range of programme areas. These are based on comparing NHS Central Manchester CCG to the best / lowest 5 CCGs. A quantified unit is only shown when the opportunity is statistically significant at the 95% confidence level.

Disease Area	Spend	£000	Quality	Quantified Opportunity
Musculoskeletal System Problems (Excludes Trauma)	<ul style="list-style-type: none"> Spend on non-elective admissions Spend on primary care prescribing Spend on admissions relating to fractures where a fall occurred 	298 226 184	<ul style="list-style-type: none"> MSK - Rate of bed days % osteoporosis patients 50-74 treated with Bone Sparing Agent % patients 75+ years with fragility fracture treated with BSA Hip replacement, EQ-5D Index, average health gain Knee replacement, EQ-5D Index, average health gain Hip fracture emergency readmissions 28 days 	862 11 16 9 14 10
Neurological System Problems	<ul style="list-style-type: none"> Spend on elective and day-case admissions Spend on non-elective admissions Spend on primary care prescribing 	139 1,210 882	<ul style="list-style-type: none"> Neurological - Rate of bed days Emergency admission rate for children with epilepsy aged 0–17 years Patients with epilepsy on drug treatment and convulsion free, 18+ 	6,926 19 161
Respiratory System Problems	<ul style="list-style-type: none"> Spend on elective and day-case admissions Spend on non-elective admissions Spend on primary care prescribing 	262 1,396 1,034	<ul style="list-style-type: none"> Respiratory - Rate of bed days Mortality from bronchitis, emphysema and COPD under 75 years Reported to estimated prevalence of COPD % of COPD patients with a record of FEV1 % of COPD patients with review (12 months) % patients (8yrs+) with asthma (variability or reversibility) % asthma patients with review (12 months) Emergency admission rate for children with asthma, 0-19yrs % of COPD patients with a diagnosis confirmed by spirometry 	5,943 39 977 181 168 70 304 234 109

Note: 'Spend on admissions relating to fractures where a fall occurred' is a sub-set of Trauma and Injuries non-elective spend and is not included in the spend for overall MSK non-elective admissions. This indicator as well as 'Rates of hip fractures', 'Emergency readmissions to hospital within 28 days for patients: hip fractures' and '% patients returning to usual place of residence following hospital treatment for fractured femur' may appear in the improvement opportunities table for both Trauma & Injuries and MSK table. This is due to them being in the Trauma & Injury pathway as well as the Osteoporosis pathway. Opportunities for these five indicators have only contributed to the headline; 'Spend', 'Outcomes' (and hence 'Spend and Outcomes') for MSK only.

Improvement opportunities

This table presents opportunities for quality improvement and spend differences for a range of programme areas. These are based on comparing NHS Central Manchester CCG to the best / lowest 5 CCGs. A quantified unit is only shown when the opportunity is statistically significant at the 95% confidence level.

Disease Area	Spend	£000	Quality	Quantified Opportunity
Trauma & Injuries	<ul style="list-style-type: none"> • Spend on non-elective admissions • Spend on primary care prescribing • Spend on admissions relating to fractures where a fall occurred 	603 57 184	<ul style="list-style-type: none"> • Trauma and injuries - Rate of bed days • Mortality from accidents all ages • Unintentional and deliberate injury admissions, 0-24yrs • Hip fracture emergency readmissions 28 days 	4,291 12 295 10

Where to Look: Step 2

The following pages provide a more detailed look at 19 'Pathways on a page' by providing a wider range of key indicators for different conditions. Having reviewed the priority programmes identified in step 1 (pages 12-23), local health economies can explore the opportunities in those programmes at condition level by using step 2 (pages 26-44).

The intention of these pathways is not to provide a definitive view, but to help commissioners explore potential opportunities. These slides help to understand how performance in one part of the pathway may affect outcomes further along the pathway. This is a simplified version of a 'focus pack' or 'deep dive' and we encourage commissioners to use the full process for pathways that appear to offer the greatest areas for improvement. Focus packs for each CCG for the highest spending programmes are available on the NHS RightCare website.

Each indicator of these pathways is shown as the percentage difference from the average of the 10 CCGs most similar to you.


Where to Look: Step 2

The indicators are colour coded to help you see if your CCG has 'better' (**green**) or 'worse' (**red**) values than your peers. This is not always clear-cut, so 'needs local interpretation' (**blue**) is used where it is not possible to make this judgement. For example, low prevalence may reflect that a CCG truly does have fewer patients with a certain condition, but it may reflect that other CCGs have better processes in place to identify and record prevalence in primary care.

Please note: The variation from the average of the similar 10 CCGs is statistically significant at the 95% confidence level for those indicators where the confidence intervals do not cross the 0% axis.

Commissioners should work with local clinicians and public health colleagues to interpret these pathways. It is recommended that you look at packs for your similar CCG group. By doing so, it may be possible to identify those CCGs which appear to have much better pathways for populations with similar demographics.


Breast cancer pathway



NICE guidance:

- <http://pathways.nice.org.uk/pathways/familial-breast-cancer>
- <http://pathways.nice.org.uk/pathways/early-and-locally-advanced-breast-cancer>
- <http://pathways.nice.org.uk/pathways/advanced-breast-cancer>


Lower gastro-intestinal cancer pathway



NICE guidance:

- <http://pathways.nice.org.uk/pathways/colorectal-cancer>
- <http://pathways.nice.org.uk/pathways/colonoscopic-surveillance>
- <http://pathways.nice.org.uk/pathways/gastrointestinal-conditions>


Lung cancer pathway



NICE guidance:

<http://pathways.nice.org.uk/pathways/lung-cancer>

Severe Mental Illness pathway



NICE guidance: <http://pathways.nice.org.uk/pathways/psychosis-and-schizophrenia>

Further Information Links:


<http://fingertips.phe.org.uk/profile-group/mental-health/profile/severe-mental-illness/>

EIP (Early intervention in psychosis) Complete pathways – this shows the %age of patients waiting less than 2 weeks to start treatment out of all those who have started treatment.

EIP Incomplete pathways – this shows the %age of patients waiting more than 2 weeks out of all those who are yet to start treatment.

<https://www.england.nhs.uk/mentalhealth/wp-content/uploads/sites/29/2016/04/eip-guidance.pdf>


Common mental health disorder pathway



NICE guidance:

<http://pathways.nice.org.uk/pathways/common-mental-health-disorders-in-primary-care>

Dementia pathway




NICE guidance:

<http://pathways.nice.org.uk/pathways/dementia>

<https://pathways.nice.org.uk/pathways/dementia-disability-and-frailty-in-later-life-mid-life-approaches-to-delay-or-prevent-onset>

Heart disease pathway




NICE Pathways on: Hypertension, Cardiovascular Disease and Smoking

<http://pathways.nice.org.uk/>

PRIMIS Toolkit:

<http://www.nottingham.ac.uk/primis/tools-audits/tools-audits/grasp-suite/grasp-ht.aspx>

Stroke pathway



NICE guidance: <http://pathways.nice.org.uk/pathways/stroke>

PRIMIS Toolkit:

<http://www.nottingham.ac.uk/primis/tools-audits/tools-audits/grasp-suite/grasp-af/grasp-af.aspx>

<http://www.nottingham.ac.uk/primis/tools-audits/tools-audits/warfarin-patient-safety.aspx>

Diabetes pathway




NICE guidance:

<http://pathways.nice.org.uk/pathways/diabetes>

PRIMIS Toolkit:

<http://www.nottingham.ac.uk/primis/tools-audits/tools-audits/diabetes-care.aspx>


Renal pathway



NICE guidance:

<http://pathways.nice.org.uk/pathways/chronic-kidney-disease>
<http://pathways.nice.org.uk/pathways/acute-kidney-injury>

COPD pathway




NICE guidance:

<http://pathways.nice.org.uk/pathways/chronic-obstructive-pulmonary-disease>

PRIMIS Toolkit:

<http://www.nottingham.ac.uk/primis/tools-audits/tools-audits/grasp-suite/grasp-copd.aspx>

Asthma pathway




NICE guidance:

<http://pathways.nice.org.uk/pathways/asthma>

PRIMIS Toolkit:

<http://www.nottingham.ac.uk/primis/tools-audits/tools-audits/asthma.aspx>

Lower gastrointestinal pathway




Note: It is anticipated that emergency admissions for Diverticular Disease of Intestine will increasingly be treated with drainage rate lines, with a gradual decrease in resection rates lines. CCGs are advised to examine their procedure rates and how they can move towards performing more resections.

Colonoscopies are one of 15 key diagnostic tests which the NHS Constitution states less than 1% of patients should wait more than 6 weeks for. CCGs which achieve good performance compared to their peers may still be missing this target. CCGs are therefore advised to examine their waiting list times in greater detail, which are available at:

<https://www.england.nhs.uk/statistics/statistical-work-areas/diagnostics-waiting-times-and-activity/monthly-diagnostics-waiting-times-and-activity/>


Upper gastrointestinal pathway



Note: Gastroscopies are one of 15 key diagnostic tests which the NHS Constitution states less than 1% of patients should wait more than 6 weeks for. CCGs which achieve good performance compared to their peers still may be missing this target. CCGs are therefore advised to examine their waiting list times in greater detail, which are available at:

<https://www.england.nhs.uk/statistics/statistical-work-areas/diagnostics-waiting-times-and-activity/monthly-diagnostics-waiting-times-and-activity/>


Liver disease pathway



Note: Variation in hospital testing practices for Hepatitis will influence the extent to which Hep C related end stage liver disease/hepatocellular carcinoma admissions are reported. CCGs are therefore advised to examine how hospital testing practices for Hepatitis may be affecting reported admission rates.

Many cases of liver cancer are linked to cirrhosis. Cirrhosis is commonly caused by heavy and harmful drinking, hepatitis C and the build-up of fat inside the tissue of the liver. Liver cancer incidence therefore is related to a number of other indicators listed in the pathway.

Osteoporosis and fragility fractures pathway




NICE guidance:

<http://pathways.nice.org.uk/pathways/musculoskeletal-conditions>

Arthritis Research UK Musculoskeletal calculator:

<http://www.arthritisresearchuk.org/mskcalculator>

Osteoarthritis pathway




NICE guidance:

<http://pathways.nice.org.uk/pathways/musculoskeletal-conditions>

Arthritis Research UK Musculoskeletal calculator:

<http://www.arthritisresearchuk.org/mskcalculator>


Trauma and injury pathway



NICE guidance:

- <http://pathways.nice.org.uk/pathways/falls-in-older-people>
- <http://pathways.nice.org.uk/pathways/unintentional-injuries-among-under-15s>
- <http://pathways.nice.org.uk/pathways/hip-fracture>

Maternity and early years pathway



NICE Pathways on: 'Smoking', 'Maternal and child nutrition', 'Diarrhoea and vomiting', 'Immunisation for children' and 'Unintentional injuries among under 15s'

<http://pathways.nice.org.uk/>

Further Information Link:

<https://sustain.sharepoint.com/Documents/HCP%20Integrated%20Com%20and%20Del%20toolkit%20final.pdf>

Where to Look: Step 3

The Integrated Care packs (2015) sought to show the extent to which complex patients use resources across programmes of care and the urgent care system. This can support local discussions on the health and systems impact if this cohort of the population were managed via integrated care planning and supported self-management arrangements. The National Clinical Directors, Intelligence Networks and third sector organisations helped to develop the pathways.

The following slides include analysis on inpatient admissions, outpatient and A&E attendances for the 2% of patients that your CCG spends the most on for inpatient admissions (covered by mandatory tariff) in 2015/16. Nationally the most common conditions of admissions for complex patients are circulation; cancer; and gastro-intestinal problems.

Whilst this analysis only focuses on secondary care due to availability of data, it is expected that these patients are fairly representative of the type of complex patients who will require the most treatment across the health and care system. **However it is not possible to include analysis on mental health patients as they are not captured fully in these datasets.**


Nationally:

- These complex patients comprise **16%** of spend on inpatient admissions
- The average complex patient has seven admissions per year for three different conditions (based on programme budget categories)
- **61%** of these complex patients are aged 65 and over
- **38%** of these complex patients are aged 75 and over
- **14%** of these complex patients are aged 85 and over


Complex patients - Age Profile

2% Most Complex Patients (18.9% of CCG Spend)				
Age	Number of complex patients	Mean Number of Admissions	Mean Number of Different Conditions	Total Spend (£000s)
1-4	18	16.5	2.72	£ 553
5-9	14	13.2	2.64	£ 444
10-14	15	12.6	2.27	£ 412
15-19	15	6.7	1.93	£ 396
20-24	7	6.7	3.00	£ 143
25-29	10	4.0	2.40	£ 251
30-34	12	7.3	2.67	£ 279
35-39	12	9.7	2.50	£ 241
40-44	15	5.3	2.27	£ 326
45-49	20	5.9	2.70	£ 474
50-54	31	6.4	2.81	£ 700
55-59	28	6.3	2.71	£ 569
60-64	47	6.7	3.02	£ 986
65-69	52	5.2	2.71	£ 1,147
70-74	34	4.2	2.59	£ 670
75-79	74	4.2	2.65	£ 1,635
80-84	61	3.0	2.25	£ 1,239
85-89	40	3.1	2.33	£ 874
90+	27	2.2	1.93	£ 620
TOTAL	532	5.7	2.55	£ 11,960

Complex patients - Age Profile



Complex patients - Spend Profile



Complex patients - Co-morbidities

Of the 146 patients admitted for Gastro intestinal, 42 patients were admitted for a Cancer condition and 40 patients were admitted for a Respiratory condition.

*For more details on how to interpret the following table, please refer to the last slide of this pack "Complex Patients - How to interpret co-morbidities table"

Main conditions	Co-morbidity 1	Co-morbidity 2	Co-morbidity 3	Co-morbidity 4	Co-morbidity 5
Gastro intestinal	Cancer	Respiratory	Genito Urinary	Neurological	Circulation
146 patients	42	40	40	34	25
Circulation	Neurological	Respiratory	Gastro intestinal	Genito Urinary	Poisoning and adverse effects
153 patients	44	37	25	26	20
Respiratory	Gastro intestinal	Circulation	Cancer	Genito Urinary	Neurological
137 patients	40	37	32	29	30
Neurological	Circulation	Gastro intestinal	Respiratory	Cancer	Genito Urinary
137 patients	44	34	30	24	29
Cancer	Gastro intestinal	Respiratory	Genito Urinary	Neurological	Poisoning and adverse effects
124 patients	42	32	25	24	20

Next steps and actions

Local health economies can take the following steps now:

- Identify the priority programmes and complex patients in your locality and compare against current improvement activity and plans
- Look at the focus packs on the NHS RightCare website for those areas which are a priority for your locality
- Engage with clinicians and other local stakeholders, including public health teams in local authorities and commissioning support organisations and explore the priority opportunities further using local data
- Ensure planning round submissions, and returns for the CCG Improvement and Assessment Framework reflect the opportunities identified
- Discuss the opportunities highlighted in this pack as part of the STP planning process and consider STP wide action where appropriate
- Revisit the NHS RightCare website regularly as new content, including updates to tools to support the use of the Commissioning for Value packs, is regularly added
- Discuss next steps with your Delivery Partner (please note all CCGs will have a Delivery Partner assigned to them by January 2017)

Further support and information



The Commissioning for Value benchmarking tool, explorer tool, full details of all the data used, and links to other useful tools are available on the NHS RightCare website. Links are shown on the next page.

The NHS RightCare website also offers resources to support CCGs in adopting the Commissioning for Value approach. These include:

- Focus packs for the highest spending programmes covered in this pack
- Online videos and 'how to' guides
- Case studies with learning from other CCGs

If you have any questions or require any further information or support you can email the Commissioning for Value support team direct at: england.healthinvestmentnetwork@nhs.net

Useful links

NHS RightCare website:

<https://www.england.nhs.uk/rightcare>

Commissioning for Value packs and products:

<https://www.england.nhs.uk/rightcare/intel/cfv/>

NHS RightCare casebooks:

<https://www.england.nhs.uk/rightcare/intel/cfv/casebooks/>

Commissioning for Value Similar 10 Explorer Tool:

<https://www.england.nhs.uk/wp-content/uploads/2016/01/cfv-16-similar-10-explr-tool.xlsm>

Five Year Forward View:

<https://www.england.nhs.uk/wp-content/uploads/2014/10/5yfv-web.pdf>

NHS shared planning guidance for 2017/18 - 2018/19

<https://www.england.nhs.uk/ourwork/futurenhs/deliver-forward-view/>

CCG Improvement and Assessment Framework

<https://www.england.nhs.uk/commissioning/ccg-auth/>

Annex: How to interpret the complex patients co-morbidities table

This slide provides insight into how to interpret the co-morbidities table.

The three different factors which make up this table are the main condition, co-morbidity and the number of patients.

	Main conditions	Co-morbidity 1	Co-morbidity 2	Co-morbidity 3	Co-morbidity 4	Co-morbidity 5
1st	Gastro intestinal 161 patients	Neurological 48	Genito Urinary 48	Poisoning and adverse effects 48	Circulation 41	Cancer 34
2nd	Circulation 178 patients	Respiratory 52	Gastro intestinal 41	Genito Urinary 36	Neurological 26	Poisoning and adverse effects 28

Interpreting main conditions

Main conditions are ranked by the number of different conditions (based on programme budgeting subcategories) that patients are admitted for. This ranking may be different if based on the number of patients that have had an admission for each condition. For example, this CCG has 161 patients who were admitted to hospital for Gastro Intestinal problems, but 40 of these patients had admissions for two different Gastro Intestinal subcategories (e.g. Lower Gastro Intestinal and Upper Gastro Intestinal) so the total number of conditions that the ranking is based on is 201. This CCG has 178 patients who were admitted for Circulation problems, but only 15 of these patients had admissions for two different Circulation subcategories (e.g. Coronary Heart Disease and Cerebrovascular Disease) so the total number of conditions that the ranking is based on is 193. Therefore, Gastro Intestinal is shown as the 1st main condition.

Interpreting co-morbidities

Co-morbidities are ranked by the number of different conditions (based on programme budgeting subcategories) that patients are admitted for. This ranking may be different if based on the number of patients that have had an admission for each condition. Of the 178 patients who were admitted to hospital for Circulation problems, 26 patients also had 40 Neurological admissions (for two different Neurological subcategories). Of the 178 patients who were admitted to hospital for Circulation problems, 28 patients also had 28 admissions for Poisoning and adverse effects. Therefore, Neurological is shown as the 4th co-morbidity for Circulation followed by Poisoning and adverse effects.